

WIRE SHELVING UNITS WITH STORAGE BINS

Same great features as the Kleton chromate wire shelving, but with the added convenience of heavy-duty storage bins.

- · Adjustable chromate wire shelves
- · Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage
- Stationary units total capacity should not exceed 2000 lbs.
- NSF Certified (wire shelving units only)
- · Assembly required





Model	Sh	ıelı	ving	Din	n.	No. of		Biı	ı Dimensio	ns		No. of	
No.	W"	X	D"	X	H"	Shelves	W"	x	D"	X	H"	Bins	Colour
RL815	36	х	14	Х	74	8	8 3/16	Х	14	Х	63/16	28	Blue
RL816	36	Х	14	χ	74	8	8 3/16	Х	14	Х	63/16	28	Yellow
RL817	36	Х	14	χ	74	8	8 3/16	Х	14	Х	63/16	28	Green
RL818	36	Х	14	Х	74	8	8 3/16	Х	14	χ	63/16	28	Red
RL819	36	Х	18	Х	74	8	7 7/8	Х	17 11/16	χ	7	28	Blue
RL820	36	Х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	28	Yellow
RL821	36	Х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	28	Green
RL822	36	Х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	28	Red
RL827	48	Х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	28	Blue
							11 13/16	Х	17 11/16	Χ	7	7	Blue
RL828	48	Х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	28	Yellow
							11 13/16	Х	17 11/16	Х	7	7	Yellow
RL829	48	Х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	28	Green
							11 13/16	Х	17 11/16	Х	7	7	Green
RL830	48	Х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	28	Red
							11 13/16	Х	17 11/16	Х	7	7	Red
RL831	48	Х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	7	Blue
							11 13/16	Х	17 11/16	Х	7	21	Blue
RL832	48	х	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	7	Yellow
							11 13/16	Х	17 11/16	Х	7	21	Yellow
RL833	48	х	18	х	74	8	7 7/8	х	17 11/16	Х	7	7	Green
							11 13/16	Х	17 11/16	Х	7	21	Green
RL834	48	x	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	7	Red
		^				·	11 13/16	Х	17 11/16	Х	7	21	Red
RL839	36	x	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	7	Blue
	30	^				·	11 13/16	Х	17 11/16	Х	7	14	Blue
RL840	36	x	18	Х	74	8	7 7/8	Х	17 11/16	Х	7	7	Yellow
0.10	50	^	10	^	, ,	Ü	11 13/16	Х	17 11/16	X	7	14	Yellow
RL841	36	v	18	х	74	8	7 7/8	X	17 11/16	X	7	7	Green
ILUTI	50	^	10	۸	, т	3	11 13/16	Х	17 11/16	X	7	14	Green
RL842	36	v	18	х	74	8	7 7/8	X	17 11/16	X	7	7	Red
NLUTZ	20	Λ.	10	۸.	/4	O .	1 1/0	٨	17 11/10	A	/	/	neu

QUANTUMTM BINS

- · Heavy-duty, virgin, high density polypropylene/polyethylene
- Autoclavable up to 250°F
- Large multiple label slots Stackable
- · Optional dividers and clear windows available for most units
- · Hangs on louvered panels, rails and carts
- · Jumbo bins cannot hang on louvered panels or rail systems
- Jumbo bins have a stack capacity of up to 100 lbs. and can stack up to six bins high
- Mobile bins come with four swivel 3" casters with brakes
- Made of FDA approved materials





		Mo	del No.			Mfg.	Out	tcida	Dimens	ions		Qty	Bin load
Black	Blue	Yellow	Red	lvory	Green	No.	w"	X	D"	X	H"	/Case	Cap. lbs.
CC975	CB739	CB741	CB744	CB745	CC264	QUS 200	4 1/8	Х	5	Х	3	24	8
CC976	CB747	CB750	CB751	CB753	CC265	QUS 210	4 1/8	Х	5 3/8	Х	3	24	10
CC977	CB756	CB757	CB759	CB762	CC266	QUS 220	4 1/8	Χ	7 3/8	Х	3	24	10
CF376	CF377	CF378	CF379	CF380	CF381	QUS 221	6	Χ	9 1/4	Х	5	12	20
CD276	CD249	CD262	CD263	CD264	CD265	QUS 224	4 1/8	Х	10 7/8	Х	4	12	30
CC978	CB763	CB765	CB766	CB768	CC267	QUS 230	5 1/2	Х	10 7/8	Х	5	12	30
CC974	CC971	CC972	CC973	CC990	CC970	QUS 234	5 1/2	Х	14 3/4	Х	5	12	50
CC980	CB775	CB777	CB778	CB780	CC269	QUS 235	11	Х	10 7/8	Х	5	6	50
CC576	CB781	CB783	CB784	CB786	CC270	QUS 239	8 1/4	Х	10 3/4	Х	7	6	50
CC577	CB787	CB789	CB790	CB792	CC271	QUS 240	8 1/4	Х	143/4	Х	7	12	60
CF382	CF383	CF384	CF385	CF386	CF387	QUS 241	8 1/4	Х	13 5/8	Х	6	12	60
CF388	CF389	CF390	CF391	CF392	CF393	QUS 242	8 1/4	Х	13 5/8	Х	8	12	60
CC983	CC282	CC283	CC284	CC285	CC286	QUS 245	16 1/2	Х	10 7/8	Х	5	6	60
CC578	CB794	CB795	CB796	CB797	CC272	QUS 250	16 1/2	Х	14 3/4	Х	7	6	75
CC579	CB798	CB800	CB801	CB802	CC273	QUS 255	11	Х	16	Х	8	4	75
CC580	CB803	CB804	CB806	CB807	CC274	QUS 260	11	Х	18	Х	10	4	75
CC581	CC287	CC288	CC289	CC290	CC291	QUS 265	8 1/4	Х	18	Х	9	6	60
CC582	CB808	CB809	CB810	CB811	CC275	QUS 270	16 1/2	Χ	18	Х	11	3	75
CD674*	CD669*	CD670*	CD671*	CD673*	CD672*	QUS 275MOB	16 1/2	Х	18	Х	14	3	-
JUMBO	24" DEEP	ULTRA BI	NS (do not ha	ng on louvered	panels or rail	l systems)							
-	CD545	CD547	CD546	-	-	QUS950	8 1/4	Х	23 7/8	Х	7	6	-
-	CD548	CD550	CD549	-	-	QUS951	8 1/4	Χ	23 7/8	Х	9	6	-
-	CD551	CD553	CD552	-	-	QUS952	11	Χ	23 7/8	Х	7	4	-
-	CD554	CD556	CD555	-	-	QUS953	11	Χ	23 7/8	Х	10	4	-

QUS954

QUS955

Depth	Clear Window
Model No.	Model No.
CB824	-
CB825	-
CB826	-
CF501	CF560
CD250	CD266
CB829	CB814
CC569	CB814
CB829	CB815
CB830	CB818
CB831	CB818
CF394	CF396
CF395	CF397
CC297	CC300
CB831	CB819
CB833	CB820
CB834	CB821
CC298	CC301
CB835	CB822
CB835	CB822
MBO DIVIDERS (ONLY
CD563	CD569
CD564	CD570
CD563	CD571
CD566	CD572
CD567	CD573
CD568	CD574

OPEN HOPPER STORAGE SHELF UNITS

CD558

CD561

QUS 239 SERIES

28 QUS 239 Series

CD557

CD559

- bins 8 1/4" W x 10 3/4" D x 7" H
- · Eight heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- · Cap.: 630 lbs. per shelf
- Shipped knocked down



QUS 240 SERIES

- 28 QUS 240 Series
- bins 8 1/4" W x 14 3/4" D x 7" H
- · Eight heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down



	irolanianian
	interioris
CF126	firtheting.

QUS 250 SERIES

23 7/8 Х

23 7/8

• 14 QUS 250 Series

- bins 16 1/2" W x 14 3/4" D x 7" H
- Eight heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down



QUS 240 & 230 SERIES

- · 8 QUS 240 Series
- bins 8 1/4" W x 14 3/4" D x 7" H
- 36 QUS 230 Series bins 5 1/2" W x 10 7/8" D x 5" H
- Nine heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs.
- per shelf Shipped
- knocked down




							-				
	Model No.										
Black	Blue	Yellow	Red	lvory	Green	Description	Shelves	l			
QUS 25	O SERIES	BINS SHELI	UNIT								
CF177	CF128	CF129	CF130	CF131	CF132	Starter	8				
CF181	CF145	CF146	CF147	CF148	CF149	Add-On	8				
QUS 24	i0 & 230 S	ERIES BINS	SHELF U	VIT							
CF179	CF133	CF134	CF135	CF136	CF137	Starter	9				
CF183	CF175	CF155	CF156	CF157	CF158	Add-On	9				

		Mod	lel No.		Model No.										
Black	Blue	Yellow	Red	lvory	Green	Description	Shelves								
QUS 23	9 SERIES	BINS SHELI	FUNIT												
CF176	CF118	CF119	CF120	CF121	CF122	Starter	8								
CF180	CF140	CF141	CF142	CF143	CF144	Add-On	8								
QUS 24	O SERIES	BINS SHELI	FUNIT												
CF178	CF123	CF124	CF125	CF126	CF127	Starter	8								
CF182	CF150	CF151	CF152	CF153	CF154	Add-On	8								

CD560 * Mobile unit

PLASTIC BINS

- · Designed to hang from bin racks, panels, rails and carts
- Bins reduce and control inventories, shorten assembly times and minimise parts handling
- Reinforced ribs, on both sides, prevent bins from spreading under loads
- · Unaffected by weak acids and alkalis
- Stackable
- Seven available colours allow for colour coding
- Recycled plastic bins are made from 100% post consumer material, available in black only



																				Bin Load			Dividers
		Bin A	lodel No.				Mfg.		Outs	ide Dim	ensi	ons			Inside I	Dimo	ensions			Cap.**	Qty	Wt.	Model
Blue	Red	Yellow	Green	Stone	Clear	Black	No.	W"	X	D"	X	H"	W"	X	D"	X	H"	X	Х* "	lbs.	/Case	lbs.	No.
CB093	CB094	CB095	CB663	CB664	CF427	CF434	30-210	4 1/8	Х	5 3/8	Х	3	3 7/16	Х	4 3/4	χ	2 13/16	χ	4	10	24	0.2	CB124
CB096	CB097	CB098	CB665	CB666	CF428	CF435	30-220	4 1/8	Х	7 3/8	Х	3	3 7/16	Х	63/4	Χ	2 13/16	χ	6	10	24	0.3	CB125
CB099	CB100	CB101	CB667	CB668	CF429	CF436	30-230	5 1/2	Х	10 7/8	Х	5	4 3/8	Х	10 1/4	Χ	43/4	χ	9	30	12	0.8	CD513
CB102	CB103	CB104	CB669	CB670	CF430	CF437	30-235	11	Х	10 7/8	Х	5	10	Х	10 1/4	Х	43/4	Χ	9	50	6	1.5	CD514
CB105	CB106	CB107	CB671	CB672	CF431	CF438	30-239	8 1/4	Х	10 3/4	Х	7	6 9/16	Х	10	Χ	63/4	χ	8	50	6	1.5	CB128
CB108	CB109	CB110	CB673	CB674	CF432	CF439	30-240	8 1/4	χ	14 3/4	Х	7	6 9/16	Х	14	χ	63/4	χ	12	60	12	2.0	CB129
CB111	CB112	CB113	CB675	CB676	CF433	CF440	30-250	16 1/2	Х	14 3/4	Х	7	14 3/4	Х	14	Х	63/4	Х	12	75	6	3.5	CF023

^{*} Int. Dim. X = length of bottom.

GIANT STACKING CONTAINERS

- Designed for multiple applications in recycling, storing parts, tools and warehouse items
- Will stack up to six high creating sturdy, tall storage systems
- Large grip side handles
- Extra thick side walls with reinforcing ribs allow for 100-lb. stack capacity per bin

QUANTUM™ STORAGE

SYSTEMS

- Six 1/4" drill holes in bottom allow for drainage
- Outside dimensions:
 15 1/4" L x 19 7/8" W x 12 7/16" H
- Optional clear window and labels are available



		Model No.			Mfg.	Qty
Grey	Blue	lvory	Black	Red	No.	/Case
CB838	CB839	CB841	CB842	CC305	QGH700	3

GIANT STACK CONTAINER SHELF UNITS

- Includes 10 QGH700 storage bins and heavy-duty grey enamel shelves
- 42" W x 18" D x 76" H
- · Capacity: 500 lbs. per shelf
- Shipped knocked down



		Model No.				No. of
Grey	Blue	Ivory	Black	Red	Description	Shelves
CF056	CF057	CF059	CF060	CF066	Starter	6
CF061	CF062	CF064	CF065	CF067	Add-On	6

BIN BUDDYTM & TRI-DEXTM LABEL HOLDERS

- Clear self-adhesive backing adheres to any plastic or metal container
- Clear bar code compatible window protects label from dirt and moisture
- Tri-DexTM label holders snap into bin slots protecting label or barcode

 label of a state of label in the properties labels of the slot of the
- Includes a set of laser/ink jet compatible labels, 25/pack

• Extra refill labels are also available, sold 50/pack

Bin not included



ALH

Model No.	Mfg. No.	Dimensions"	Description	Refill Labels
0F212	BB-13	1 x 3	Bin Buddy™, Top/Bottom load, Self Adhesive	0F216
0F210	BB-35	3 x 5	Bin Buddy™, Side Load, Self Adhesive	0F214
OK113	TR-0813	13/16 x 3	Tri-Dex [™] , Ideal for Shelf Bins	OK118
OK114	TR-1300	1 x 3	Tri-Dex [™] , Ideal for Bin Series 30-210,30-220	OK119
OK116	TR-1754	1 3/4 x 4	Tri-Dex [™] , Ideal for Bin Series 30-230, 30-250	OK121

OK113

BINS CARTS

- · All-welded bin cart
- Work surface made of 14-gauge steel
- Includes: 20 bins of various size, bolted-on 5" non-marking casters and two louvered panels
- Capacity: 1000 lbs.
- · Durable Kleton blue enamel finish

BINS SUPPLIED

Bin		Bin	Dimensi	ons	
Qty	W"	X	D"	X	H"
16	8 1/4	Х	14 3/4	Х	7
4	16 1/2	Х	14 3/4	Х	7



CADT	/DIN	COMB	INIAT	ION
CARI	/ DIIN	COMID	111/41	IUN

Blue	Red	Yellow	Green	Stone	Bin Qty	Wt. lbs.
CB366	CB367	CB368	CB689	CB690	20	133

BINS & SUPPORT RACKS

METAL BIN SUPPORT RACKS

- Louvered bin panels can be wall-mounted, attached to back of shelving, mounted on benches, carts, inside cabinets, fastened to slotted angle components or used for service truck interiors
- Bins are easily removed, refilled and replaced
- Each heavy-duty panel is 16-gauge cold-rolled steel
- Slotted holes 3/4" L x 3/8" W at 6" centres simplify installation
- · Kleton grey powder coated
- Installation note: Panels must be securely fastened to materials of adequate load bearing strength

CF412





BIN QUANTITY TABLE

Bins not included

Quantity of identical plastic bins that fit CF412 Panel

Combined Panel Height Bin 35 3/4" Wide CB093			Bin CB096	Bin CB099	Model No. Bin CB102	Bin CB105	Bin CB108	Bin CB111	
1 Panel	= 19" H	32	32	18	9	8	8	4	
2 Panels	= 37" H	72	72	36	18	18	16	8	
3 Panels	= 55" H	104	104	54	27	28	28	14	
4 Panels	= 73" H	144	144	72	36	36	36	18	

For **CF411** Panel, use 1/2 of bin quantities shown above

Model								
No.	W"	X	H"	lbs.				
CF411	18	Х	19	6				
CF412	36	Х	19	12				



BENCH LOUVERED RACKS


- · All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- · Durable Kleton blue enamel finish

36" FREE STANDING RACKS

- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners

72" BOLT-ON RACKS

- Constructed of 1 1/4" square tube frame
- Designed to be permanently installed on a 72" wide workbench









Model		Wt.					
No.	Rack Type	W"	X	D"	X	H"	lbs.
CB363	Free Standing	36	Х	10	Х	22	22
CB364	Bolt-On	72	Х	15	Х	40	95

STATIONARY BIN RACKS

- Designed to be permanently installed to the floor
- · All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double-sided racks to meet your storage needs
- Durable Kleton blue enamel finish
- Includes 28 or 56 bins 8 1/4" W x 14 3/4" D x 7" H
- · Shipped all-welded





Model		Rack		Dimensions					
No.	Description	Type	W"	X	D"	X	Н"	lbs.	
CB373	Rack Only	Single	36	Х	12	Х	61	60	
CB653	Rack Only	Double	36	Х	24	Х	61	100	

RACK/BIN COMBINATION

Blue	Red	Yellow	Green	Stone	Rack Type	Bin Qty	Capacity lbs.
CB654	CB655	CB656	CB685	CB686	Single	28	1680
CB370	CB371	CB372	CB687	CB688	Double	56	3360

ACCESSORIES

Model No.	Description				
CC165	Round Hook, 6"				
CC166	Round Hook, 12"				
CC167	Square Hook, 6"				
CC168	Square Hook, 12"				





MOBILE BIN RACKS

- Ideal for transportation of small parts
- · All-welded mobile bin rack
- Single includes 36 bins 5 1/2" W x 10 7/8" D x 5" H, 3" casters and two louvered panels
- Double cart includes 96 bins of various sizes, bolted on 5" non-marking casters and six louvered panels
- Capacity: 800 lbs. single sided and 1000 lbs. double sided
- Durable Kleton blue enamel finish



BINS SUPPLIED

Bin	ons					
Qty	W"	x	D"	X	Н"	
36	5 1/2	Х	10 7/8	Х	5	



	Rack		Dimensions					
Description	Type	W"	X	D"	X	Н"	lbs.	
Rack only	Single	36	Х	16	Х	46	60	
Rack only	Double	36	Χ	24	Χ	63	120	
	Rack only	DescriptionTypeRack onlySingle	DescriptionTypeW"Rack onlySingle36	DescriptionTypeW" xRack onlySingle36 x	Description Type W" x D" Rack only Single 36 x 16	DescriptionTypeW"xD"xRack onlySingle36x16x	Description Type W" x D" x H" Rack only Single 36 x 16 x 46	

Blue	Red	Yellow	Green	Stone	Rack Type	Bin Qty	Wt. lbs.
CB650	CB651	CB652	CB681	CB682	Single	36	83
CB089	CB090	CB091	CB683	CB684	Double	96	187

BINS/STORAGE CABINETS

DEEP DOOR COMBINATION CABINETS

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- · 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- · Powder coated Kleton grey finish
- Padlock sold separately

A. 84 BIN CABINETS

- Four reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Incorporates louvered bin hanging panels welded into the cabinets doors

CABINET ONLY

Model			Wt.				
No.	Description	W"	x	D"	X	H"	lbs.
CB442	Cabinet Only	38	Х	24	χ	72	324
FB025	Extra Shelf	38	Х	18	χ	1	18

CABINET WITH BINS

		Model No.				Wt.
Blue	Red	Yellow	Green	Stone	Description	lbs.
CB446	CB477	CB448	CB693	CB694	Cabinet and Plastic Bins	341

BINS SUPPLIED

		Capacity				
Bin Qty	W"	X	D"	x	H"	lbs.
84	4 1/8	Х	5 3/8	Х	3	10

B. 96 BIN CABINETS

- Two reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

CABINET ONLY

Model			Di	mensio	ns		Wt.
No.	Description	W"	X	D"	X	Н"	lbs.
FH820	Cabinet Only	38	χ	24	Х	72	316
FB025	Extra Shelf	38	Х	18	Х	1	18

CABINET WITH BINS

		Model No.				Wt.
Blue	Red	Yellow	Green	Stone	Description	lbs.
CF371	CF372	CF373	CF374	CF375	Cabinet and Plastic Bins	359

BINS SUPPLIED

		Bi	n Dimens	ions		Capacity
Bin Qty	W"	x	D"	x	H"	lbs.
84	4 1/8	Х	5 3/8	Х	3	10
12	5 1/2	Х	10 7/8	Х	5	30

C. 98 BIN CABINETS

- Two reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

CABINET ONLY


Model			Di	mensi	ions		Wt.
No.	Description	W"	X	D"	X	H"	lbs.
FH820	Cabinet Only	38	Х	24	Х	72	316
FB025	Extra Shelf	38	Х	18	Х	1	18

CABINET WITH BINS

		Model No.				Wt.
Blue	Red	Yellow	Green	Stone	Description	lbs.
CF355	CF356	CF354	CF357	CF358	Cabinet and Plastic Bins	385

BINS SUPPLIED

		Bir	n Dimensi	ons		Capacity
Bin Qty	W"	X	D"	x	H"	lbs.
48	4 1/8	Х	5 3/8	Х	3	10
36	4 1/8	Х	7 3/8	Х	3	10
8	8 1/4	Х	143/4	Х	7	60
6	16 1/2	Х	14 3/4	Х	7	75







C. CF354 98 Bins



D. 118 BIN CABINETS

 Incorporates louvered bin hanging panels welded to the cabinet's back and doors

CABINET ONLY

Model			Di	mensi	ons		Wt.
No.	Description	W"	X	D"	X	Н"	lbs.
CB441	Cabinet Only w/o Shelves	38	χ	24	Х	72	316

CABINET WITH BINS

	1	Model No.				Wt.
Blue	Red	Yellow	Green	Stone	Description	lbs.
CB443	CB444	CB445	CB691	CB692	Cabinet and Plastic Bins	385

BINS SUPPLIED

		Bin	Dimensio	ons		Capacity		
Bin Qty	W"	X	D"	x	H"	lbs.		
42	4 1/8	Х	5 3/8	Х	3	10		
42	4 1/8	Х	7 3/8	Х	3	10		
18	5 1/2	Х	10 7/8	Х	5	30		
12	8 1/4	Х	14 3/4	Х	7	60		
4	16 1/2	Х	14 3/4	Х	7	75		

SHELF BINS

SHELF BINS

- · Economical way to store and display parts and components
- Durable polypropylene
- Designed for use on 12", 18" and 24" deep shelving, or vertical storage and retrieval units
- · Shelf bins "nest" when empty
- Bin cups and dividers available
- · Manufactured from FDA approved polypropylene











catches the underside of the shelf above, allowing each bin to be tilted out for complete access.

		Model No.			Mfg.	0ι	ıtsio	le Dime	nsio	ns	In	side	e Dimen	sion	S	Qty	Dividers, up to		Bin Cups	Per Bin	
Blue	Red	Yellow	Clear	Green	No.	W"	x	D"	x	H"	W"	X	D"	X	H"	/Case	7 per bin	CB379	CB380	CD036	CD041
CB381	CB382	CB383	N/A	CB696	30-110	2 3/4	Х	11 5/8	χ	4	1 5/8	Х	10 1/4	χ	4	24	N/A	3	N/A	N/A	N/A
CB384*	CB385*	CB386*	N/A	CB697*	30-120	4 1/8	χ	11 5/8	Х	4	3	Х	10 1/4	Х	4	24	CB420	5	2	N/A	N/A
CB393*	CB394*	CB395*	N/A	CB698*	30-130	6 5/8	χ	11 5/8	χ	4	5 1/2	Х	10 1/4	χ	4	12	CB421	9	4	N/A	N/A
CC393	CC394	CC395	CF531	CD023	QSB107	8 3/8	χ	11 5/8	χ	4	7 1/2	Х	10 3/4	χ	3 7/8	20	CB867	N/A	N/A	12	4
CC396	CC397	CC398	CF532	CD026	QSB109	11 1/8	χ	11 5/8	Х	4	10 3/8	Х	10 3/4	Х	3 7/8	8	CB869	N/A	N/A	18	6
CB390*	CB391*	CB392*	N/A	CB699*	30-128	4 1/8	χ	17 7/8	Х	4	3	Х	16 1/2	Х	4	12	CF021	8	3	N/A	N/A
CB396*	CB397*	CB398*	N/A	CB700*	30-138	6 5/8	χ	17 7/8	χ	4	5 1/2	Х	16 1/2	Х	4	12	CB421	15	6	N/A	N/A
CC399	CC400	CC401	CF533	CD029	QSB108	8 3/8	χ	17 7/8	Х	4	7 1/2	Х	16 1/2	Х	3 7/8	10	CB867	N/A	N/A	19	6
CC402	CC403	CC404	CF534	CD032	QSB110	11 1/8	χ	17 7/8	Х	4	10 3/8	Х	16 3/8	Х	3 7/8	8	CB869	N/A	N/A	29	9
CC405	CC406	CC407	CF535	CD045	QSB105	4 1/8	χ	23 5/8	χ	4	3 1/4	Х	22 1/4	χ	3 7/8	8	CB861	N/A	N/A	13	4
CC408	CC409	CC423	CF536	CD048	QSB106	6 5/8	χ	23 5/8	Х	4	5 1/2	Х	22 1/4	Х	3 7/8	8	CB862	N/A	N/A	21	8
CC411	CC412	CC413	CF537	CD051	QSB114	8 3/8	χ	23 5/8	Х	4	7 1/2	Х	22 1/4	Х	3 7/8	6	CB867	N/A	N/A	24	8
CC414	CC415	CC416	CF538	CD054	QSB116	11 1/8	χ	23 5/8	χ	4	10 3/8	Х	22 1/4	Х	3 7/8	6	CB869	N/A	N/A	35	16

^{*} Two full width adjustable/removable dividers included

BIN DIVIDERS

Model No.	Mfg. No.	Width"	Qty/Case
CB420	40-120	2 7/8	24
CF021	40-128	3	72
CB861	DSB101	4 1/8	50
CB421	40-130	5 1/2	24
CB862	DSB102	6 5/8	50
CB867	DSB107	8 1/8	50
CB869	DSB109	11 1/8	50

RECYCLED SHELF BINS

- Manufactured from recycled 100% post consumer, high density polyethylene
 Available in black only

Model	Mfg.	Out	tside	Dimensi	ons		Qty	Dividers*
No.	No.	W"	X	D"	X	H"	/Case	Model No.
CF441	30-110BLK	2 3/4	χ	11 5/8	Х	4	48	N/A
CB850	QSB 101 BR	4 1/8	χ	11 5/8	Χ	4	36	CB861
CB851	QSB 102 BR	6 5/8	Х	11 5/8	Х	4	30	CB862
CF442	30-128 BLK	4 1/8	Х	17 7/8	Х	4	24	CB420
CB954	QSB 104 BR	6 5/8	Х	17 7/8	Х	4	20	CB862
CB854	QSB 105 BR	4 1/8	Х	23 5/8	Х	4	8	CB861
CB855	QSB 106 BR	6 5/8	Х	23 5/8	Х	4	8	CB862
CB857	QSB 108 BR	8 3/8	Х	17 7/8	Х	4	10	CB867
CB860	QSB 114 BR	8 1/8	Х	23 5/8	Х	4	6	CB867
CC304	QSB 116B	11 1/8	Х	23 5/8	Х	4	6	CB869
CC241	OGH 700 BR	19 7/8	Х	15 1/4	Х	12 7/16	1	N/A

^{*} Dividers are made of non-recycled polyethylene

BIN CUPS

Model No	Mfg. No.	Colour	Dimensions			
CB379	30-101	White	3 1/4" x 2"			
CB380	30-102	White	5" x 23/4"			
CD036	QBC111	Yellow	3 1/4" x 1 3/4"			
CD041	QBC112	Yellow	5 1/8" x 2 3/4"			

EXTENDED LABEL HOLDERS, 24 PER BOX

Model No	Mfg. No.	Colour	Angle
CF398	ELH410	Black	10°
CF399	ELH415	Black	45°



SHELF BINS & CONTAINERS

EURO DRAWERS

- · Heavy-duty design for efficient organization of heavy parts, supplies, tools or equipment
- Injection molded from virgin grade high-impact polystyrene
- 12-gauge thick wall
- Completely waterproof
- · Oil and chemical-resistant
- · Smooth front curved pull handle has ample room for pressure sensitive identification labels or bar codes
- Front handle has 3/4" opening
- · Full width back ledge ensures spill free use




	Model No.			Mfg.	Mfg. Outside			ide Dimensions			Divider
Blue	Grey	Red	Yellow	No.	W"	X	D"	X	H"	/Case	Model No.
CE289	CE291	CE292	CE290	QED401	5 9/16	Х	11 5/8	Х	2 5/8	24	CE309
CE293	CE295	CE296	CE294	QED501	3 3/4	Х	11 5/8	Х	45/8	24	CC518
CC501	CC503	CC504	CC502	QED601	5 9/16	Х	11 5/8	Х	45/8	24	CC517
CC505	CC507	CC508	CC506	QED602	5 9/16	Х	17 5/8	χ	45/8	24	CC517
CC509	CC511	CC512	CC510	QED603	5 9/16	Х	23 7/8	Х	45/8	12	CC517
CC513	CC515	CC516	CC514	QED604	3 3/4	Х	17 5/8	χ	45/8	24	CC518
CE305	CE307	CE308	CE306	QED606	8 3/8	Х	17 5/8	χ	45/8	24	CE312
CE297	CE299	CE300	CE298	QED701	83/8	Х	11 5/8	Х	45/8	24	CE312
CE301	CE303	CE304	CE302	QED801	11 1/8	Х	11 5/8	χ	45/8	12	CE314



EURO DRAWER CLOSED SHELF UNITS

- 13 heavy-duty grey enamel shelvesCapacity: 630 lbs. per shelf
- Shipped knocked down



INCLUDES:

- 72 QED601 Series Euro drawers, 5 9/16" W x 11 5/8" D x 4 5/8" H
- Dimensions: 36" W x 12" D x 76" H

	Mod	el No.			No. of
Blue	Yellow	Grey	Red	Description	Shelves
CF102	CF103	CF104	CF105	Starter	13
CF159	CF160	CF161	CF162	Add-On	13

- 72 QED602 Series Euro drawers 5 9/16" W x 17 5/8" D x 4 5/8" H
- Dimensions: 36" W x 18" D x 76" H

	Mod	lel No.		No. of	
Blue	Yellow	Grey	Red	Description	Shelves
CF106	CF107	CF108	CF109	Starter	13
CF163	CF164	CF165	CF166	Add-On	13

- 108 QED604 Series Euro drawers 3 3/4" W x 17 5/8" D x 4 5/8" H
- Dimensions: 36" W x 18" D x 76" H

	Mod	el No.		No. of	
Blue	Yellow	Grey	Red	Description	Shelves
CF110	CF111	CF112	CF113	Starter	13
CF167	CF168	CF169	CF170	Add-On	13

- 72 QED603 Series Euro drawers 5 9/16" W x 23 7/8" D x 4 5/8" H
- Dimensions: 36" W x 24" D x 76" H

	Mod	el No.		No. of	
Blue	Yellow	Grey	Red	Description	Shelves
CF114	CF115	CF116	CF117	Starter	13
CF171	CF172	CF173	CF174	Add-On	13

JUMBO PLASTIC CONTAINERS

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline, and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to four high
- Outside Dimensions: 15 1/2" W x 25" D x 13" H
- Capacity: 200 lbs.



Model No.	Colour
CF328	Blue
CF330	Yellow

Model No.	Colour
CF329	Green
CF327	Red

STACK-N-NEST® STORAGE BINS

- Great for storing, assembling and transporting small parts, components and finished goods
- Designed for maximum efficiency and utility
- Set together one way they stack and the other way they nest
- May be used on shelving or stacked up
- Heavy-duty design allows higher stacking
 - In the plant, use the same bin for storage, handling, and assembly, no need to transfer contents





Model		Outside Dimensions				Wt.	
No.	Colour	W"	X	D"	X	H"	lbs.
CC890	Blue	12 1/4	Х	15 1/4	Х	6	2
CC891	Red	12 1/4	Х	15 1/4	Х	6	2
CC892	Yellow	12 1/4	Х	15 1/4	Х	6	2

FIBREBOARD BINS & RACKS

CORRUGATED PARTS BINS & DIVIDERS

- · Economical standard duty bins constructed $of \, durable \, corrugated \, fibre board \,$
- Ideal for storing any loose small parts
- Assembled easily without staples or tape, just fold
- Bins are designed to hang from the shelf for hands-free access
- Bin dividers not included
- Qty per case: 100
- Shipped knocked down

12" DEEP PARTS BINS **18" DEEP PARTS BINS**

Model	Ctn. Wt.	Model	Ctn. Wt.	Dim	ons	
No.	lbs.	No.	lbs.	W"	X	H"
CB063	17	CB056	22	2	Х	4 1/2
CB064	19	CB057	27	3	Х	4 1/2
CB065	20	CB058	30	4	Х	4 1/2
CB066	25	CB059	38	6	Х	4 1/2
CB067	31	CB060	45	8	Х	4 1/2
CB068	36	N/A	-	9	Х	4 1/2
CB052	38	CB054	50	10	Χ	4 1/2
CB053	44	CB055	57	12	Х	4 1/2



3 3 7 0 2 2 2									
Model	Dim	ensi	ons	Ctn. Wt.	Model	Din	iens	ions	Ctn.Wt.
No.	W"	X	H"	lbs.	No.	W"	X	H"	lbs.
CB071	1 3/4	Х	4 1/8	7	CB075	7 3/4	Х	4 1/8	22
CB072	2 3/4	Х	4 1/8	9	CB069	9 3/4	Х	4 1/8	27
CB073	3 3/4	χ	4 1/8	10	CB070	11 3/4	χ	4 1/8	31
CB074	5 3/4	х	4 1/8	14					



ease handling

SINGLE-SIDED PICK-RACKS

- · Units are free standing, but may be bolted to bench top, floor or wall
- 61" high floor model comes with 48-4" plastic storage bins and 10-6" plastic storage bins or 48-4" corrugated bins and 8-8" corrugated bins
- 21 1/2" high bench model comes with 16-4" plastic storage bins, and 5-6" plastic storage bins or 16-4" corrugated storage bins and 4-8" corrugated storage bins
- Order complete with plastic shelf bins, fibreboard bins or rack only
- Grey enamel finish
- Shipped knocked down





Model		Di	mensio	ns		Bin	Wt.
No.	W"	x	D"	X	H"	Type	lbs.
CB318	32 7/8	Х	12 1/8	Х	21 1/2	Corrugated	22
CB377	32 7/8	X	12 1/8	Х	21 1/2	Rack Only	17
CB323	33 1/2	Х	12 1/4	Х	61	Corrugated	57
CB378	33 1/2	X	12 1/4	Х	61	Rack Only	45
Blue	Red	١	/ellow				
CB320	CB321		CB322		21 1/2	Plastic	25
CB325			CB327	61		Plastic	65

DOUBLE-SIDED MOBILE PICK-RACKS

- 22-gauge steel rack components mounted on a 26" x 36" dolly
- Each rack accommodates 96-4" wide storage bins and 20-6" wide bins
- Order complete with plastic shelf bins, fibreboard bins or rack only
- · Grey enamel finish
- · Shipped knocked down



Model		D	imensio	ns		Bin	Wt.
No.	W"	X	D"	X	H"	Type	lbs.
CB328	33 1/2	Х	12 1/4	χ	65	Corrugated	139
CB337	33 1/2	Х	12 1/4	Х	65	Rack Only	115
Blue	Red		Yellov	V			
CB330	CB331		CB332	2	65	Plastic	155

PARTS STORAGE SHELVING UNITS


- · Provides a versatile heavy-duty storage facility for parts storage bins
- 76" high unit comes with 96-4" bins
- 40" high unit comes with 48-4" bins
- Available with plastic shelf bins, fibreboard bins or shelving only
- · Grey enamel finish
- Shipped knocked down



	ensi	ons		Bin	Wt.	
W"	X	D"	x	Н"	Type	lbs.
36	Х	12	Х	40	Corrugated	90
36	Х	12	Х	40	Shelving Only	80
36	Х	12 x		76	Corrugated	163
36	Х	12	Х	76	Shelving Only	144
Red	Yell	ow				
CF050	F050 CF051			40	Plastic	96
CF054	F054 CF055			76	Plastic	176
	36 36 36 36 Red CF050	W" x 36 x 36 x 36 x 36 x Red Yell CF050 CF0	W" x D" 36 x 12 Red Yellow CF050 CF051 Yellow Yel	W" x D" x 36 x 12 x 36 x 12 x 36 x 12 x 36 x 12 x Red Yellow CF051	36 x 12 x 40 36 x 12 x 40 36 x 12 x 76 36 x 12 x 76 Red Yellow CF050 CF051 40	W" x D" x H" Type 36 x 12 x 40 Corrugated 36 x 12 x 40 Shelving Only 36 x 12 x 76 Corrugated 36 x 12 x 76 Shelving Only Red Yellow Yel

GIANT STACKING CONTAINERS

- Injection-molded from high density polyethylene
- Extra heavy, double wall thickness with interlock preformed lip allows containers to stack securely
- Molded carrying handle on backside
 Molded-in divider and label slots
- Optional windows available
- Can withstand temperatures ranging from -40° to 250°F
- · Waterproof, will not rust or corrode
- · Unaffected by chemicals and solvents
- Mobile bin comes with two swivel, two rigid 3" casters
- · 250-lb. mobile capacity
- 150-lb. stack capacity





	QUANTUM™
	STORAGE
	SYSTEMS





DIVIDER

В	l	Ν	ľ	5

	Mode	el No.		Mfg.			Qty			
Blue	Green	Red	Yellow	No.	W"	X	D"	X	H"	/Case
CC361	CC362	CC363	CC364	QMS531	12 3/8	χ	19 3/4	Х	5 7/8	6
CC365	CC366	CC367	CC368	QMS532	12 3/8	Х	19 3/4	Х	7 7/8	6
CC369	CC370	CC371	CC372	QMS533	12 3/8	Х	19 3/4	Х	11 7/8	3
CC373	CC374	CC375	CC376	QMS543	18 3/8	Х	19 3/4	Х	11 7/8	3
CC377*	CC378*	CC379*	CC380*	QMS743	18 3/8	Х	29	Х	11 7/8	1
CC447*	CC449*	CC448*	CC450*	QMS843M0B**	18 3/8	Χ	29	Х	11 7/8	1

CC447*	CC449*	CC448*	CC450*	QMS843MOB**	18 3/8	Х	29	Х	11 7/8	1	-
CC377*	CC378*	CC379*	CC380*	QMS743	18 3/8	Х	29	Х	11 7/8	1	-
CC373	CC374	CC375	CC376	QMS543	18 3/8	Х	19 3/4	Х	11 7/8	3	CC38
CC369	CC370	CC371	CC372	QMS533	12 3/8	Х	19 3/4	Х	11 7/8	3	CC38

^{*} Includes heavy-duty spread bar for extra strength and support. ** Mobile bins

/Case CC381 CC385 12 CC382 CC386 6 383 CC387 6 384 CC388

WINDOW Model

GIANT OPEN HOPPER BIN SHELVING UNITS

- Dimensions: 42" W x 18" D x 76" H
- · Capacity: 500 lbs. per shelf
- Shipped knocked down

	Mode	el No.		
Red	Blue	Yellow	Green	Description
SERIES Q	M\$532			
CF072	CF073	CF074	CF075	Starter
CF089	CF090	CF091	CF092	Add-on
SERIES Q	MS533			
CF080	CF081	CF082	CF083	Starter
CF097	CF098	CF099	CF100	Add-on
SERIES Q	M\$531			
CF188	CF185	CF186	CF187	Starter
SERIES Q	MS516			
CF189*				Starter



SERIES QMS531

- 27-QMS531-green CC362
- · 10 heavy-duty grey enamel shelves



SERIES QMS516

- 4-QMS543-red, CC375 3-QMS533-blue, CC369, 6-QMS532-yellow CC368 and 3-QMS531-blue open hopper bins CC361
- Seven heavy-duty grey enamel shelves



SERIES QMS532

- 21 QMS532-yellow CC368
- Eight heavy-duty grey enamel shelves



SERIES QMS533

- 15 QMS533-blue, CC369
- Six heavy-duty grey enamel shelves



STACK-N-NEST CONTAINERS

STACK-N-NEST PLASTIC CONTAINERS

- Polylewton® Stack-N-Nest containers used in general manufacturing, food processing and distribution applications
- Injection-molded from high-impact polyolefins
- Will not rust, rot or corrode, resist damaging effects of oil, most chemical solvents, water and steam
- · Stack without lids
- · Nest at alternating 180° positions when empty
- · Withstands wide temperature variances
- · Easily cleaned



Blue & grey bins

made of FDA

compliant materials





LIDS

CONTAINERS

CC861

	Model No.		Mfg.	0	utsi	de Din	n. To	р	Outside	Din	n. Bottom	Volume	Nesting	Wt.		Model No.	
Grey	Red	Blue	No.	L"	X	W"	x	Н"	L"	X	W"	cu.ft.	Ratio	lbs.	Grey	Red	Blue
CA341	CC859	CC868	SN2012-6	20.1	χ	13.0	Х	6.2	18.5	Х	11.5	0.6	2.1:1	2.1	CA334	CC877	CC883
CA344	CC860	CC869	SN2414-8	24.0	Х	14.1	Х	7.9	21.8	Х	11.5	1.1	4:1	3.4	CA337	CC880	CC886
CA342	CC861	CC870	SN2013-12	19.4	Х	12.9	Х	12.1	17.3	Х	10.9	1.3	4:1	3.8	CA335	CC878	CC884
CA343	CC862	CC871	SN2117-12	21.0	Х	17.0	Х	12.0	18.8	Х	15.0	1.8	4:1	5.0	CA336	CC879	CC885
CA346	CC863	CC872	SN2618-10	26.1	Х	18.7	Х	10.5	24.0	Х	15.9	2.1	4:1	5.4	CA339	CC882	CC888
CA348	CC864	CC873	SN3022-6	29.6	Х	22.4	Х	6.1	28.3	Х	21.0	2.1	4:1	4.8	N/A	N/A	N/A
CA347	CC865	CC874	SN2818-10	28.4	Х	18.7	Х	10.5	26.0	Х	15.9	2.3	4:1	5.8	N/A	N/A	N/A
CA345	CC866	CC875	SN2420-13	24.0	Х	20.0	Х	13.0	21.6	Х	17.7	2.7	4:1	6.1	CA338	CC881	CC887
CA349	CC867	CC876	SN3024-15	30.1	Χ	24.0	Х	15.1	27.0	Х	21.0	4.7	4.5:1	11.0	N/A	N/A	N/A

STACK-N-NEST PLEXTON CONTAINERS

- Fibreglass wire-reinforced rim containers (for containers 25.3" length and greater)
- · Ideal solution for heavy-duty storage,
- work-in-process and distribution applications
- Can withstand temperatures as low as -60°F and as high as 250°F (continuous)
- Resistant to moisture, chemicals, solvents and most oils
- · Capacity: 500 lbs. per container





CONTAINERS LIDS DOLLIES

Mode	el No.	Mfg.	(Juts	ide Dim	ı. loş)	Insid	le Din	1. lop	Qty	Mod	el No.	
Red	Grey	No.	L"	x	W"	Х	H"	L"	X	W"	/Case	Red	Grey	Model No.
CD179	CD193	SN1610-5	17.9	Х	10.8	χ	5	15.9	Х	10.1	10	CD207	CD216	CD225
CD180	CD194	SN1812-6	19.8	Х	12.8	Х	6	18.1	Х	11.9	10	CD208	CD217	CD226
CD181	CD195	SN1812-8	20.6	Х	13.0	Х	8	18.0	Х	12.3	10	CF673	CF672	CD227
CD182	CD196	SN2010-7	24.1	Х	11.4	Х	6.9	20.0	Х	10.7	10	CD210	CD219	CD228
CD183	CD197	SN2010-9	24.1	Х	11.4	Х	9	20.0	Х	10.6	10	CD210	CD219	CD228
CD184	CD198	SN2214-5	24.3	Х	14.8	Х	5.1	21.7	Х	14.0	8	CD211	CD220	CD229
CD185	CD199	SN2214-8	24.3	Х	14.8	Х	8	21.5	Х	13.9	8	CD211	CD220	CD229
CD186	CD200	SN2217-6	25.3	Х	18.1	Х	6.1	21.4	Х	18.1	10	CD212	CD221	CD230
CD187	CD201	SN2217-10	25.3	Х	18.1	Х	10.1	22.8	Х	17.3	5	CD212	CD221	CD230
CD188	CD202	SN2419-4	27.5	Х	19.9	χ	14.1	23.1	Х	18.9	5	CD213	CD222	CD231
CD189	CD203	SN2713-7	29.6	Х	13.8	Х	7	26.7	Х	12.9	10	N/A	N/A	N/A
CD190	CD204	SN2716-11	30.6	Х	16.9	Х	11.1	26.3	Х	15.9	5	CD214	CD223	CD232
CD191	CD205	SN3023-8	34.1	Х	24.0	Х	8.1	30.1	Х	21.6	5	N/A	N/A	N/A
CD192	CD206	SN3919-14	42.5	Х	20.1	Х	14.1	38.1	Х	19.0	5	CD215	CD224	CD233

TOTES & CONTAINERS

STACK & NEST TOTES

- Will stack with or without lids for maximum storage and shipping
- Ability to stack and can be turned 180° to nest when empty
- Textured bottoms ensure safe and easy, non-slip grip transit on conveyors
 Injection-molded from high-density polyethylene material
- · Will not rust, corrode or bend out of shape
- Are unaffected by chemicals and are waterproof
- Fit on standard 48" x 40" pallets
- · Can withstand temperature ranges from -10°F to 250°F
- · Ribs under lip prevent jamming when nested
- · Handle grips on either side
- Made of FDA compliant materials





Optional lids protect container contents. As pictured, lids can be fastened and locked for added security



All nine sizes of totes have the ability to use the optional clear label holder. It securely attaches to SNT with or without lid

for easy part identification.

CONTAINERS LIDS

	Model No.		Mfg.	0u	tside	Dimens	ions			Insid	de Dimen	sions		Qty		Model No.		Qty
Blue	Grey	Red	No.	L"	X	W"	X	H"	L"	X	W"	X	H"	/Case	Blue	Grey	Red	/Case
CC315	CC316	CC317	SNT180	18	Х	11	Х	6	15 1/4	Х	9 3/8	Х	5 7/8	6	CC342	CC343	CC344	6
CC318	CC319	CC320	SNT185	18	Х	11	Х	9	15 1/8	Х	9 1/8	Χ	8 7/8	6	CC342	CC343	CC344	6
CC321	CC322	CC323	SNT190	19 1/2	Χ	15 1/2	Х	10	16	Х	13 1/4	Х	9 7/8	6	CC345	CC346	CC347	6
CC324	CC325	CC326	SNT195	19 1/2	Χ	15 1/2	Х	13	15 7/8	Х	13 3/8	Х	12 7/8	6	CC345	CC346	CC347	6
CC327	CC328	CC329	SNT200	19 1/2	Х	13 1/2	Х	8	16 3/8	Х	11 1/2	Χ	7 7/8	6	CC348	CC349	CC350	6
CC330	CC331	CC332	SNT225	23 1/2	Х	19 1/2	Х	10	19 3/8	Х	16 7/8	Х	9 7/8	3	CC351	CC352	CC353	3
CC333	CC334	CC335	SNT230	23 1/2	Χ	19 1/2	Х	13	19 1/2	Х	16 7/8	Х	12 7/8	3	CC351	CC352	CC353	3
CC336	CC337	CC338	SNT240	23 1/2	Χ	15 1/2	Х	12	19 5/8	Х	13	Х	11 7/8	3	CC354	CC355	CC356	3
CC339	CC340	CC341	SNT300	29 1/2	Х	19 1/2	Х	15	25 1/8	Х	16 5/8	Х	14 7/8	3	CC357	CC358	CC359	3

Model No. CC360

Label holder, accommodates up to 3" x 5". Fits all SNT containers.

QUANTUB NESTING TOTES

- · High-density polyethylene
- Rolled top rim for comfortable grip
- Eight 1/4" position drill holes on bottom allow for drainage
- Dimensions: 24 1/2" L x 19" W x 9 1/2" H



COLLAPSIBLE CONTAINERS

- Polypropylene construction
- Collapses to 21" L x 14" W x 2" H for convenient storage
- Open dimensions: 21" L x 14" W x 10 1/2" H
- Reinforced base for added durability
- 16 heavy-duty steel pins built in for increased strength





STAKPAK & DIVIDER BOX CONTAINERS


STAKPAK PLUS 4845 SYSTEM CONTAINERS

- · Stack-only, injection molded, straight-wall modular containers
- High-density polyethylene (HDPE) Reinforced external ribbing adds maximum stacking strength
- · Smooth, straight interior walls provide maximum space utilisation and easy cleaning
- Modular design optimizes cube on standard 45" x 48" pallet, allows for mixing and matching of various sizes
- · Ergonomically designed handles for comfort and safety
- Containers hold up under
- temperatures from -10°F to 120°F
- Optional cardholders available





48" x 15" (1/3) 24" x 15" (1/6) 12" x 15" (1/12) 12" x 7" (1/24)



48" x 22" (1/2) 24" x 22" (1/4) 24" x 11" (1/8)



16" x 15" (1/4) on AIAG 30" x 32" 15" x 15" (1/9) on AIAG 45" x 48"



12" x 15" (1/6)

	Model No).	Pallet N	lodularity	Outside [imensions	Total	Product		48' Trailer		Lic	ls Model I	lo.	
Medium		Royal	2011 2611	(AIAG)	Тор	Bottom	Container	Clearance"	Volume	Capacity	Wt.	Medium		Royal	Cardholder
ireen	Grey	Blue	30" x 36"	45" x 48"	L" x W"	L" x W"	Height"	*	cu.ft.	(containers)	lbs.	Green	Grey	Blue	Model No.
TAKPA	AK CONT	AINERS													
CA498	CA499	CC112	1/12	1/24	12.0 x 7.4	12.0 x 7.4	5.0	4.5	0.1	8640	1.1	N/A	CA488	N/A	CA448
CA500	CA501	CC113	1/6	1/12	12.0 x 15.0	12.0 x 15.0	5.0	4.4	0.3	4320	1.6	CA489	CA490	CC121	CA448
A502	CA503	CC114	1/6	1/12	12.0 x 15.0	12.0 x 15.0	7.5	6.8	0.5	3456	2.2	CA489	CA490	CC121	CA449
A504	CC174	CC115	1/6	1/12	12.0 x 15.0	12.0 x 15.0	9.5	8.8	0.6	2304	2.5	CA489	CA490	CC121	CA449
A507	CA508	CC116	-	1/6	24.0 x 15.0	24.0 x 15.0	5.0	4.5	0.7	2592	3.0	CA491	CA492	CC122	CA448
A509	CA510	CC117	-	1/6	24.0 x 15.0	24.0 x 15.0	7.5	6.8	1.1	1728	3.6	CA491	CA492	CC122	CA449
A511	CA512	CC118	-	1/6	24.0 x 15.0	24.0 x 15.0	9.5	8.8	1.4	1296	4.4	CA491	CA492	CC122	CA449
CA505	CA506	CC119	-	1/6	24.0 x 15.0	24.0 x 15.0	14.5	13.8	2.2	864	5.7	CA491	CA492	CC122	CA449
TAKPA	AK LIDS											CARDI	HOLDE	RS	
-	CA488	-	-	-	12.0 x 7.4						0.4	Model		Din	ensions
A489	CA490	CC121	-	-	12.0 x 15.0						0.6	No.		L"	x W"
A491	CA492	CC122	-	-	24.0 x 15.0						2.1	CA448		8.5	x 4.0
			1	1	provimately 1/2"							CA449		8.5	x 4.6

When containers are stacked on top of each other approximately 1/2" is lost to nesting.

DIVIDER BOX® CONTAINERS

- Divider Box® (DC) series containers are injection-molded HDPE
- DG series are injection-molded from high-density FDA approved polyethylene which resists most solvents and chemicals
- · Large, flat areas on all four sides for content identification
- Comfort grip handle
- · Stacking rims and multi-ribbed external
- sides provide high impact strength All containers can be divided into
- compartments by length and/or width
- Molded-in stacking ridge assures containers will stack securely with or without covers
- One set of cardholder snaps and security tie holes on two ends included on DC models only
- · Full range of optional accessories available including velcro card holders for DG models and snap-on card holders for DC models, vertical dividers and covers
- · Optional dolly (CF400) allows for easy transport



CARD **HOLDERS**

f Clear Lids Model No. CA556** CD437*	or Velcro Model No. CC314
CA556**	CC314
CD437*	
	CF351
CD437*	CF352
CA559/CA561**	CC314
CD438*	CF351
CD438*	CF352
CA559/CA561**	CA446/CC314
CD438*	CF353
CD439*	CF351
CA560/CD456**	CA446/CC314
CD439*	CF352
CD439*	CF353
CD439*	CF353
	CA559/CA561** CD438* CD438* CA559/CA561** CD438* CD439* CA560/CD456** CD439* CD439*

^{*} Grey, red and blue covers available. ** Grey and blue covers available.

DISTRIBUTION CONTAINERS

These reusable, returnable, attached-lid containers are ideal for use in wholesale product distribution and as picking containers. Hinged covers with tight interlocking fit provide maximum security and protection. Containers stack with lids closed and nest with lids open for optimum use of space in trucks, trailers or on pallets. Pebble grain bottom surface provides extra traction on conveyors. Load capacity per container is a maximum of 70-75 lbs. Bottom container will support 250 to 300 lbs. when stacked. (Please inquire for exact load capacities). FlipakTM containers are available in polyethylene plastic (PE) and polypropylene plastic (PP).

POLYETHYLENE PLASTIC (PE) **DISTRIBUTION CONTAINERS**

• High-density polyethylene (HDPE) construction offers maximum product protection from moisture, impact and chemicals



					0ι	ıtsi	de Di	mensior	ıs				
	Model No				Тор			Во	otto	m	Volume	Nesting	Wt.
Grey	Red	Blue	L"	X	W"	X	H"	L"	X	W"	cu.ft.	Ratio	lbs.
LESS 1	THAN 2.0	CU.FT.											
CA452	-	CF265	11.8	Х	9.8	Х	7.7	9.3	Х	7.0	0.3	2.8:1	2.1
CA453	-	CF266	15.2	Х	10.9	Х	9.7	12.8	Х	7.8	0.6	4.0:1	3.0
CA454	-	-	21.8	Х	15.1	Х	5.5	18.9	Х	13.7	0.7	3.6:1	4.8
CA455	-	CF268	19.7	χ	11.8	Х	7.3	16.9	Х	9.3	0.7	3.0:1	3.4
CA456	-	-	20.6	Х	13.5	Х	6.5	18.2	Х	11.7	0.8	2.1:1	5.2
CA457	-	-	20.6	Χ	13.2	χ	11.6	17.7	Χ	11.0	1.4	4.4:1	5.9
CF559	CF556	CF557	21.9	χ	15.2	Х	9.3	19.1	Х	13.3	1.3	4.4:1	5.0
CA461	-	CF273	22.3	Х	13.0	Х	12.8	19.1	Х	10.9	1.6	3.8:1	6.2
CA462	CA463	CF274	21.8	Χ	15.2	χ	12.9	18.6	Χ	12.9	1.8	4.0:1	6.5
CA464	-	-	23.5	Х	15.7	χ	13.0	19.9	X	13.0	1.9	4.5:1	6.9
2.0 CL	J.FT. & GR	EATER											
CF504	CF503	CF506	26.9	Х	16.9	Х	12.1	24.4	Х	14.7	2.4	4.2:1	8.2
CA468	CA469	CF277	23.9	χ	19.6	Х	12.6	21.1	Х	17.1	2.7	5.3:1	8.4
CA471	-	-	39.0	Х	14.0	χ	13.0	36.3	X	11.3	3.3	4.9:1	10.4
CA475	-	-	30.0	Х	22.0	Х	20.5	27.4	X	19.4	6.1	4.0:1	17.0

FLIPAK® CLEAR POLYPROPYLENE PLASTIC (PP) DISTRIBUTION CONTAINERS

- Offer all the same benefits as the polyethylene containers, plus provide easy content identification Polypropylene (PP) is the same family as polyethylene
- · Polypropylene's advantages over polyethylene include its greater stiffness and elevated use
- Temperature range: 30°F 150°F



ORBIS

			(Out	side Di	mensions	;				
Model			Top			Во	otto	m	Volume	Nesting	Wt.
No.	L"	X	W"	X	H"	L"	X	W"	cu.ft.	Ratio	lbs.
LESS THAN	2.0 CL	J.F	Г.								
CC128	11.8	Х	9.8	Х	7.7	9.3	χ	7.0	0.3	2.8:1	2.1
CC129	15.2	Х	10.9	Х	9.7	12.8	Х	7.8	0.6	4.0:1	3.0
CC130	19.7	Х	11.8	Х	7.3	16.9	Х	9.3	0.7	3.0:1	3.4
CF558	21.9	Х	15.2	Х	9.8	19.1	Х	13.3	1.4	4.4:1	5.0
CC132	21.8	Х	15.2	Х	12.9	18.6	χ	12.9	1.8	4.0:1	6.2
2.0 CU.FT. 8	k GREA	ΛTE	R								
CF505	26.9	Х	16.9	Х	12.1	24.4	Х	14.7	2.3	5.3:1	7.8



FDA APPROVED POLY CONTAINERS

BUS/UTILITY BOXES

- · Made of durable, commercial grade plastic
- · Reinforced handles, bottom and ribs for added strength
- Dimensions: 20" L x 15" W x 5" H
 Capacity: 17.5 L
- · Certified to NSF Std. #2 (splash zone)
- USDA Meat & Poultry Equipment Group Listed and assists in complying w/HACCP guidelines

Model No. CD445 Grey Mfg. No. 3349

Model No. CD446 White Mfg. No. 3349

Model No. CD662 Grey Cover Mfg. No. 3648



GENERAL PURPOSE PAILS

- Snap on lids available:
 Dry seal type or gasket type for liquid handling
- Galvanised steel handles except CB040



ROPAK

Model		Dime	ensi	ions	Lid	Wt.
No.	Description	Dia"	X	W"	Туре	lbs.
CB040	4-L Pail w/Plastic Handle	8 1/4	Х	6	-	0.5
CB039	Lid for Pails 4, 5, 6 L w/Static Joint	8 1/2	Х	1/2	Gasket	0.2
CB043	11.4-L Pail w/Metal Handle	11	Х	9	-	1.1
CB041	Lid for Pails 11.4 L w/o Static Joint	11 3/8	Х	5/8	Dry Seal	0.3
CB046	20-L Pail w/Metal Handle	11 7/8	Х	15 3/8	-	2.0
CC426	Lid for 20-L pail	12 1/2	Х	5/8	Dry Seal	0.4
CB045	Heavy-duty Lid for 20 and 23-L Pails w/Pouring Spout	12 1/8	Х	3/4	Gasket	0.6

CROSS STACK BINS

- · Ideal for production, assembly and order picking
- Injection-molded from high-impact polyethylene; will not crack or rust, and easy to clean
- Can be turned 90° to cross stack
- · Built-in handle and bottom grooves for easy handling
- · Capacity: 100 lbs.
- Made of FDA compliant materials
- Optional clear label holder CC360
- Drill hole pattern on bottom can be opened for drainage purposes



	Model No		E C)im	ensi	ons			Model No.		
Blue	Grey	White	L"	X	W"	X	H	Blue	Grey	White	
CD583	CD584	CD585	17 1/4	Х	11	Х	12	CF016	CD586	CF017	
CD247	CD246	CD248	25 1/8	χ	16	Х	8 1/2	CF018	CD606	CF019	

CYLINDRICAL TANKS

- Ideal for plating, compounding, pickling, and mixing
- Cylindrical tanks are self-supporting when filled
- Natural translucent walls permit visual inspection of contents at all times
- An assortment of fittings may be installed to meet the most demanding applications
- Colour: Natural white
- Other sizes available up to 500-lb. capacity
- Accepted for use in Canadian food processing facilities



TANKS					LIDS	
Model No.	Capacity Imp. Gal.	Inside Dia."	Tank Depth"	Wt. Ibs.	Model No.	Wt. Ibs.
CA074	5	11	16	3	CA075	1
CA027	12	13	27	4	CA028	1
CA020	15	16	24	6	CA026	1
CA025	25	16	35	8	CA026	1
CA021	30	18	33	10	CA022	1
CA067	30	20	27 1/2	11	CA068	2
CA036	45	22 1/2	34	18	CA037	3
CA076	60	22 1/2	45	22	CA077	3
CA078†	75	24	48	23	CA079	3
CA034†	100	30	42	35	N/A	-
CA038†	150	36	42	45	CA039	8
CA054+	175	36	48	55	CA055	8

† F.O.B. Milton, Ontario

RECTANGULAR TANKS

- Ideal for storage and mixing at constant temperatures up to 150°F or 170°F intermittent
- Lids available for most sizes
- To prevent bulging under continuous heavy and liquid load, simple bracing of steel, plywood or lumber is recommended
- Straight sides, external lip unless otherwise stated
- · Colour: Natural white
- Other sizes available up to 300 lbs.
- Accepted for use in Canadian food processing facilities



QUANTUM™ STORAGE

SYSTEMS

Madal	Computer.	foretal a filtra	1074	11.4.
TANKS				LIDS

Model	Capacity		In	side Di	m.		Wt.	Model	Wt.
No.	Imp. Gal.	L"	X	W"	x	D"	lbs.	No.	lbs.
CA110	6	11	Х	11	Х	15	6	N/A	-
CA065	15	24	Х	15	Х	11	10	N/A	-
CA069	15	45	Х	22	Х	5	18	N/A	-
CA084*	20	23	Х	19	Х	16	11	CA085	3
CA066	20	23	Х	23	Х	12	11	N/A	-
CA050	20	24	Х	10	Х	24	12	N/A	-
CA063	30	35	Х	23	Х	10	18	CA064	6
CA045**	30	30	Х	14	Х	24	16	N/A	-
CA071*	50	45	Х	22	Х	15	28	CA072	7
CA086	60	35	Х	23	Х	23	28	N/A	-
CA042†	75	42	Х	24	Х	24	32	CA043	7
CA089†	100	37	Х	26	Х	31	40	CA091	7
CA051†	140	54	Х	30	Х	24	70	CA052	11
CA030†	160	48	Х	30	Х	30	75	CA031	11
CA099†	190	60	Х	30	Х	30	75	N/A	-
CA056†	300	72	Х	36	Х	33	135	CA057	15

*Tapered sides ** Top dimensions restricted. † F.O.B. Milton, Ontario

STORAGE SYSTEMS

CF473

HEAVY-DUTY TILT BINS

- · Extremely durable ABS plastic housing and drawer body
- Transparent polystyrene front window for easy viewing
- Conveniently connects to each other with grooved channels on top, bottom and sides
- Shake resistant design prevents drawers from opening on their own
- Keyholes on back for wall mounting applications
- · Colour: Black and grey







KLETON

Model	No. of		Bir	n Dimens	ions			Cabi	inet Dimens	ions		Wt.
No.	Drawers	W"	X	D"	X	H"	W"	X	D"	X	H"	lbs.
CF471	8	2 3/4	Х	3 1/4	Х	3 5/8	11 3/4	Х	2 3/4	Х	7 7/8	1.8
CF472	6	3 11/16	Х	4	Х	4 5/8	11 3/4	X	3 1/2	X	9 3/4	2.26
CF473	5	4 1/2	Х	4 7/8	Х	5 1/2	23 1/2	X	4	X	5 7/8	2.84
CF474	4	5 5/8	Х	63/8	χ	7 1/2	23 1/2	Х	5 1/2	Х	7 7/8	3.10

MOBILE TILT BIN RACKS

- · Heavy-duty steel frame
- Durable powder coat paint finish on galvanized steel
- 3" swivel casters with brake
- Single or double-sided use
- Overall dimensions: 26 1/4" W 22" D x 57 1/2" H
- · Colour: Grey

MOUNTING CHANNELS FOR MOBILE TILT BIN RACK

- Single side of mixed size tilt bins, any combination, takes up to six mounting channels per side
- Single side CF473 tilt bins only takes up to eight mounting channels per side
- CF471 and CF472 takes two bin units per level per side

Model No.	Description	Bin Units Included
CF477	Single-Sided	2 of each CF471, CF472, CF473, CF474
CF478	Double-Sided	4 of each CF471, CF472, CF473, CF474
CF475*	Cart Only	-
CF476	Mounting Channel for	Tilt Bins -
CF502	Mounting Channel for	Hanging Bins**

^{*} Mounting channels and bins not included

ROTABIN STORAGE UNITS

- Revolving units allow for greater accessibility and visibility
- Shelves sit securely on ball bearings held with a solid steel pin
- Each shelf rotates smoothly and independently

28" DIAMETER

- Six permanent 14 1/2" wide compartments per shelf
- Extra CA221 dividers can be inserted on 1" centres
- · Capacity: 500 lbs. per shelf

34" DIAMETER

- Five permanent 21" wide compartments per shelf
- Extra CD463 dividers can be inserted on 1" centres
- Optional removable pans for 34" diameter units allow for easy parts inventory, restocking, transporting to work area or to get weighted
- · Capacity: 500 lbs. per shelf



DURHAM MFG[®]

Model No.	No. of Shelves	No. of Pans*	Unit Height"	Wt. Ibs.
UNIT ON	ILY 28" (PANS	NOT AVAIL	.ABLE)	
CA193	5	-	38	125
CA194	6	-	41	144
CA195	7	-	47	163
CA196	8	-	53	182
CA197	9	-	60	201
CA198	10	-	66	220
UNIT ON	ILY 34" (PANS	NOT INCLU	IDED)	
CA225	4	60	35	135
CA226	5	75	43	162
CA227	6	90	50	188
CA228	7	105	66	215
CA229	8	120	66	240
GREY PA	NS FOR 34" U	NIT		
CA258	-	-	-	-

^{*} Max number of pans (pans not included)



^{**} See page 3 for hanging bins

STORAGE SYSTEMS

TIP-OUT™ BIN MODULAR STORAGE SYSTEMS











4 bins





1 bin

- Each bin has a slot for labeling
 Bins can be completely removed for replenishing or cleaning
- Uniform widths of 23.6" (for units of two to nine bins)
- · Can be used free-standing or with stands and pedestals

Transparent compartments tip out for easy access and viewing

6 bins

- Two of CB573 disc and screw set are needed for every bin
- Colour: Beige or grey

TILT BINS

Mod	el No.	Mfg.	No. of		Bin	Dimensi	ons		Ca	bine	t Dimen	sions		Wt.
Beige	Grey	No.	Bins	W"	X	D"	X	H"	W"	X	D"	X	H"	lbs.
CB552	CB553	QTB309	9	2 3/16	Х	1 3/4	Х	2 1/2	23 5/8	Х	2 1/2	Х	3 1/8	2.0
CB549	CB550	QTB306	6	3 1/2	Х	25/8	Х	3 3/4	23 5/8	Х	3 5/8	Х	4 1/2	3.0
CB546	CB547	QTB305	5	4 1/4	Х	3 3/4	Х	5 3/4	23 5/8	Х	5 1/4	Х	6 1/2	5.0
CB543	CB544	QTB304	4	5 5/8	Х	5	Х	7 1/2	23 5/8	Х	65/8	Χ	8 1/8	7.0
CB540	CB541	QTB303	3	7 3/8	Х	5 7/8	Х	8 5/8	23 5/8	Х	7 3/4	Х	9 1/2	9.0
CB977	CB978	QTB302	2	11 1/16	Х	8 7/8	Х	13 5/8	23 5/8	Х	11 7/8	Х	13 7/8	14
CB975	CB976	QTB301	1	11 1/16	χ	8 7/8	Х	13 5/8	11 3/16	Х	11 7/8	Χ	13 7/8	7
CB573	Two Discs and T	Two Screw Set (Two Need	ed for Each Bin Case)											

TIP OUT™ FRAMES

· Assembly required










CB953



 $\mathsf{QUANTUM}^{\scriptscriptstyle\mathsf{TM}}$ STORAGE **SYSTEMS**

Model			Di	mensio	ns			Bin Qu	antity Table Q	TB Series Bins		
No.	Description	W"	x	D"	X	H"	302	303	304	305	306	309
FLOOR STANDS												
CB562	48" 1-Sided	23 5/8	Х	8	Х	52	3	5	6	7	11	16
CB563	70" 1-Sided	23 5/8	Х	8	Х	75	5	7	8	10	15	23
CB565	48" 2-Sided	23 5/8	Х	16	Х	52	6	10	12	14	22	32
CB568	70" 2-Sided	23 5/8	Х	16	Х	75	10	14	16	20	30	46
MOBILE FLOOR S	STANDS											
CB952	48" 2-Sided	23 5/8	Х	16	Х	52	6	10	12	14	22	32
CB953	70" 2-Sided	23 5/8	Х	16	Х	75	10	14	16	20	30	46
WALL FRAMES												
CB559	48"						3	5	6	7	11	16
CB561	70"						5	7	8	10	15	23
CB573	Two Discs & Two Screws Set											

HEAVY-DUTY PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in an all-welded 22-gauge galvanized steel cabinet

 I.D. card with clear plastic shield and divider included with every drawer
- Steel tabs and drawer stoppers allow for full extension without risk of spilling
- Cabinet has either polystyrene or heavy-duty ABS beige drawers
- · Grey enamel finish















Model	No. of	Drawer	Drawer Dimensions 1 W" x D" x H"				Ca	Cabinet Dimensions						
No.	Drawers	Description	W"	Х	D"	X	H"	W"	X	D"	X	H"	lbs.	
CF311	18	Polystyrene	3.5	Х	8.6	Х	2.2	13.9	Х	8.7	Х	16.3	19	
CF312	20	Polystyrene	3.5	χ	8.6	Χ	2.2	18.3	Х	8.7	Χ	13.8	21	
CF314	40	Polystyrene	3.5	χ	8.6	Χ	2.2	18.3	Х	8.7	Χ	25.3	40	
CF313	25	Polystyrene	3.5	χ	8.6	Χ	2.2	23.1	Х	8.7	Х	13.8	27	
CF315	75	Polystyrene	3.5	χ	8.6	Х	2.2	23.1	Χ	8.7	Х	36.9	66	
CF305	16	Polystyrene	3.5	χ	8.6	Х	2.7	18.3	Х	8.7	Х	13.8	21	
CF304	15	Polystyrene	3.5	χ	8.6	Χ	2.7	13.9	Х	8.7	Χ	16.3	22	
CF306	20	Polystyrene	3.5	χ	8.6	Χ	2.7	23.1	Х	8.7	Х	13.8	27	
CC453	32	Polystyrene	3.5	χ	8.6	Χ	2.7	18.1	Х	8.7	Χ	25.6	31	
CC454	60	Polystyrene	3.5	Х	8.6	Х	2.7	22.6	Х	8.7	Х	36.9	68	
CF298	16	ABS	4.7	χ	8.6	Х	2.7	23.1	Х	8.7	Х	13.8	24	
CA891	24	ABS	4.7	χ	8.6	Χ	2.7	17.3	Х	8.7	Χ	25.6	33	
CA892	48	ABS	4.7	χ	8.6	Χ	2.7	22.6	Χ	8.7	Х	36.9	58	
CD440*	48	ABS	4.7	χ	8.6	Х	2.7	22.6	Х	10.8	Х	36.9	66.8	
CA889	30	ABS	5.9	Х	9.8	Х	3.3	21.3	Х	10.4	Х	36.9	58	
CF289	24	Polystyrene	5.9	Х	9.8	Х	1.6	14.3	Х	10.4	Х	22.5	32	
CA890	60	Polystyrene	5.9	Χ	9.8	Х	1.6	21.3	Х	10.4	Χ	36.9	60	
CF293	18	Polystyrene	5.9	Х	9.8	Х	1.6	21.3	Х	10.4	Х	12.2	25	
CF283	12	ABS	6.4	Х	11.3	Х	2.7	23	Х	11.4	Х	13.8	28	
CF284	24	ABS	6.4	Χ	11.3	Х	2.7	23	Х	11.4	Χ	25.2	47	
CF285	36	ABS	6.4	Χ	11.3	Х	2.7	23	Х	11.4	Χ	36.9	60	

^{*} Comes with locking doors

HEAVY-DUTY INDUSTRIAL CAROUSEL DRAWER CABINETS

- · Create your customized carousel cabinet
- · Each level accommodates four parts cabinets with same height
- For a multiple tier cabinet (maximum three tiers), you require add-on-shelves and threaded rods as per the following: One add-on-shelf CF402 for each level of cabinets 14" rod required for each level of CF312 or CF305 cabinets
- 25" rod required for each level of **CC453** or **CF314** cabinets
- · Rotational base allows for 800-lb. capacity
- All-welded 11-gauge steel base
- · Durable Kleton grey enamel finish


Model			D	imension	IS		Wt.
No.	Description	W"	x	D"	x	H"	lbs.
3 TIER C	CABINETS KITS						
CF405	192 Drawers	27	Х	27	Х	48	392
CF406	240 Drawers	27	Х	27	Х	48	407
CF407	384 Drawers	27	Х	27	Х	80	497
CF408	480 Drawers	27	Х	27	Х	80	600
COMPO	DNENTS						
CF401	Base and Top Cover	27 1/2	Х	27 1/2	Х	4	80
CF402	Add-on Shelf	27 1/2	Х	27 1/2	Х	1	18
CF403	Threaded Rod - 14"	3/8	Х	-	Х	14	1
CF404	Threaded Rod - 25"	3/8	Х	-	Х	25	1.5
CF305	Parts Cabinet - 16 Drawers	18 5/16	Х	8 11/16	Х	14	21
CF312	Parts Cabinet - 20 Drawers	18 5/16	Х	8 11/16	Х	14	21
CC453	Parts Cabinet - 32 Drawers	18 5/16	Х	8 11/16	Х	25	31
CF314	Parts Cabinet - 40 Drawers	18 5/16	Х	8 11/16	Х	25	40





INCLUDES:

12 - **CF314** - Cabinet - 40 drawers 1 - **CF401** - Base and Top Cover 2 - **CF404** - Threaded Rod 25" 2 - CF042 - Add-on Shelf



PARTS CABINETS

CAROUSEL DRAWER CABINETS

- · Designed to utilize open and often unused areas such as corners
- Optional turntable can be used to create a rotary carousel unit providing convenience for accessing small parts storage All-welded cabinets include clear drawers, dividers and I.D. labels
- Cabinet overall dimension: 12" W x 5 3/4" D x 22" H
- · Blue enamel finish
- Turntable CA912 may be set up with up to three levels of four cabinets per level

Model	No. of	Drawer	D)raw	er Dimer	ision	S	Wt.
No.	Drawers	Model No.	W"	X	D"	X	H"	lbs.
CA870	60	CD441	2	Х	5 5/16	χ	1 3/8	10.7
CA869	48	CD442	2 1/2	Χ	5 5/16	Х	1 3/8	10.7
CA868	30	24 x CD442	2 1/2	Χ	5 5/16	Х	1 3/8	10.7
		4 x CD443	5 5/16	Х	5 5/16	Х	2 1/4	-
		2 x CD444	11	Χ	5 5/16	Х	2 1/4	-
CA867	16	CD443	5 5/16	Х	5 5/16	Χ	2 1/4	10.3
CA912	-		3	Tier '	Turntable l	Unit (nly	40.0








CA868 30-Drawer Cabinet



CA869 48-Drawer Cabinet



60-Drawer Cabinet



CA912 - Turntable Base Turntable unit shown with 12 CA870 cabinets (sold separately)

ADD-A-DRAWER®

- Grey plastic drawer modules with clear windows simply slide and lock onto each other
- Can be stacked both horizontally and vertically Allows you to create a customized drawer cabinet
- Add on one or more units as more storage capacity is required
- Dividers and labels included





CA877











Customize your drawer cabinet!

Model	No. of		D	imensio			Wt.	
No.	Drawers	W"	X	D"	X	H"	Colour	lbs.
DRAWER	MODULES							
CA840	2	5	Х	5	Х	2	Grey	0.88
CA841	1	2 1/2	Х	5	Х	2	Grey	0.20
CA842	1	4 1/2	Х	10	Х	2 1/2	Grey	1.00
CA844	1	5	Х	5	Х	2	Grey	0.20
CA843	4	3	χ	6	Х	5 3/4	Blue	1.0
CA845	2	6	Х	6	Х	3	Blue	1.0
CA846	1	6	Х	6	Х	3	Blue	1.0
CA847	1	12	Х	6	Х	3	Blue	1.6
CABINET	KITS							
CD234	4	4 1/2	Х	10 1/2	Х	10	Grey	4
CD235	42	15	χ	5	Х	16	Grey	15.5
CA877	32	12	Х	6	Х	10 1/2	Blue	8.0
CA874	27	12	Х	6	Х	17 3/4	Blue	11.6
CA855	19	12	Х	6	Х	11 3/4	Blue	7.6

WORKBENCH SMALL PARTS CABINETS

- · Ideal for storing small parts right on your workbench
- New design allows for 98% use of drawer space
- I.D. cards and dividers included with every drawer
- Heavy-duty ABS beige drawers
- 30 drawers, dimensions: 6.5" W x 14.8" D x 4.1" H
- Cabinet: 34.6" W x 15.7" D x 34.6" H
- · Housed in an all-welded galvanized steel container finished in a grey enamel paint
- · Weight: 119 lbs.

Model No. CF323



















HEAVY-DUTY DRAWER CABINETS

- · Heavy-duty parts cabinets feature break resistant high impact clear plastic "scoop" drawers for easy removal of small parts, with two adjustable compartment dividers
- Drawers dimensions: 2 7/8" W x 5 1/2" D x 1 7/8" H
- · Welded steel cabinets are finished in grey powder coat

DURHAM MFG

Model	No. of	Ca	bine	t Dimer	ısior	15	Wt.
No.	Drawers	W"	X	D"	X	H"	lbs.
CA899	64	25 1/2	Х	6 1/2	Х	21 3/4	34
CA898	20	16 1/2	Χ	6 1/2	Х	11 1/4	12





CF319

MODULAR PARTS CABINETS

- · Organize and control small parts inventory
- Standard cabinets come with light grey polystyrene drawers that are virtually indestructible
- · Transparent windows on drawer fronts
- · Label holder on drawer pull allows for instant identification
- · Comes with two removable dividers per drawer
- Stackable steel cabinet frames finished in grey baked enamel
- Cabinet frame dimensions: 17" W x 11" D x 11" H
- Includes: Two dividers and one label per drawer





CA854





							CA85/	-	
Model No.	No. of Drawers	W"	raw x	er Dimens D"	ions x	H"	Wt. Ibs.	Dividers Model No.	Replacement Drawers Model No.
CA853	28	2 3/16	χ	10 9/16	Х	2 1/16	24	CB126	CA859
CA854	20	3 3/16	Х	10 9/16	Х	2 1/16	21	CB133	CC143
CA856	16	4	Х	10 9/16	Х	2 1/8	20	CA878	CA860
CA857	15	3 3/16	Х	10 9/16	Х	3 1/16	20	CA880	CA863
CA858	9	5 3/16	Х	10 9/16	Х	3 1/16	18	CA882	CA865



STEEL DRAWER CABINETS & CARTS



96 Drawers

72 Drawers





D. 9-Drawer Cabinets







A. 48, 72 & 96-Drawer Cabinets,

INDUSTRIAL DRAWER CABINETS

- Provide a rugged modular storage system for small parts
- Select from a range of drawer capacities from 9 drawers to 96 drawers per cabinet
- · Various drawer sizes are available including drawer heights of 2 3/4" and 3 1/2", and drawer depths of 11 1/8" and 17"
- · Each drawer includes two adjustable dividers and full width handles
- · Drawer sides are slotted to hold dividers



	Model	No. of	D	rawe	r Dimen	sion	s	Cabinet	Wt.	Replacement
уре	No.	Drawers	W"	X	D"	x	H"	Height"	lbs.	Drawers
1	FI356	30	5 3/8	χ	11 1/8	Х	3 1/2	26 7/8	107	CD661
	CA936	48	5 3/8	Х	11 1/8	Χ	2 3/4	33 3/4	176	CA921
	FI357	60	5 3/8	Х	11 1/8	Х	3 1/2	48	194	CD661
	CA939	72	5 3/8	Х	11 1/8	Х	2 3/4	48 1/8	238	CA921
	FI358	90	5 3/8	Х	11 1/8	Х	3 1/2	69 1/8	281	CD661
	CA941	96	5 3/8	Χ	11 1/8	Х	2 3/4	62 1/2	300	CA921
	CA924	18	5 3/8	Х	11 1/8	Х	2 3/4	10 7/8	50	CA921
	CA925	18	5 3/8	Х	11 1/8	Х	3 1/2	12 7/8	87	CD661
	CA926	18	5 3/8	Χ	17	Х	3 1/2	12 7/8	75	CA923
	CA930	24	5 3/8	Х	11 1/8	Х	2 3/4	14 3/8	60	CA921
	CA932	24	5 3/8	Х	17	Х	3 1/2	17	96	CA923
	CA942	9	5 3/8	Х	11 1/8	Х	2 3/4	10 7/8	28	CA921
	CA934	30	5 3/8	Х	11 1/8	Х	3 1/2	21 1/8	87	CD661
	CA935	30	5 3/8	Х	17	Х	3 1/2	21 1/8	118	CA923
	CA946	Extra Div	vider for 2 3	/4" H	Drawer			-	0.1	-
	CA947	Extra Div	vider for 3 1	/2" H	Drawer			-	0.1	-

HEAVY-DUTY 2-SIDED MOBILE CART/WORK STATIONS

- Two rigid and two swivel casters with locking brakes
- Sturdy tubular handle allows ease of mobility
- Rubber tray mat provides safe, secure, non-skid work surface
- Finished in rust and acid resistant grey powder coat
- · Heavy-duty casters, capacity of 1000 lbs.
- · Shipped fully welded



- Two 12-compartment bins back-to-back
- Overall dimensions: 34" W x 24" D x 32" H
- Ship weight: 139 lbs.
- Model No. CD330

- Two 40-compartment bins back-to-back
- Overall dimensions: 34" W x 24" D x 32" H
- · Ship weight: 159 lbs.

Model No. CD349



- · One lockable 4-compartment storage cabinet
- · One storage bin with 12 compartments
- · 12 easily dividable pull out storage drawers, six on each side
- Overall dimensions: 34" W x 24" D x 36" H
- · Ship weight: 180 lbs.

Model No. CD348




STEEL STORAGE BINS

- · Pigeonhole type steel storage bin units organize small parts
- Best suited where space is limited and organization is crucial
- Produced of prime cold rolled steel
- Fully welded, will not warp, twist or sag
- Fully hemmed label holders provide adequate space for content identification
- · Each divider is hemmed in a tear drop design to avoid sharp edges
- Doors with padlock attachment and bases to raise units are available with most models
- All units are 33 3/4" wide and are available in depths of 12" or 8 1/2"
- 12" deep units feature a 45° slope front for easy removal of parts
- · Finished in grey powder coat






















CA136

Model		D	imensio	ns		No. of		Bin	Dimensio	ns		Wt.	Base	Door
No.	W"	X	D"	X	H"	Bins	W"	X	D"	X	H"	lbs.	Model No.	Model No.
12" DEEP STOR	AGE BINS													
CA133	33 3/4	Х	12	Х	11 1/2	16	4	Х	11 7/8	Х	5 1/8	25	CA157	-
CA134	33 3/4	Х	12	Х	19 1/4	18	5 3/8	Х	11 7/8	Х	6 3/8	38	CA157	-
CA136	33 3/4	Х	12	Х	23 7/8	24	5 3/8	Х	11 7/8	Х	5 1/2	44	CA157	CA142
CA149	33 3/4	Х	12	Х	23 7/8	40	4	Х	11 7/8	Х	4 1/2	50	CA157	CA142
CA151	33 3/4	Х	12	Х	42	42	5 3/8	Х	11 7/8	Х	5 1/2	71	CA157	CA141
CA152	33 3/4	Х	12	Х	42	56	4 7/8	Х	11 7/8	Х	5 1/8	75	CA157	CA141
CA154	33 3/4	Х	12	Х	42	72	4	X	11 7/8	Х	4 1/2	80	CA157	CA141
8 1/2" DEEP STO	ORAGE BINS													
CA150	33 3/4	Х	8 1/2	Х	22 1/4	40	4	Х	8 3/8	Х	4 1/2	50	CA158	CA148
CA155	33 3/4	Х	8 1/2	Х	42	72	4	Х	8 3/8	Х	4 1/2	70	CA158	CA141

PLASTIC COMPARTMENT CASES

COMPACT POLYPROPYLENE COMPARTMENT BOXES

- High strength, oil resistant polypropylene, boxes with covers fitted with heavy-duty reinforced hinges
- Hinges have a special "stop" feature which allows the cover to remain in open position
- · Covers overlap on all sides of the bottom tray
- Two snap latches assure secure closure
- Stackable

COMPARTMENT BOX CABINETS

- All steel grey powder coated cabinet holds five plastic compartment boxes
- Bolt holes permit stacking and keyhole slots are furnished for wall mounting



CB513		CB:	509	-	CB511		CB507		CB50	01	CB	503	CB505	
odel	()vera	all Dime	nsio	ns	N	o. of		Compa	artment Dir	nensio	ıs	Wt.	
D.	W"	X	D"	X	Н"	Compa	irtments	W"	X	D"	X	H"	lbs.	
3513	11	Х	6 3/4	х	1 3/4		6	13/4	Х	6 1/4	Х	1 9/16	0.7	

Model	0	vera	all Dime	ensio	ns	No. of		Com	partment Dime	ensio	ns	Wt.
No.	W"	X	D"	X	H"	Compartments	W"	X	D"	X	H"	lbs.
CB513	11	Х	6 3/4	Х	1 3/4	6	1 3/4	Х	6 1/4	Х	1 9/16	0.7
CB509	11	Χ	6 3/4	Х	1 3/4	12	1 3/4	Х	3 1/8	Х	1 9/16	0.7
CB511	11	X	6 3/4	X	1 3/4	18	13/4	X	2 1/16	X	1 9/16	0.7
CB507	13 1/8	Х	9	Х	2 5/16	6	2	Х	8 1/2	Х	2	0.8
CB501	13 1/8	Х	9	X	2 5/16	12	2	Х	4 3/32	Х	2	0.8
CB503	13 1/8	Х	9	X	2 5/16	18	2	Х	(6) 4 3/4 (12) 2	Х	2	0.8
CB505	13 1/8	X	9	Х	2 5/16	24	2	X	2	Х	2	0.8

COMPARTMENT BOX RACKS

Model				Dimension	S		Wt.
No.	Description	W"	x	D"	X	H"	lbs.
CB631	Small Box Rack	11 1/4	х	6 3/4	Х	10 3/4	7
CB632	Large Box Rack	13 1/2	Х	9 1/8	Х	13 1/4	11

COMPARTMENT CASE - High strength, high quality polypropylene case - Translucent lid allows for quick view of contents - Snap latch ensures a secure closure - Removable dividers allow for different configurations TLZ117 CF333 Model Overall Dimensions No. of Wt. No. W" x D" x H" Compartments lbs.

Variable up to 17

Variable up to 9

0.7

LARGE CASES

18 1/2" L x 13" W

- Large Super Satchel organize tool cribs, maintenance departments, shop floors and allow complete portability
- See-through lids allow quick identification of contents
- · Copolymer resins will not rust
- Brass pinned hinges provide strength and durability
- Identification card holder for quick case selection
- Molded integral feet, making ideal presentation cases






CF333 10 3/4 x 5 3/8 x 1 1/2

53/8 x53/8 x 13/8

SMALL CASES

15" L x 11 3/4" W

- Small Satchel store and organize large, medium, small and flat parts, removable partitions
- See-through lids allow quick identification of contents
- · Copolymer resins that will not rust or dent
- Brass pinned hinges provide strength and durability
- Divided style (CB499) or double case (CB500) with two cases sonically welded back to back
- · Can be stored flat or upright





STEEL COMPARTMENT CASES

COMPARTMENT STEEL SCOOP BOXES

- · Manufactured of prime cold-rolled steel
- Fixed compartment boxes
- Choose from between 8 and 32 fixed compartment boxes
- Small box dimensions: 13 3/8" W x 9 1/4" D x 2" H
- Large box dimensions: 18" W x 12" D x 3" H
- · Finished in rust and acid resistant baked enamel
- Boxes have inserts of high impact plastic
- · Inserts have rounded scoops, making it easy to remove small parts
- All models have covers designed to stay open
- See chart below for box configurations





FIXED COMPARTMENT CONFIGURATIONS, ORDER BY NUMBER OF COMPARTMENTS

















LARGE COMPARTMENT BOXES 18" W x 12" D x 3" H

SMALL COMPARTMENT BOXES 13 3/8" W x 9 1/4" D x 2" H

Number of Compartments	Model No.	Wt.lbs.	Model No.	Wt. lbs.
8	-	-	CB032	4
12	CA986	8	CB015	4
16	CA989	8	CB017	4
20	CA992	8	CB023	4
21	CA995	8	CB026	4
24	CA997	8	CB029	4
32	CB002	8	-	-

COMPARTMENT BOX CABINETS

- Carriages extend 100% of the drawers depth for easy access to parts
- Flexibility of removable drawers and a large selection of drawer configurations
- Drawer cabinet may be mounted on a raised base
- Cabinets are available for both the small and large drawer sizes
- · Boxes and base are sold separately
- Optional locking hinge (CB037) prevents boxes from sliding out during transport

DURHAM MFG	١
Est. 1922	ı



Cabinet and boxes sold separately

Model			Dimensio	ns		For	Drawer	Wt.
No.	W"	x	D"	X	H"	Box	Capacity	lbs.
CA963	20	χ	15 3/4	Х	8 1/8	Large	2	20
CA965	20	χ	15 3/4	Х	15	Large	4	34
CA972	15 1/4	Χ	11 3/4	Х	11 1/4	Small	4	22
CA975	15 1/4	X	11 3/4	X	16 3/8	Small	6	32
CB037	Option	nal L	ocking Hi	nge 1	for CA972	-	-	-
CB038	Optional Lo	cki	ng Hinge 1	for C/	A965 and CA975	-	-	-

ADJUSTABLE COMPARTMENT BOXES

- Adjustable drawers provide the added flexibility of arranging your drawers according to your changing needs
- Removable dividers can be "slotted" into place or removed altogether





Model		Di	mensio	ns			Wt.
No.	W"	x	D"	X	Н"	Description	lbs.
CA977	18	Х	12	Х	3	Large	8
CA979	13 3/8	х	9 1/4	х	2	Small	4

CABINET BASES

- Cabinet bases raise your cabinet/drawer combination 12" off of the floor or workbench
- Models are available to adapt to both small and large drawer size cabinets



Model	0ve	rall	Dimen	sion	s	For	Wt.
No.	W"	X	D"	X	H"	Box	lbs.
CA980	20 3/8	Х	16	Х	15 1/8	Large	13
CA983	15 1/2	Х	12 1/8	Х	15 1/8	Small	12

STACKBIN® CONTAINERS

STEEL STACKBINS®

- Hopper-front steel Stackbins® are available with capacities from 70 cubic inches up to 5100 cubic inches
- They may be easily stacked one on top of another, or housed in steel Stackracks®, together with Stackracks® base allowing lower units to be removed without disturbing units stacked above them
- Standard blue baked enamel finish



PLASTIC STACKBINS®

- · Available in two types and sizes of plastic
- CB310 and CB311 are molded of polypropylene and have a capacity of 200 cubic inches
- CB314 and CB315 are molded of polyethylene and have a capacity of 1600 cu. in.
- The exclusive interlocking front bar prevents the bins from spreading under heavy loads



STACKBIN

Model	Capacity		- 1	Dimension	IS		Wt.	Top Cover	Front Cover
No.	Cu. in.	W"	X	D"	X	H"	lbs.	Model No.	Model No.
CA765	70	4 1/2	Х	8	Х	4 1/2	1.8	-	-
CA766	200	5 1/2	Х	12	Х	4 1/2	3	CD369	CD368
CA767	500	7 1/2	Х	15 1/2	Х	6	5.5	CD370	CA734
CA768	900	9	Х	18 3/4	Х	7 1/2	9	CA706	CA735
CA772	1400	10	Х	24	Х	8	12	CA710	CA739
CA769	1600	12	Х	20 1/2	Х	9 1/2	12.5	CA707	CA736
CA770	2800	15	Х	24	Х	11	20.5	CA708	CA737
CA771	5100	18	Х	30	Х	12	30	CA709	CA738

STACKBIN'

Mod	lel No.	Wt.	
Blue	Grey	lbs.	
5 1/2" W	/ X 12" D X 4 1/2" H		
CB310	CB311	0.8	
12" W X	20 1/2" D X 9 1/2" H		
CB314	CB315	4	

STACKRACKS®

- Stackracks® are designed to be teamed up with Stackbins® to create a heavy-duty storage system
- · Stackracks® allow for bins to be removed easily from a setup
- Can support any weight that fits within the cube of the coinciding container
- Easily stack together without tools or fasteners and feature Stackbins' patented locking system
- Can be reconfigured or added to at any time

Shown with 10 - CA769 bins, 10 - CA776 single Stackracks® and 1 - CA693 Base 2 bins wide







STACKRACKS® COVERS

Model No.	Description	
CA715	For CA775	
CA730	For CA780	
CA720	For CA776	
CA724	For CA778	
CA727	For CA779	

12" HIGH BASES

- · Can be butt-up to each other to make continuous rows of storage bins
- Bases are made specifically for each size steel container
- 14-gauge legs and supports
- Spot welded
- Capacity: 1000 lbs.

Model	
No.	Description
1-BIN WIDE	
CA687	For Stackracks® CA775
CA692	For Stackracks® CA776
CA696	For Stackracks® CA778
CA699	For Stackracks® CA779
2-BIN WIDE	
CD448	For Stackracks® CA774
CA688	For Stackracks® CA775
CA703	For Stackracks® CA780
CA693	For Stackracks® CA776
CA697	For Stackracks® CA778
CA700	For Stackracks® CA779
3-BIN WIDE	
CD449	For Stackracks® CA774
CA689	For Stackracks® CA775
CA704	For Stackracks® CA780
CA694	For Stackracks® CA776

STACKBIN

STACKRACKS®

Model		Wt.
No.	Description	lbs.
CD447	For Bin CA765	3.5
CA773	For Bin CA766	4
CA774	For Bin CA767	5.5
CA775	For Bin CA768	8.5
CA780	For Bin CA772	9
CA776	For Bin CA769	10
CA778	For Bin CA770	12
CA779	For Bin CA771	14

SECTIONAL STACKBINS® SYSTEMS

- Sectional Stackbin® units are an economical alternative to standard Stackbins®
- Individual compartments are created from a standard 37" wide unit divided by welded steel partitions
- Each unit may be stacked on a larger, or similar sized unit, with covers and bases to complete the unit

Model		Dimensions				Bins in	Wt.		
No.	W"	x	D"	X	H"	Section	lbs.		
SECTIONAL STACKBINS®									
CA786*	37	Х	8	Х	4 1/2	8	11.0		
CA787*	37	Х	12	Х	4 1/2	6	13.8		
CA788	37	Х	15 1/2	Х	6	5	20.0		
CA789	37	Х	18 3/4	Х	7 1/2	4	29.0		
CA790	37	Х	20 1/2	Х	9 1/2	3	35.0		
CA791	37	Х	24	Х	11	2	40.0		
*** 1									



Model No	o. Description	Model No.	Description
SECTIO	NAL BASES	SECTIONA	AL COVERS
CA793	For CA788	CA797	For CA786
CA794	For CA789	CA798	For CA787
CA795	For CA790	CA799	For CA788
CA796	For CA791	CA800	For CA789
		CA801	For CA790
		CA802	For CA791



CA791

PRE-ENGINEERED SECTIONAL SYSTEMS

- Complete with sectional Stackbin® 6" high base and top cover
- · 5000-lb. stocking capacity

Model No.	Description	Wt. Ibs.				
USING CA	788 SECTIONAL STACKBINS®					
CD354	7 Row Unit w/35 Compartments	136.5				
CD355	8 Row Unit w/40 Compartments	156				
USING CA789 SECTIONAL STACKBINS®						
CD356	6 Row Unit w/24 Compartments	174				
CD357	7 Row Unit w/28 Compartments	226.5				
USING CA	A790 SECTIONAL STACKBINS®					
CD358	5 Row Unit w/15 Compartments	200				
CD359	6 Row Unit w/18 Compartments	235				
USING CA	A791 SECTIONAL STACKBINS®					
CD360	4 Row Unit w/8 Compartments	183.5				
CD361	5 Row Unit w/10 Compartments	222.5				





BULK CONTAINERS

BULK STACKING CONTAINERS

- · Heavy-duty all-welded construction
- Mesh containers use 2" x 2" x 10 gauge wire mesh
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" underclearance
- · Available with one drop gate or fully enclosed sides
- Height: 24" inside, 30" overall
- Stackable up to five high
- Other sizes are available · Painted durable Kleton blue

CF453





m 4	-	_	_	-	
110		10	31		ona.
1000		-	2011	100	LEDO

CF449

Model		Dim	ensi	ons	Capacity	Wt.
No.	Description	W"	X	L"	lbs.	lbs.
MESH CO	ONTAINERS					
CF449	Fully Enclosed	34 1/2	Х	40 1/2	3000	125
CF450	One Drop Gate	34 1/2	Х	40 1/2	3000	130
CF451	Fully Enclosed	40 1/2	Х	48 1/2	3000	150
CF452	One Drop Gate	40 1/2	Х	48 1/2	3000	160
SHEET C	ONTAINERS					
CF453	Fully Enclosed	34 1/2	Х	40 1/2	3500	150
CF454	One Drop Gate	34 1/2	Х	40 1/2	3500	150
CF455	Fully Enclosed	40 1/2	Х	48 1/2	3500	185
CF456	One Drop Gate	40 1/2	Х	48 1/2	3500	185
CORRUC	GATED CONTAINERS					
CF457	Fully Enclosed	34 1/2	Х	40 1/2	4500	160
CF458	One Drop Gate	34 1/2	Х	40 1/2	4500	160
CF459	Fully Enclosed	40 1/2	Х	48 1/2	4500	195
CF460	One Drop Gate	40 1/2	Х	48 1/2	4500	195

COLLAPSIBLE STRUCTURAL POLYETHYLENE CONTAINERS

- Sturdy, long-lived and quick to erect or knock down
- · Fully recyclable containers replace tons of corrugated paper and wood packaging waste
- These space-efficient collapsible containers cube out trailers and ISO containers
- Collapsable to one-third their height for space-saving return shipment
- Stack safely, full or folded to
- create warehouse space without racking Models featured below include two drop gates (one drop and no drop also available)
- Capacity: 2000 lbs. or 1500 lbs.





ORBIS

200	2000 lbs. Capacity			0 lbs. Ca	pacity					
Model	Wt.	Cover	Model	Wt.	Cover			Dime		
No.	lbs.	Model No.	No.	lbs.	Model No.	L"	X	W"	X	Н"
CF447	119	CC171	CF490	113	CF493	48	Х	45	Х	25
CF448	145	CC171	CF491	126	CF493	48	Х	45	Χ	34
CF445	159	CC170	CF487	137	CF489	48	Х	40	Χ	34
CF446	169	CC170	CF488	152	CF489	48	Χ	40	Χ	39
CF443	68	CC169	CF483	65	CF486	30	Х	32	Χ	25
CF444	85	CC169	CF484	81	CF486	30	Х	32	Χ	34

F.O.B Mississauga, ON

OPEN MESH CONTAINERS

- Rugged construction ensures long-lasting, trouble-free service
- 3/4" 13 gauge expanded metal mesh panels
- Two half drop gates
- 4-way fork truck access
- 4 1/4" underclearance
- Overall dimensions:
- 34 1/2" W x 40 1/2" L x 32 1/4" H
- Stackable up to five high
- 15 cu.ft. capacity
- Deck capacity: 2500 lbs. mesh deck, 3000 lbs. sheet metal deck
- Blue enamel finish




Model No.	Style	Wt. Ibs.
CA397	Mesh Deck	105
CA398	Sheet Metal Deck	114
CA368	Replacement Foot	0.72

STACKING RACKS


- Rugged all-welded 2" square tubing steel construction
- Utilise warehouse airspace and lower the chances of damage that is associated with bulk stacking
- Designed for storage of loose and palletised goods
- Holds 4000 lbs per rack and can be stacked four high
- Posts and bases are sold separately
- Durable Kleton blue enamel finish

Model No.	Inside Dim. W" x D"	Overall Dim. W" x D"	Wt.				
OPEN BASE							
RL414	38 x 44	42 x 48	85				
RL415	44 x 48	48 x 48	90				
CLOSED BASE							
RL416	38 x 44	42 x 48	110				
RL417	44 x 44	48 x 48	115				



ACCESSORIES

Model		0ve	Overall Dim.		
No.	Description	W"	X	H"	lbs.
RL418	42" Side Rail	42	Х	48	30
RL419	48" Side Rail	48	Х	48	32
RL420	42" Upright Post-Pack of 4	2	Х	42	35
RL421	48" Upright Post-Pack of 4	2	Х	48	40
RL422	60" Upright Post-Pack of 4	2	Х	60	50



RL414 with

2 RL419

COLLAPSIBLE WIRE CONTAINERS

- Welded, square mesh wire allows full visibility and excellent ventilation
- Foldable and constructed of durable 3-gauge wire
- 4-way entry for easy use with lift trucks
- Convenient drop gate design for easy access to products
- Safety rating plates with static load capacity and static load height
- Stack up to four high
- 4" under clearance



Model)im	ensi	ons		Usable	Drop	Mesh	Cap.	Wt.
No.	W"	x	D"	x	H"	Height"	Gate	Dim."	lbs.	lbs.
CF462	20	Х	32	х	21	16	32" Side	1 x 1	1000	43
CF463	20	Х	32	χ	21	16	32" Side	1/2 x 1/2	1000	55
CF464	32	Х	40	х 3	4 1/2	28	40" Side	2 x 2	4000	122
CF465	40	Х	48	х 3	0 1/2	24	48" Side	2 x 2	4000	150
CF466	40	Х	48	х 3	6 1/2	30	48" Side	2 x 2	4000	163
CF467	40	Х	48	х 3	6 1/2	30	40" End	2 x 2	4000	163
CF468	40	Х	48	χ 4	12 1/2	36	48" Side	2 x 2	4000	176