

WIRE SHELVING

CHROMATE WIRE SHELVING

- Heavy-gauge shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000-lb.
- Shipped knocked down
- NSF certified



POSTS

Model No.	Height"	Wt. lbs.
RL611	33	4
RL330	54	6.3
RL331	63	7
RL332	74	8
RL333	86	8.8

WIRE SHELVES

Model No.	W"	x	D"	Cap lbs. /Shelf*	Wt. lbs.
RL606	30	x	14	800	7.5
RL607	36	x	14	800	8.25
RL608	48	x	14	800	10.5
RL609	60	x	14	600	14.25
RL610	72	x	14	600	17.5
RL035	30	x	18	800	8.5
RL036	36	x	18	800	9.75
RL037	48	x	18	800	12.5
RL038	60	x	18	600	18
RL039	72	x	18	600	20.5
RL040	36	x	24	800	13.25
RL041	48	x	24	800	16.25
RL042	60	x	24	600	21.5
RL043	72	x	24	600	27

* Evenly distributed weight

ACCESSORIES

Model No.	Description	Wt. lbs.
RL048	Caster, 5", No Brake	2.8
RL049	Caster, 5", With Brake	2.7
RL050	Divider For Shelf, 18"	1.7
RL051	Divider For Shelf, 24"	2.2
RL052	Handle 18" - Can Only Be Used With Utility Carts	3.9
RL053	Handle 24" - Can Only Be Used With Utility Carts	4.4
RL054	Split Sleeves, Black 4 Pc/Bag	0.1
RL055	S-Hook For Attaching Add-On	0.1
RL056	Leveling Feet (Die Cast And Foot Bolt)	0.2
RL057	Die Cast For Leveling Feet	0.1
RL058	Foot Bolt For Leveling Feet	0.1
RL612	Direct Wall Mount, Single Shelf Support, 14"	2
RL613	Direct Wall Mount, Double Shelf Support, 14"	3.5
RL898	Direct Wall Mount, Single Shelf Support, 18"	1.75
RL899	Direct Wall Mount, Double Shelf Support, 18"	3.25
RL900	Direct Wall Mount, Single Shelf Support, 24"	1.9
RL901	Direct Wall Mount, Double Shelf Support, 24"	3.56
RL614	Ledge For Shelf, 14"	0.6
RL615	Ledge For Shelf, 18"	0.75
RL616	Ledge For Shelf, 24"	1
RL617	Ledge For Shelf, 30"	2
RL618	Ledge For Shelf, 36"	2.5
RL619	Ledge For Shelf, 48"	3.5
RL620	Ledge For Shelf, 60"	3.75
RL621	Ledge For Shelf, 72"	4



RL054

Use S hooks to eliminate two posts per adjacent shelf. Two required per shelf.



RL055



RL050 Divider



RL612 Direct Wall Mount, Single Shelf Support



RL614 Ledge for Shelf



COMPLETE SHELVING UNITS

Model No.	Type	W"	x	D"	x	H"	Cap lbs. /Shelf*	Wt. lbs.
4 SHELVES								
RL907	Starter	30	x	14	x	63	800	39
RL908	Add-On	30	x	14	x	63	800	32
RL632	Starter	36	x	14	x	63	800	42.6
RL633	Add-On	36	x	14	x	63	800	35.5
RL634	Starter	48	x	14	x	63	800	49
RL635	Add-On	48	x	14	x	63	800	42
RL636	Starter	60	x	14	x	63	600	64.75
RL637	Add-On	60	x	14	x	63	600	57.75
RL638	Starter	72	x	14	x	63	600	71.5
RL639	Add-On	72	x	14	x	63	600	64.4
RL059	Starter	36	x	18	x	63	800	48
RL060	Add-On	36	x	18	x	63	800	35
RL061	Starter	48	x	18	x	63	800	58
RL062	Add-On	48	x	18	x	63	800	53.5
RL063	Starter	60	x	18	x	63	600	81
RL064	Add-On	60	x	18	x	63	600	76.5
RL065	Starter	72	x	18	x	63	600	91
RL066	Add-On	72	x	18	x	63	600	86.5
RL067	Starter	36	x	24	x	63	800	62
RL068	Add-On	36	x	24	x	63	800	57.5
RL069	Starter	48	x	24	x	63	800	74
RL070	Add-On	48	x	24	x	63	800	69.5
RL071	Starter	60	x	24	x	63	600	95
RL072	Add-On	60	x	24	x	63	600	90.5
RL073	Starter	72	x	24	x	63	600	117
RL074	Add-On	72	x	24	x	63	600	112.5
5 SHELVES								
RL909	Starter	30	x	14	x	74	800	47
RL910	Add-On	30	x	14	x	74	800	39
RL640	Starter	36	x	14	x	74	800	51
RL641	Add-On	36	x	14	x	74	800	43.46
RL642	Starter	48	x	14	x	74	800	59
RL643	Add-On	48	x	14	x	74	800	42.8
RL644	Starter	60	x	14	x	74	600	78.78
RL645	Add-On	60	x	14	x	74	600	71
RL646	Starter	72	x	14	x	74	600	87.3
RL647	Add-On	72	x	14	x	74	600	79.5
RL075	Starter	36	x	18	x	74	800	67.75
RL076	Add-On	36	x	18	x	74	800	58.25
RL077	Starter	48	x	18	x	74	800	80.25
RL078	Add-On	48	x	18	x	74	800	70.75
RL079	Starter	60	x	18	x	74	600	109
RL080	Add-On	60	x	18	x	74	600	99.5
RL081	Starter	72	x	18	x	74	600	121.5
RL082	Add-On	72	x	18	x	74	600	112
RL083	Starter	36	x	24	x	74	800	85.25
RL084	Add-On	36	x	24	x	74	800	75.75
RL085	Starter	48	x	24	x	74	800	100.25
RL086	Add-On	48	x	24	x	74	800	90.75
RL087	Starter	60	x	24	x	74	600	126.5
RL088	Add-On	60	x	24	x	74	600	117
RL089	Starter	72	x	24	x	74	600	154
RL090	Add-On	72	x	24	x	74	600	144.5
RL448	Starter	36	x	18	x	86	800	62
RL449	Add-On	36	x	18	x	86	800	53
RL450	Starter	48	x	18	x	86	800	69
RL451	Add-On	48	x	18	x	86	800	60
RL452	Starter	60	x	18	x	86	600	91.5
RL453	Add-On	60	x	18	x	86	600	82
RL454	Starter	72	x	18	x	86	600	96
RL455	Add-On	72	x	18	x	86	600	87
RL456	Starter	36	x	24	x	86	800	74
RL457	Add-On	36	x	24	x	86	800	65
RL458	Starter	48	x	24	x	86	800	90
RL459	Add-On	48	x	24	x	86	800	80
RL460	Starter	60	x	24	x	86	600	107
RL461	Add-On	60	x	24	x	86	600	97
RL462	Starter	72	x	24	x	86	600	129
RL463	Add-On	72	x	24	x	86	600	120

* Evenly distributed weight

WIRE SHELVING UNITS WITH STORAGE BINS

Same great features as the Kleton chrome wire shelving, but with the added convenience of heavy-duty storage bins.

- Adjustable chrome wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage

Model No.	No. of Shelves	Shelving Dim.			Bin Dim.			No. of Bins	Colour
		W"	D"	H"	W"	D"	H"		
RL823	5	36	x 24	x 74	15 1/2	x 25	x 13	8	Blue
RL824	5	36	x 24	x 74	15 1/2	x 25	x 13	8	Yellow
RL825	5	36	x 24	x 74	15 1/2	x 25	x 13	8	Green
RL826	5	36	x 24	x 74	15 1/2	x 25	x 13	8	Red
RL835	5	48	x 24	x 74	7 7/8	x 17 11/16	x 7	4	Blue
					11 13/16	x 17 11/16	x 7	7	Blue
					15 1/2	x 25	x 13	6	Blue
RL836	5	48	x 24	x 74	7 7/8	x 17 11/16	x 7	4	Yellow
					11 13/16	x 17 11/16	x 7	7	Yellow
					15 1/2	x 25	x 13	6	Yellow
RL837	5	48	x 24	x 74	7 7/8	x 17 11/16	x 7	4	Green
					11 13/16	x 17 11/16	x 7	7	Green
					15 1/2	x 25	x 13	6	Green
RL838	5	48	x 24	x 74	7 7/8	x 17 11/16	x 7	4	Red
					11 13/16	x 17 11/16	x 7	7	Red
					15 1/2	x 25	x 13	6	Red



RL826



RL837

GREEN EPOXY FINISH WIRE SHELVING

- Ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified

COMPLETE SHELVING UNITS

Model No.	Type	Dimensions			Cap. lbs. /Shelf
		W"	D"	H"	
4 SHELVES					
RL648	Starter	36	x 18	x 63	800
RL649	Add-On	36	x 18	x 63	800
RL650	Starter	48	x 18	x 63	800
RL651	Add-On	48	x 18	x 63	800
RL652	Starter	60	x 18	x 63	600
RL653	Add-On	60	x 18	x 63	600
RL654	Starter	72	x 18	x 63	600
RL655	Add-On	72	x 18	x 63	600
RL656	Starter	36	x 24	x 63	800
RL657	Add-On	36	x 24	x 63	800
RL658	Starter	48	x 24	x 63	800
RL659	Add-On	48	x 24	x 63	800
RL660	Starter	60	x 24	x 63	600
RL661	Add-On	60	x 24	x 63	600
5 SHELVES					
RL662	Starter	36	x 18	x 74	800
RL663	Add-On	36	x 18	x 74	800
RL664	Starter	48	x 18	x 74	800
RL665	Add-On	48	x 18	x 74	800
RL666	Starter	60	x 18	x 74	600
RL667	Add-On	60	x 18	x 74	600
RL668	Starter	72	x 18	x 74	600
RL669	Add-On	72	x 18	x 74	600
RL670	Starter	36	x 24	x 74	800
RL671	Add-On	36	x 24	x 74	800
RL672	Starter	48	x 24	x 74	800
RL673	Add-On	48	x 24	x 74	800
RL674	Starter	60	x 24	x 74	600
RL675	Add-On	60	x 24	x 74	600



RL648

POSTS

Model No.	Height"
RL629	63
RL630	74
RL631	86

WIRE SHELVES

Model No.	Dimensions		Cap. lbs. /Shelf
	W"	D"	
RL622	36	x 18	800
RL623	48	x 18	800
RL624	60	x 18	600
RL625	72	x 18	600
RL626	36	x 24	800
RL627	48	x 24	800
RL628	60	x 24	600

WIRE SHELF CARTS

GREEN EPOXY WIRE SHELF CARTS

- Ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Strong and versatile
- **Includes:** 5" resilient rubber casters (two swivel, two with brake)
- Capacity: 600 lbs. evenly distributed
- 1-year limited warranty
- Shipped knocked-down
- NSF certified

KLETON

Model No.	Dimensions					Wt. lbs.
	W"	x	D"	x	H"	
4 SHELVES						
RL803	36	x	18	x	74	64
RL804	48	x	18	x	74	74
RL805	60	x	18	x	74	94
RL806	36	x	24	x	74	78
RL807	48	x	24	x	74	90
RL808	60	x	24	x	74	110
5 SHELVES						
RL809	36	x	18	x	86	68
RL810	48	x	18	x	86	78
RL811	60	x	18	x	86	98
RL812	36	x	24	x	86	82
RL813	48	x	24	x	86	94
RL814	60	x	24	x	86	114



WIRE SHELF CARTS

- Open-wire shelf design minimizes dust and increases air circulation and visibility
- High quality chromate shelves and posts prevent corrosion
- Shelves can be adjusted easily and quickly
- Capacity: 600 lbs. evenly distributed weight
- **Includes:** 5" resilient rubber casters (two swivel, two with brake)
- 1-year limited warranty
- Shipped knocked down
- NSF certified

KLETON

Model No.	Dimensions				Wt. lbs.	
	W"	x	D"	x		H"
4 SHELVES						
RL600	36	x	18	x	63	56
RL601	48	x	18	x	63	65
RL602	60	x	18	x	63	83
MJ527	36	x	18	x	74	64
MJ528	48	x	18	x	74	74
MJ529	60	x	18	x	74	94
RL603	36	x	24	x	63	69
RL604	48	x	24	x	63	81
RL605	60	x	24	x	63	95
MJ530	36	x	24	x	74	78
MJ531	48	x	24	x	74	90
MJ532	60	x	24	x	74	110
5 SHELVES						
MJ533	36	x	18	x	86	68
MJ534	48	x	18	x	86	78
MJ535	60	x	18	x	86	98
MJ536	36	x	24	x	86	82
MJ537	48	x	24	x	86	94
MJ538	60	x	24	x	86	114



STANDARD DUTY UTILITY CARTS

- Durable, dependable transport solution that is easy to manoeuvre
- Highly rigid construction lets you easily adjust at 1" increments
- Durable chromate handles, shelves and posts
- Capacity: 600 lbs. evenly distributed weight
- **Includes:** Two handles, indicated number of shelves, and casters
- 1-year limited warranty
- Shipped knocked down
- NSF certified



KLETON

Model No.	Dimensions					Wt. lbs.
	W"	x	D"	x	H"	
2 SHELVES						
MK781	30	x	18	x	39	36.5
MK782	36	x	18	x	39	40.25
MK783	48	x	18	x	39	44.75
MK784	60	x	18	x	39	54
MK785	36	x	24	x	39	47.75
MK786	48	x	24	x	39	53.75
MK787	60	x	24	x	39	63.5
3 SHELVES						
MJ539	30	x	18	x	39	45
MJ540	36	x	18	x	39	50
MJ541	48	x	18	x	39	57
MJ542	60	x	18	x	39	72
MJ543	36	x	24	x	39	61
MJ544	48	x	24	x	39	70
MJ545	60	x	24	x	39	85

PUSH CARTS

- Durable, dependable transport solution
- Easy maneuverability
- Shelves can be adjusted quickly and easily
- Capacity: 600 lbs. evenly distributed
- 1-year limited warranty
- Shipped knocked down
- NSF certified



KLETON

Model No.	Dimensions				
	W"	x	D"	x	H"
4 SHELVES					
RL914	30	x	14	x	54
RL915	36	x	14	x	54
RL916	48	x	14	x	54
RL917	60	x	14	x	54
5 SHELVES					
RL918	30	x	14	x	54
RL919	36	x	14	x	54
RL920	48	x	14	x	54
RL921	60	x	14	x	54

SLOTTED ANGLE SHELVING


- Ideal for shelving and storage systems, workbenches, tubing storage, protective framing around machinery, platforms around assembly projects, etc.
- Choose from the various components available, or pre-configured shelf units
- Unique boltless clip design allows for adjustability of shelves easily and effortlessly
- To ensure stability, it is recommended that three shelf levels are bolted when using boltless clips
- All shelving units include four steel posts (1 3/8" x 1 3/8" slotted angle), galvanised shelves, galvanised panels (for closed units), plastic feet and all necessary hardware
- Assembly required



RH701



RH774



6 SHELVES/72" POST		7 SHELVES/84" POST		8 SHELVES/96" POST		Dimensions W" x L"
Model No.	CLOSED Model No.	Model No.	CLOSED Model No.	Model No.	CLOSED Model No.	
RH701	RH774	RH707	RH780	RH713	RH786	12 x 36
RH702	RH775	RH708	RH781	RH714	RH787	18 x 36
RH703	RH776	RH709	RH782	RH715	RH788	24 x 36
RH704	RH777	RH710	RH783	RH716	RH789	12 x 48
RH705	RH778	RH711	RH784	RH717	RH790	18 x 48
RH706	RH779	RH712	RH785	RH718	RH791	24 x 48

Model No.	Dimensions W" x D"	Angle Length'	Steel Gauge	Type	UDL*	Wt. lbs.
SLOTTED ANGLE POSTS						
RG979	1 3/8 x 1 3/8	8	14	140	-	6
RG980	1 3/8 x 1 3/8	10	14	140	-	7
RG981	1 3/8 x 1 3/8	12	14	140	-	8.5
RG982	2 1/2 x 1 5/8	8	14	225	-	9
RG983	2 1/2 x 1 5/8	10	14	225	-	11
RG984	2 1/2 x 1 5/8	12	14	225	-	13
RG320**	3 x 1 1/2	10	12	300	-	14
RG321**	3 x 1 1/2	12	12	300	-	17


Model No.	Dim. W" x H"	Steel Gauge	Wt. lbs.
GALVANISED SHELVES			
RG985	12 x 36	-	7
RG986	15 x 36	-	8.3
RG987	18 x 36	-	9.6
RG988	24 x 36	-	12.2
RG989	32 x 42	-	23.7
RG990	12 x 48	-	9.2
RG991	15 x 48	-	10.9
RG992	18 x 48	-	12.6
RG993	24 x 48	-	18.5

*UDL: Maximum uniformly distributed load allowance where maximum shelf deflection is fully recovered when load is removed.
**Galvanised steel


Model No.	Dim. W" x H"	Steel Gauge	Wt. lbs.
GALVANISED SIDE PANELS			
RH759	12 x 72	24	7
RH760	18 x 72	24	11
RH761	24 x 72	24	15
RH762	12 x 84	24	8
RH763	18 x 84	24	13
RH764	24 x 84	24	17
RH765	12 x 96	24	10
RH766	18 x 96	24	14
RH767	24 x 96	24	19

Model No.	Dim. W" x H"	Steel Gauge	Wt. lbs.
GALVANISED BACK PANELS			
RH768	36 x 72	24	22
RH769	48 x 72	24	29
RH770	36 x 84	24	25
RH771	48 x 84	24	34
RH772	36 x 96	24	29
RH773	48 x 96	24	38
GALVANISED KICK PANELS			
RH792	36 x 3	20	1.3
RH793	48 x 3	20	1.7


Steel slotted angle allows you to design and build anything to your own specifications:



Metal Decking




Tubing Storage




Overhead Storage



Overhead Storage



Wide Storage



Special Work Benches

SLOTTED ANGLE ACCESSORIES

CORNER GUSSET PLATES

- Add strength and rigidity to your slotted angle assembly
- 3" W x 3" L

PLASTIC FEET

- 1 3/8" x 1 3/8" angle posts



RG994



RG996



RL344

ACCESSORIES

Model No.	Description	Wt. lbs.
RG994	Corner Gusset Plate 3"	0.70
RG995	Nut and Bolt	0.05
RG996	Boltless Shelf Clip	0.60
RL344*	Plastic Foot for Single Post	0.02
RG238*	Plastic Foot for Double T-Post	0.03

*For 1 3/8" X 1 3/8" posts

SHELVING

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE
STEEL SHELVING
corporation




RK550
"T" Post

RK565
RK472
Side and back
braces



RK521
End Panels



RK483
Base Plate

"T" POSTS

- For open style shelving includes slots every 1" for shelf or brace installation
- 1 1/2" x 2" x 1/8" double-formed steel in a "T" style with a smooth unperforated face
- Capacity: 11000 lbs.

Model No.	Height	Wt. lbs.
RK549	3'4"	4
RK550	6'4"	8
RK551	7'4"	9
RK548	8'4"	10
RK544	9'4"	11



RK552
Shelves



RK470
Back panel

SHELVES

- Shelves are easily installed using four clips
- Constructed from 18-gauge steel
- 4 clips included with each shelf

Model No.	Dimensions W" x D"	Capacity lbs.	Wt. lbs.
RK552	36 x 12	630	8
RK553	42 x 12	480	9
RK554	48 x 12	315	10.5
RK555	36 x 15	630	9.75
RK556	42 x 15	480	11.5
RK557	48 x 15	315	12.5
RK558	36 x 18	630	11.5
RK559	42 x 18	480	13
RK560	48 x 18	315	15
RK561	36 x 24	630	14.75
RK562	42 x 24	480	16.5
RK563	48 x 24	315	19
RK564	36 x 30	560	18

DOORS

- Lockable swinging doors installs easily on closed style shelving
- Includes **RN032** base plate

Model No.	Dimensions W x H	Wt. lbs.
RN028	36" x 6'4"	43
RN029	36" x 7'4"	50
RN032*	Replacement Base Plate	2

*Only for units with doors

BASE PLATES

- Install at floor level to close openings

Model No.	Dimensions W" x H"	Wt. lbs.
RK483	36 x 3	2
RK484	42 x 3	2.25
RK485	48 x 3	2.5

END PANELS

- For closed style shelving
- Each panel incorporates two slotted post

Model No.	Dimensions D x H	Wt. lbs.
RK521	12" x 3'4"	10.5
RK522	12" x 6'4"	20.75
RK523	12" x 7'4"	23.5
RK520	12" x 8'4"	26.25
RK525	15" x 3'4"	11.5
RK526	15" x 6'4"	22.5
RK527	15" x 7'4"	25.5
RK524	15" x 8'4"	28.5
RK537	18" x 6'4"	24
RK538	18" x 7'4"	27
RK519	18" x 8'4"	30.5
RK529	24" x 3'4"	14
RK530	24" x 6'4"	27
RK531	24" x 7'4"	31
RK528	24" x 8'4"	34.5
RK532	30" x 8'4"	38.75

BACK PANELS

- For closed style shelving
- Attach easily to end panels using back brackets provided

Model No.	Dimensions W x H	Wt. lbs.
RK470	36" x 6'4"	19
RK471	36" x 7'4"	22
RK460	36" x 8'4"	25
RK465	42" x 7'4"	25.5
RK462	42" x 8'4"	29
RK947	48" x 3'4"	13.5
RK468	48" x 6'4"	25.5
RK469	48" x 7'4"	29.5
RK466	48" x 8'4"	33.5

SIDE & BACK BRACES

- Provide stability to open style shelving units
- Sold in pairs

Model No.	Description	Wt. lbs.
RK472	Back Brace	4
RK565	Side Brace	2

**RK503
Dividers**



**RK540
Label Holders**



**RK475
Bin Front**



**RK566
Shelf Boxes**



**RC453
Gusset**



**RL756
48" Hanger Bar**



**RK949
Foot Plate**



DIVIDERS

- Separate shelves into bin compartments
- Constructed of 20 gauge steel

Model No.	D"	Dimensions		Wt. lbs.
		x	H"	
RK503	12	x	6	0.5
RK504	15	x	6	0.75
RK505	18	x	6	1
RK506	24	x	6	1.5
RK507	12	x	8	0.75
RK508	15	x	8	1
RK509	18	x	8	1.5
RK510	24	x	8	2
RK487	12	x	10	1
RK488	15	x	10	1.25
RK489	18	x	10	1.75
RK490	24	x	10	2.25
RK491	12	x	12	1.25
RK492	15	x	12	1.75
RK493	18	x	12	2
RK494	24	x	12	2.75
RK495	12	x	14	1.5
RK496	15	x	14	2
RK497	18	x	14	2.25
RK498	24	x	14	3.25
RK499	18	x	16	2.5
RK500	18	x	18	2.75

LABEL HOLDERS

- Install on shelf front to identify contents of shelves

Model No.	Width"	Wt. lbs.
RK540	36	0.3
RK542	48	0.3

SHELF BOXES

- Slide onto properly spaced shelving
- Extends 100% without spills
- Constructed of 20 gauge steel

Model No.	Dimensions					Wt. lbs.
	W"	x	D"	x	H"	
RK566	5 5/8	x	12	x	2 3/4	2.5
RK569	5 5/8	x	18	x	2 3/4	3.5
RK570	5 5/8	x	12	x	4 3/4	3.5
RK572	5 5/8	x	15	x	4 3/4	4
RK573	5 5/8	x	18	x	4 3/4	4.5
RK574	11	x	18	x	4 3/4	5
RK571	12	x	12	x	4 3/4	5.5

BIN FRONTS

- Used in conjunction with bin dividers

Model No.	W"	Dimensions		Wt. lbs.
		x	H"	
RK475	36	x	1	1.75
RK477	36	x	2	2
RK479	36	x	3	2.25
RK476	42	x	1	2
RK478	42	x	2	2.25
RK480	42	x	3	2.5

MISCELLANEOUS

Model No.	Description	Wt. lbs.
RK949	Foot Plate	0.3
RC453	Gusset (Pairs)	1
RL756*	48" Hanger Bar	3.5
RL757	24" Hanging Bar Bracket	0.05
RC515	Shelf Clip	0.01
RC382	Back to Back Brackets	0.01
RC505	Back Panel Clip	0.2

*Requires two brackets (RL757)

SHELVING

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE
STEEL SHELVING
corporation

36" W X 6'4" H



4 SHELVES

Starter Unit	Depth"
RK205	12
RK207	18
RK209	24

Add-On Unit	Depth"
RK204	12
RK206	18
RK208	24

36" W X 6'4" H



7 SHELVES

Starter Unit	Depth"
RK217	12
RK219	18
RK221	24

Add-On Unit	Depth"
RK216	12
RK218	18
RK220	24

36" W X 6'4" H



10 SHELVES

Starter Unit	Depth"
RK229	12
RK231	18
RK233	24

Add-On Unit	Depth"
RK228	12
RK230	18
RK232	24

36" W X 6'4" H



13 SHELVES

Starter Unit	Depth"
RK241	12
RK243	18
RK245	24

Add-On Unit	Depth"
RK240	12
RK242	18
RK244	24

36" W X 7'4" H



4 SHELVES

Starter Unit	Depth"
RK309	12
RK311	18
RK313	24

Add-On Unit	Depth"
RK308	12
RK310	18
RK312	24

36" W X 7'4" H



7 SHELVES

Starter Unit	Depth"
RK333	12
RK335	18
RK337	24

Add-On Unit	Depth"
RK332	12
RK334	18
RK336	24

36" W X 7'4" H



8 SHELVES

Starter Unit	Depth"
RK321	12
RK323	18
RK325	24

Add-On Unit	Depth"
RK320	12
RK322	18
RK324	24

36" W X 7'4" H



15 SHELVES

Starter Unit	Depth"
RK345	12
RK347	18
RK349	24

Add-On Unit	Depth"
RK344	12
RK346	18
RK348	24

48" W X 7'4" H



4 SHELVES

Starter Unit	Depth"
RK285	12
RK287	18
RK289	24

Add-On Unit	Depth"
RK284	12
RK286	18
RK288	24

48" W X 7'4" H



7 SHELVES

Starter Unit	Depth"
RK297	12
RK299	18
RK301	24

Add-On Unit	Depth"
RK296	12
RK298	18
RK300	24

36" W X 8'4" H



5 SHELVES

Starter Unit	Depth"
RK425	12
RK427	18
RK429	24

Add-On Unit	Depth"
RK424	12
RK426	18
RK428	24

36" W X 8'4" H



9 SHELVES

Starter Unit	Depth"
RK401	12
RK403	18
RK405	24

Add-On Unit	Depth"
RK400	12
RK402	18
RK404	24

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE
STEEL SHELVING
corporation

36" W X 6'4" H



4 SHELVES

Starter Unit	Depth"
RK211	12
RK213	18
RK215	24

Add-On Unit	Depth"
RK210	12
RK212	18
RK214	24

36" W X 6'4" H



7 SHELVES

Starter Unit	Depth"
RK223	12
RK225	18
RK227	24

Add-On Unit	Depth"
RK222	12
RK224	18
RK226	24

36" W X 6'4" H



10 SHELVES

Starter Unit	Depth"
RK235	12
RK237	18
RK239	24

Add-On Unit	Depth"
RK234	12
RK236	18
RK238	24

36" W X 7'4" H



4 SHELVES

Starter Unit	Depth"
RK315	12
RK317	18
RK319	24

Add-On Unit	Depth"
RK314	12
RK316	18
RK318	24

36" W X 7'4" H



7 SHELVES

Starter Unit	Depth"
RK339	12
RK341	18
RK343	24

Add-On Unit	Depth"
RK338	12
RK340	18
RK342	24

36" W X 7'4" H



8 SHELVES

Starter Unit	Depth"
RK327	12
RK329	18
RK331	24

Add-On Unit	Depth"
RK326	12
RK328	18
RK330	24

36" W X 7'4" H



15 SHELVES

Starter Unit	Depth"
RK351	12
RK353	18
RK355	24

Add-On Unit	Depth"
RK350	12
RK352	18
RK354	24

48" W X 7'4" H



4 SHELVES

Starter Unit	Depth"
RK291	12
RK293	18
RK295	24

Add-On Unit	Depth"
RK290	12
RK292	18
RK294	24

48" W X 7'4" H



7 SHELVES

Starter Unit	Depth"
RK303	12
RK305	18
RK307	24

Add-On Unit	Depth"
RK302	12
RK304	18
RK306	24

36" W X 8'4" H



5 SHELVES

Starter Unit	Depth"
RK431	12
RK433	18
RK435	24

Add-On Unit	Depth"
RK430	12
RK432	18
RK434	24

36" W X 8'4" H



9 SHELVES

Starter Unit	Depth"
RK407	12
RK409	18
RK411	24

Add-On Unit	Depth"
RK406	12
RK408	18
RK410	24

36" W X 8'4" H



13 SHELVES

Starter Unit	Depth"
RK419	12
RK421	18
RK423	24

Add-On Unit	Depth"
RK418	12
RK420	18
RK422	24

SHELVING

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE
STEEL SHELVING
corporation

36" W X 6'4" H



4 SHELVES

Starter Unit	Depth"
RK849	12
RK850	18
RK851	24

Add-On Unit	Depth"
RK852	12
RK853	18
RK854	24

36" W X 7'4" H



4 SHELVES W/ DOORS

Starter Unit	Depth"
RK893	12
RK894	18
RK895	24

Add-On Unit	Depth"
RK896	12
RK897	18
RK898	24

36" W X 6'4" H



7 SHELVES W/DOORS

Starter Unit	Depth"
RK855	12
RK856	18
RK857	24

Add-On Unit	Depth"
RK858	12
RL013	18
RL015	24

36" W X 7'4" H



7 SHELVES W/DOORS

Starter Unit	Depth"
RK899	12
RK900	18
RK989	24

Add-On Unit	Depth"
RK902	12
RK903	18
RK904	24

36" W X 7'4" H



10 COMPARTMENTS W/DOORS

Starter Unit	Depth"
RK911	12
RK912	18
RK913	24

Add-On Unit	Depth"
RK914	12
RK915	18
RK916	24

36" W X 7'4" H



21 COMPARTMENTS W/DOORS

Starter Unit	Depth"
RK921	12
RK922	18
RK923	24

Add-On Unit	Depth"
RK924	12
RK925	18
RK926	24

36" W X 6'4" H



14 COMPARTMENTS

Starter Unit	Depth"
RK259	12
RK261	18
RK263	24

Add-On Unit	Depth"
RK258	12
RK260	18
RK262	24

36" W X 6'4" H



18 COMPARTMENTS

Starter Unit	Depth"
RK265	12
RK267	18
RK269	24

Add-On Unit	Depth"
RK264	12
RK266	18
RK268	24

36" W X 6'4" H



72 COMPARTMENTS W/BIN FRONTS

Starter Unit	Depth"
RK271	12
RK273	18
RK275	24

Add-On Unit	Depth"
RK270	12
RK272	18
RK274	24

36" W X 7'4" H



14 COMPARTMENTS

Starter Unit	Depth"
RK363	12
RK365	18
RK367	24

Add-On Unit	Depth"
RK362	12
RK364	18
RK366	24

36" W X 7'4" H



21 COMPARTMENTS

Starter Unit	Depth"
RK369	12
RK371	18
RK373	24

Add-On Unit	Depth"
RK368	12
RK370	18
RK372	24

36" W X 7'4" H



84 COMPARTMENTS

Starter Unit	Depth"
RK905	12
RK906	18
RK907	24

Add-On Unit	Depth"
RK908	12
RK909	18
RK910	24

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE
STEEL SHELVING
corporation

36" W X 7'4" H



84 COMPARTMENTS
W/BIN FRONTS

Starter Unit	Depth"
RK383	12
RK385	18
RK387	24

Add-On Unit	Depth"
RK382	12
RK384	18
RK386	24

36" W X 8'4" H



24 COMPARTMENTS

Starter Unit	Depth"
RK443	12
RK445	18
RK447	24

Add-On Unit	Depth"
RK442	12
RK444	18
RK446	24

36" W X 6'4" H



36 BOXES

Starter Unit	Depth"
RK277	12
RK886	18

Add-On Unit	Depth"
RK276	12
RK983	18

36" W X 6'4" H



57 BOXES

Starter Unit	Depth"
RK986	12
RK890	18

Add-On Unit	Depth"
RK891	12
RK987	18

36" W X 6'4" H



72 BOXES

Starter Unit	Depth"
RK877	12
RK878	18

Add-On Unit	Depth"
RK879	12
RK880	18

36" W X 6'4" H



108 BOXES

Starter Unit	Depth"
RK980	12
RK982	18

Add-On Unit	Depth"
RK979	12
RK981	18

36" W X 7'4" H



42 BOXES

Starter Unit	Depth"
RK935	12
RK936	18

Add-On Unit	Depth"
RK937	12
RK938	18

36" W X 7'4" H



69 BOXES

Starter Unit	Depth"
RK939	12
RK940	18

Add-On Unit	Depth"
RK941	12
RK942	18

36" W X 7'4" H



84 BOXES

Starter Unit	Depth"
RK927	12
RK928	18

Add-On Unit	Depth"
RK929	12
RK930	18

36" W X 7'4" H



126 BOXES

Starter Unit	Dep
RK931	12
RK932	18

Add-On Unit	Depth"
RK933	12
RK934	18

36" W X 6'4" H



24 COMPARTMENTS
& 30 BOXES

Starter Unit	Depth"
RK970	12
RK868	18

Add-On Unit	Depth"
RK969	12
RK971	18

36" W X 7'4" H



27 COMPARTMENTS
& 30 BOXES

Starter Unit	Depth"
RK917	12
RK918	18

Add-On Unit	Depth"
RK919	12
RK920	18

DRAWER INSERTS

INTEGRATED SHELVING DRAWER INSERTS

FOR METALWARE SHELVING


- Integrated drawer inserts allow you to install directly into your existing or new Metalware shelving units
- The system maximizes the storage space available in your shelving unit and reduces the need for additional shelving for storage of small parts
- Drawer dividers included
- Drawer capacity: 400 lbs.
- Grey
- Other colours available upon request
- Assembly required

LISTA
making workspace work®



Shelving not included

OVERALL HEIGHT: 24"




6 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL760	24	x	36	102
RL759	24	x	42	114
RL758	24	x	48	144



5 DRAWERS


Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL763	24	x	36	75
RL762	24	x	42	90
RL761	24	x	48	108



4 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL766	24	x	36	48
RL765	24	x	42	48
RL764	24	x	48	72

OVERALL HEIGHT: 36"




10 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL769	24	x	36	174
RL768	24	x	42	192
RL767	24	x	48	252




9 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL772	24	x	36	174
RL771	24	x	42	192
RL770	24	x	48	252




8 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL775	24	x	36	120
RL774	24	x	42	144
RL773	24	x	48	180




7 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL778	24	x	36	96
RL777	24	x	42	108
RL776	24	x	48	144



6 DRAWERS


Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL781	24	x	36	72
RL780	24	x	42	72
RL779	24	x	48	108



5 DRAWERS


Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL784	24	x	36	48
RL783	24	x	42	48
RL782	24	x	48	72

OVERALL HEIGHT: 48"




12 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL787	24	x	36	204
RL786	24	x	42	228
RL785	24	x	48	204



8 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL796	24	x	36	96
RL795	24	x	42	96
RL794	24	x	48	144



7 DRAWERS

Model No.	Dimensions			Number of Compartments
	D"	x	W"	
RL799	24	x	36	90
RL798	24	x	42	108
RL797	24	x	48	135

TCF trays are open face roll out trays

TCF trays are open face roll out trays

LABEL HOLDERS

- Clearly identify your shelf/bin contents with the efficient and time-saving Aigner holders
- Versatile, highly protective, easy to read, and even custom designed with a special matte finish, making bar code applications easy
- Ideal for all types of racking, shelving and bin/drawer storage systems
- Labels provided

HOL-DEX®

- Can be custom cut to your specific size specifications
- Package of 12



HOL-DEX®

Model No.	Dimensions W" x L"
SELF-ADHESIVE	
OA340	1/2 x 6
OA339	3/4 x 6
OA341	1 x 6
OA338	2 x 6
MAGNETIC	
RG650	1/2 x 6
OA389	3/4 x 6
OA336	1 x 6
RG655	2 x 6
HOOK & LOOP	
RG660	1 x 6
RG665	2 x 6

SUPERSCAN™

- Available in 4 extra large sizes for pallet-racking installation
- Clear plastic matte finish assures precise bar code reading everytime
- Inserts are laser ink jet printer compatible for easy labeling



SUPERSCAN™ (CLEAR ONLY)

Model No.	Dimensions W" x L"	Qty /Box	Model No.	Dimensions W" x L"	Qty /Box
SELF-ADHESIVE			MAGNETIC		
OG356	2 x 3 1/2	50	OG357	2 x 3 1/2	50
RG670	3 x 5	50	RG672	3 x 5	50
RG671	4 x 6	50	RG673	4 x 6	50
RG681	5 x 7	25	RG683	5 x 7	25

WIRE-RAC™

- Snap-on holders easily and quickly identify stored contents
- Clear, flexible plastic sleeves fit new or existing wire shelving with 1 1/4" facing; paper inserts included

Model No.	Dimensions W" x L"	Qty /Box
RH683	15/16 x 3	25
RH684	15/16 x 6	25
RH685	15/16 x 12	12
RH686	15/16 x 24	6



SLIP 'N STIK™ AISLE SIGNS

- Create your own customized warehouse signs
- Built-in flexible hinge prevents breakage
- Includes:** 10 sign holders (11" x 8 1/2"), 12 yellow laser/ink jet sheets and instructions

Model No. OE798 Snap-On

- Snaps into pallet rack assembly holes, can snap out to relocate

Model No. OJ943 Self-Adhesive

- Adheres to flat surfaces, for more permanent applications



WRITE-ON MAGNETIC TAGS


- A fast, simple and inexpensive means of labeling high-volume applications, primary uses in warehouses and other storage areas
- Newly formulated write-on/wet erase tags come with a strong magnetic backing
- Special wet-erase feature will keep tags clear and clean for extended periods
- Mark with a standard wet erase marker, erase with a damp cloth and remark

50' ROLLS

Model No.	Width"
RH698	1
RH699	2
RH700	3


TAGS, 25/BOX

Model No.	Dimensions W" x L"
RH696	3 x 6
RH697	3 x 8
RH693	2 x 6



MAGNETIC TAPE FOR LABELS

- Peel and stick computer printed or hand written labels to non magnetic (matte) side
- Scissor cut to desired length
- Magnetic (shiny) side adheres to metal surface
- Can change label or relocate as required



Model No.	Dimensions W" x L"
OJ940	1 x 50
OJ941	2 x 50
OJ942	3 x 50

Custom pre-scored sizes available

SLIP STRIP™ LABEL HOLDING SYSTEMS

- Excellent for displaying bar codes, messages, prices or other information on pallet racking and shelving
- Self-adhesive label/document holder system allows you to change labels without messy adhesive build-up
- 6 per package



Model No.	Dimensions W" x L"
OE802	1 x 36
OE803	1 1/4 x 48
OE804	2 x 48

MAGNETIC CARD HOLDERS

- Fast, simple and versatile means of labeling
- Great for metal racks, shelves, bins, drawers and more
- Insertable magnetic C-channel design allows for labels to be changed simply by re-marking the paper insert or re-positioning the magnet
- Black
- Custom cut sizes available on special order
- Inserts included



Model No.	Dimensions W" x L"	Qty /Box
OE250	1 x 3	25
OE251	1 x 4	25
OE252	1 x 6	25
OE253	1 x 8	25
OE254	2 x 3	25
OE255	2 x 4	25
OE256	2 x 6	25
OE257	2 x 8	25
OE258	3 x 4	25
OE259	3 x 6	25
OE260	3 x 8	25

PREMIUM JOB TICKET HOLDERS

- Protect work orders, production schedules, inventory cards and other important documents from excessive handling and wear
- Sewn edges are reinforced with heavy-duty vinyl and a brass eyelet is centered for hanging
- Clear 8 mil. PVC for easy visibility

Model No.	Dimensions W" x L"	Qty /Box
PC529	9 x 6	25
PC530	12 x 9	25



OPEN-EDGE™ LABEL HOLDERS

- The "top loading" feature is ideal for organizing any storage area
- Strong adhesive system assures the label holder will not fall off any clean dry surface
- Made from clear, durable, heavy-duty PVC that is bar code compatible
- White inserts included



Model No.	Dimensions W" x L"	Qty /Box
OG358	1/2 x 12	100
OG359	1 x 12	100
OG360	2 x 12	100
OG361	3 x 5	100

SHELVING & RACKING

STAINLESS STEEL SOLID RIVET SHELVING

- High quality stainless steel solid shelving made of type 304 stainless steel construction with brushed finish
- 18-gauge thick shelves adjustable in 1 1/2" increments
- Two-piece corner posts design includes plastic connectors
- **Includes:** Five adjustable shelves with a capacity of 600 lbs. per shelf
- Shipped knocked down, easy assembly



Model No.	Dimensions				Cap lbs. /Shelf
	W"	x	D"	x H"	
RL853	18	x	36	x 72	600
RL854	18	x	48	x 72	600
RL855	24	x	36	x 72	600
RL856	24	x	48	x 72	600

ULTRARACK HEAVY-DUTY BOLTLESS SHELVING


- Modular design; use as storage shelving, a work centre or assemble as a workbench
- Heavy-duty 16-gauge steel construction provides maximum weight carrying capacity
- Each shelf supports 600 - 1800 lbs. based on evenly distributed loads
- Double riveted beams lock into heavy-duty corner post to form a structurally secure unit
- Includes five particleboard shelves that adjust easily on 1 1/2" centres
- Convenient access from all four sides
- Tough baked enamel finish



Model No.	Dimensions				Cap/Shelf lbs.
	W"	x	D"	x H"	
RL894	36	x	18	x 72	1200
RL895	36	x	24	x 72	1800
RL896	48	x	18	x 72	1000
RL897	48	x	24	x 72	1400

HEAVY-DUTY BULK STORAGE RACKS

- These racks bridge the gap between pallet racking and conventional industrial racking
- Engineered for hand loading of intermediate weight bulky items
- Constructed of all welded 14-gauge steel upright frames punched on 1 1/2" centres
- 14-gauge Z-step beam design provides maximum weight capacity
- Comes with 5/8" thick particle board decking (steel decking also available)
- Additional shelves include two beams and a deck
- Other dimensions also available
- Assembly required



Innovative Z-Beam Design

Starter Model No.	Wt. lbs.	Add-on Model No.	Wt. lbs.	Rack Height'	Rack Width"	Cap. lbs /Shelf
STANDARD 3 SHELF UNITS - 24" DEEP UNIT						
RK028	181	RK046	158	6	60	4000
RK029	205	RK047	182		72	3500
RK030	253	RK048	230		96	2800
RK031	199	RK049	167	8	60	4000
RK032	223	RK050	191		72	3500
RK033	271	RK051	239		96	2800
STANDARD 3 SHELF UNITS - 36" DEEP UNIT						
RK040	221	RK052	196	6	60	4000
RK041	254	RK053	229		72	3500
RK042	317	RK054	292		96	2800
RK043	243	RK055	207	8	60	4000
RK044	276	RK056	240		72	3500
RK045	339	RK057	303		96	2800

ADDITIONAL SHELVES

24" Deep unit	Wt. lbs.	36" Deep unit	Wt. lbs.	Rack Width"
RK058	45	RK061	57	60
RK059	53	RK062	68	72
RK060	69	RK063	89	96

EXTRA HEAVY-DUTY SHELVING

DESIGNED TO HOLD THE HEAVIEST LOADS

- Clear access on all four sides
- Excellent for storage of dies, fixtures, jigs or any heavy material
- Formed angle 2" x 2" uprights are constructed of 13-gauge steel, punched on 1" centres for quick and easy shelf adjustment
- Powder coat finish
- Shelf capacities are based on loads that are evenly distributed
- Extra shelves and 96" high units are available
- Each unit includes five shelves
- Assembly required



Shelves:

14-gauge, 2" deep channels on all four sides.
An extra channel welded to the bottom of shelf to prevent flexing under heavy loads.


Model No.	Dimensions				Cap lbs. /Shelf	Wt. lbs.
	W"	x	D"	x H"		
RC524	36	x	18	x 72	3000	167
RC525	48	x	18	x 72	3000	212
RC526	60	x	18	x 72	3000	252
RC527	36	x	24	x 72	3000	197
RC528	48	x	24	x 72	3000	242
RC529	60	x	24	x 72	3000	292



PRONTO BULK STORAGE RACKS


- Up to 2000-lb. capacity per shelf
- Starter unit includes two all-welded end frames, and three 5/8" presswood shelves flush-fitted into positive locking steel shelf beams (two per shelf)
- Add-on units include only one end frame
- Additional shelves may be added into any unit at 4" vertical centres
- For extra stability and rigidity, all units feature three safety bars per shelf
- Blue enamel finish
- Rack only units (no wood shelves) are available upon inquiry

Note: Not recommended for powered lift truck applications.



Starter Unit

Add-On Unit



Assembles quickly without bolts



24" SHELF DEPTH					36" SHELF DEPTH			48" SHELF DEPTH		
Dim. W' x H'	Description	Cap. lbs.	Model No.	Wt. lbs.	Model No.	Wt. lbs.	Model No.	Wt. lbs.	Model No.	Wt. lbs.
7 x 8	Starter	1400	RA443	245	RA475	288	RA507	331	RA507	331
7 x 8	Add-on	1400	RA441	217	RA473	258	RA505	299	RA505	299
7 W	Add'l shelf	1400	RA470	63	RA502	76	RA534	89	RA534	89
8 x 10	Starter	2000	RA453	302	RA485	351	RA517	400	RA517	400
8 x 10	Add-on	2000	RA451	268	RA483	315	RA515	362	RA515	362
8 W	Add'l shelf	2000	RA471	78	RA503	93	RA535	108	RA535	108
8 x 12	Starter	2000	RA463	316	RA495	365	RA527	414	RA527	414
8 x 12	Add-on	2000	RA461	275	RA493	322	RA525	369	RA525	369
8 W	Add'l shelf	2000	RA471	78	RA503	93	RA535	108	RA535	108

BULK STORAGE RACKS

- Ideal solution for storage of large and bulky items
- Designed to work without nuts and bolts which allows for assembly in minutes
- Shelves are adjustable among 1 1/2" increments
- Optional particle board deck panels combine economy and strength and are easy to install
- Units come standard with sturdy 84" high, 14-gauge posts and left to right beams as well as 16-gauge front to back beams
- Double riveted beams lock into corner posts to eliminate back and side sway
- Durable baked gray enamel finish to resist rust and corrosion
- Shipped knocked down



Dimensions					Shelf Cap. lbs.		3 Levels		4 Levels		Particle Board Deck	
W"	x	D"	x	H"			Model No.	Wt. lbs.	Model No.	Wt. lbs.	Model No.	Wt. lbs.
48	x	24	x	84	1200		RL124	62	RL139	74	RL154	20
48	x	36	x	84	1200		RL125	68	RL140	82	RL155	29
48	x	48	x	84	1200		RL126	74	RL141	90	RL156	39
60	x	24	x	84	1000		RL127	72	RL142	88	RK016	25
60	x	36	x	84	1000		RL128	78	RL143	96	RK019	37
60	x	48	x	84	1000		RL129	84	RL144	104	RL157	49
72	x	24	x	84	750		RL130	74	RL145	90	RK017	29
72	x	36	x	84	750		RL131	80	RL146	98	RK020	44
72	x	48	x	84	750		RL132	86	RL147	106	RL158	59
96	x	24	x	84	600		RL133	86	RL148	106	RK018	39
96	x	36	x	84	600		RL134	92	RL149	114	RK021	59
96	x	48	x	84	600		RL135	98	RL150	122	RL159	78
96	x	24	x	84	800		RL136	98	RL151	122	RK018	39
96	x	36	x	84	800		RL137	104	RL152	130	RK021	59
96	x	48	x	84	800		RL138	110	RL153	138	RL159	78



RACKING

UPRIGHTS & STRINGERS

Make every inch of your storage space count by combining standard sized uprights and stringers (box type or recessed type) to create a racking system that is customized to your needs.

- Feature a 50 k.s.i. minimum yield to achieve higher load capacities
- Various racking accessories (below) may be added to store any specialty items that regular racking cannot handle
- **All racking is FOB Concord, Ontario**

Contact our sales department for further technical assistance.



MEDIUM DUTY UPRIGHTS 20000-LB. CAPACITY

Depth Height	24"	30"	36"	42"	48"	60"
6'	RB798	RB800	RB802	RB803	RB804	RB805
7'	RB806	RB808	RB810	RB811	RB812	RB813
8'	RB814	RB816	RB818	RB819	RB820	RB821
9'	RB822	RB824	RB826	RB827	RB828	RB829
10'	RB742	RB744	RB746	RB747	RB748	RB749
11'	RB750	RB752	RB754	RB755	RB756	RB757
12'	RB758	RB760	RB762	RB763	RB764	RB765
13'	RB766	RB768	RB770	RB771	RB772	RB773
14'	RB774	RB776	RB778	RB779	RB780	RB781
15'	RB782	RB784	RB786	RB787	RB788	RB789
16'	RB790	RB792	RB794	RB795	RB796	RB797


HEAVY-DUTY UPRIGHTS 27000-LB. CAPACITY

Depth Height	24"	30"	36"	42"	48"	60"
6'	RB714	RB715	RB716	RB717	RB718	RB719
7'	RB720	RB721	RB722	RB723	RB724	RB725
8'	RB726	RB728	RB730	RB731	RB732	RB733
9'	RB734	RB736	RB738	RB739	RB740	RB741
10'	RB608	RB610	RB612	RB613	RB614	RB615
11'	RB616	RB618	RB620	RB621	RB622	RB623
12'	RB624	RB626	RB628	RB629	RB630	RB631
13'	RB632	RB634	RB636	RB637	RB638	RB639
14'	RB640	RB642	RB644	RB645	RB646	RB647
15'	RB648	RB650	RB652	RB653	RB654	RB655
16'	RB656	RB658	RB660	RB661	RB662	RB663
18'	RB664	RB666	RB668	RB669	RB670	RB671
20'	RB672	RB674	RB676	RB677	RB678	RB679
22'	RB680	RB682	RB684	RB685	RB686	RB687
24'	RB688	RB690	RB692	RB693	RB694	RB695
26'	RB696	RB697	RB698	RB699	RB700	RB701
28'	RB702	RB703	RB704	RB705	RB706	RB707
30'	RB708	RB709	RB710	RB711	RB712	RB713


Box Type
Stringer



Recessed Type
Stringer



Box Type
Stringer



BOX TYPE STRINGERS CAP. LBS. PER PAIR

LGTH	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	126"	132"	138"	144"
Model Hght No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs
2"	RB203 5340	RB204 4385	RB205 3551	RB206 2936	RB207 2466	RB208 2101	RB209 1578	RB210 1812	RB211 1388	RB212 1229	RB213 1096	RB214 984	RB215 888	RB216 805	RB217 733	RB218 671	RB219 616
2 1/2"	RB220 7821	RB221 6952	RB222 6078	RB223 5024	RB224 4221	RB225 3596	RB226 3102	RB227 2702	RB228 2374	RB229 2103	RB230 1876	RB231 1684	RB232 1520	RB233 1378	RB234 1255	RB235 1149	RB236 1055
3"	RB237 9397	RB238 8350	RB239 7518	RB240 6839	RB241 6265	RB242 5630	RB243 4855	RB244 4229	RB245 3716	RB246 3293	RB247 2937	RB248 2636	RB249 2379	RB250 2158	RB251 1966	RB252 1799	RB253 1650
3 1/2"		RB254 10032	RB255 9389	RB256 8536	RB257 7824	RB258 7222	RB259 6706	RB260 6187	RB261 5438	RB262 4817	RB263 4296	RB264 3856	RB265 3481	RB266 3157	RB267 2876	RB268 2632	RB269 2417
4"				RB270 10016	RB271 9181	RB272 8475	RB273 7870	RB274 7345	RB275 6886	RB276 6476	RB277 6072	RB278 5684	RB279 5309	RB280 4943	RB281 4607	RB282 4294	RB283 3999
4 1/2"					RB284 10806	RB285 9975	RB286 9262	RB287 8645	RB288 8105	RB289 7628	RB290 7204	RB291 6825	RB292 6470	RB293 6137	RB294 5824	RB295 5531	RB296 5248
5"							RB297 10727	RB298 10012	RB299 9386	RB300 8834	RB301 8344	RB302 7904	RB303 7509	RB304 7152	RB305 6831	RB306 6531	RB307 6248
5 1/2"										RB308 10100	RB309 9540	RB310 9037	RB311 8585	RB312 8176	RB313 7805	RB314 7466	RB315 7155
6"										RB308 10100	RB309 9540	RB310 9037	RB311 8585	RB312 8176	RB313 7805	RB314 7466	RB315 7155
6 1/2"										RB308 10100	RB309 9540	RB310 9037	RB311 8585	RB312 8176	RB313 7805	RB314 7466	RB315 7155


7/8" RECESSED TYPE STRINGERS CAP. LBS. PER PAIR

LGTH	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	126"	132"	138"	144"
Model Hght No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs
2 1/2"	RB379 7143	RB381 6349	RB383 5714	RB385 4800	RB387 4041	RB389 3443	RB391 2970	RB393 2586	RB395 2273	RB397 2014	RB399 1796	RB401 1612	RB403 1455	RB405 1320	RB407 1206	RB409 1100	RB411 1010
3"	RB413 9115	RB415 8102	RB417 7292	RB419 6629	RB421 6077	RB423 5364	RB425 4625	RB427 4030	RB429 3540	RB431 3137	RB433 2798	RB435 2511	RB437 2266	RB439 2055	RB441 1873	RB443 1719	RB445 1574
3 1/2"		RB447 10334	RB449 9310	RB451 8463	RB453 7758	RB455 7161	RB457 6650	RB459 6068	RB461 5533	RB463 5072	RB465 4652	RB467 4278	RB469 3906	RB471 3578	RB473 3281	RB475 2982	RB477 2719
4"			RB479 10886	RB481 9897	RB483 9272	RB485 8374	RB487 7776	RB489 7258	RB491 6804	RB493 6337	RB495 5903	RB497 5478	RB499 5072	RB501 4678	RB503 4304	RB505 3959	RB507 3634
4 1/2"					RB509 10718	RB511 9894	RB513 9187	RB515 8575	RB517 8039	RB519 7565	RB521 7106	RB523 6679	RB525 6277	RB527 5899	RB529 5539	RB531 5199	RB533 4884
5"							RB535 10325	RB537 9637	RB539 9035	RB541 8437	RB543 7929	RB545 7443	RB547 6989	RB549 6564	RB551 6164	RB553 5789	RB555 5434
5 1/2"									RB557 10382	RB559 9772	RB561 9229	RB563 8743	RB565 8306	RB567 7899	RB569 7519	RB571 7164	RB573 6834
6"										RB559 10416	RB561 9838	RB563 9320	RB565 8853	RB567 8432	RB569 8049	RB571 7699	RB573 7378
6 1/2"													RB575 10593	RB577 10088	RB579 9630	RB581 9210	RB583 8827

1 5/8" RECESSED TYPE STRINGERS CAP. LBS. PER PAIR


LGTH	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	126"	132"	138"	144"
Model Hght No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs	Model No.	Cap. lbs
2 1/2"	RB380 7143	RB382 6349	RB384 5714	RB386 4800	RB388 4041	RB390 3443	RB392 2970	RB394 2586	RB396 2273	RB398 2014	RB400 1796	RB402 1612	RB404 1455	RB406 1320	RB408 1206	RB410 1100	RB412 1010
3"	RB414 9115	RB416 8102	RB418 7292	RB420 6629	RB422 6077	RB424 5364	RB426 4625	RB428 4030	RB430 3540	RB432 3137	RB434 2798	RB436 2511	RB438 2266	RB440 2055	RB442 1873	RB444 1719	RB446 1574
3 1/2"		RB448 10334	RB450 9310	RB452 8463	RB454 7758	RB456 7161	RB458 6650	RB460 6068	RB462 5533	RB464 5072	RB466 4652	RB468 4278	RB470 3906	RB472 3578	RB474 3281	RB476 2982	RB478 2719
4"			RB480 10886	RB482 9897	RB484 9272	RB486 8374	RB488 7776	RB490 7258	RB492 6804	RB494 6337	RB496 5903	RB498 5478	RB500 5072	RB502 4678	RB504 4304	RB506 3959	RB508 3634
4 1/2"					RB510 10718	RB512 9894	RB514 9187	RB516 8575	RB518 8039	RB520 7565	RB522 7106	RB524 6679	RB526 6277	RB528 5899	RB530 5539	RB532 5199	RB534 4884
5"						RB536 10325	RB538 9637	RB540 9035	RB542 8437	RB544 7929	RB546 7443	RB548 6989	RB550 6564	RB552 6164	RB554 5789	RB556 5434	RB558 5100
5 1/2"								RB558 10382	RB560 9772	RB562 9229	RB564 8743	RB566 8306	RB568 7899	RB570 7519	RB572 7164	RB574 6834	RB576 6509
6"										RB560 10416	RB562 9838	RB564 9320	RB566 8853	RB568 8432	RB570 8049	RB572 7699	RB574 7378
6 1/2"													RB576 10593	RB578 10088	RB580 9630	RB582 9210	RB584 8827

ACCESSORIES FOR PALLET RACKING



CENTENNIAL PROFILE ACCESSORIES

FLUSH SAFETY BARS FOR BOX BEAMS



Model No.	Dimensions			Wt. Cap. lbs.
	W"	x	L"	
RB878	2	x	42	1100
RB884	6	x	42	1200
RB872	12	x	42	1200

DRUM CRADLES


- For positive positioning of cylindrical containers
- Unit fits onto cross bars and provides wedge type security



Model No.	Description
RB847	Drum Cradle (Type II - 36")
RB848	Drum Cradle (Type II - 42")

SKID CHANNELS

- For use with legged skids
- Fits across beams, from front to rear
- Recessed channel provides support for skid legs



Model No.	Dimensions		
	W"	x	L"
RB920	6	x	24
RB921	6	x	30
RB922	6	x	36
RB923	6	x	42
RB924	6	x	48
RB918	12	x	42

WALL CONNECTORS

- Wall connectors are used to provide a tie between racking and the wall
- Plate is punched to allow lagging



Model No.	Dimensions"
RB835	6
RB830	12

ROW CONNECTORS


- Row connectors are used on back to back racking layouts to maintain spacing between rows
- May be located at any level other than where a stringer is located



Model No.	Dimensions"
RB327	6
RB328	8
RB322	12

WIRE DECKING

- Easy to install
- Step/Waterfall style
- Three channels sit on the beam to carry the load
- Capacity: 2500 lbs.
- Grey



Model No.	Dimensions		
	W"	x	D"
RL379	46	x	42
RL380	52	x	42
RL377	46	x	36
RL378	52	x	36

PALLET RACK BACK GUARDS

Back guards help prevent accidents by keeping pallets and their contents from falling off the back of the rack. These guards increase safety where pedestrian pathways are behind the rack.

- Constructed using a 10-gauge frame, and 2" x 2", 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish
- Hardware not included

KH131



ML231



KLETON

Create a pallet rack back guard designed for your application

- Choose one or a combination of back guard panels to create the required width and length

Model No.	Dimensions'	Weight lbs.
KH926	1 x 4	10
KH914	2 x 4	12
KH930	3 x 4	20
KD130	4 x 4	23
KD131	8 x 4	45

- Choose a mounting bracket that provides the required depth
 - Minimum of four brackets required

Model No.	Dimensions"	Weight lbs.
ML231	4 x 6	2
ML232	4 x 9	2
ML233	4 x 12	3

3. Hardware required

- For each additional panel, add: 2 x MMB721 and 2 x MMH254
For each mounting bracket, add: 3 x MMP624 and 3 x MMB721

For our complete line of labels & label holders

ALH
AIGNER LABEL HOLDER

See page
B37



STORAGE RACKS

BAR STORAGE RACKS

All-steel vertical and horizontal racks are ideal for storing bars, tubes, pipes and angles. Economical knocked-down design reduces storage and shipping costs.

COMBINATION VERTICAL RACKS

- Stores bars up to 12' long and features three shelves for extra storage of small parts
- 8" deep arms divided into three sections
- Overall dimensions: 36" W x 24" D x 84" H
- Capacity: 3000 lbs.
- Durable Kleton blue enamel finish
- Weight: 128 lbs.

Model No. RL922

RB958

HORIZONTAL BAR RACKS

- Stores bars up to 10' long
- 9" deep arms with nine storage levels at 6" intervals
- Overall dimensions: 18" W x 40" D x 84" H
- Capacity: 1200 lbs.
- Durable Kleton blue enamel finish
- Weight: 68 lbs.

Model No. RB958

VERTICAL BAR RACKS

- All-welded steel construction
- Vertically stores bars up to 10' long
- Four 24" deep dividers
- Overall dimensions: 48" W x 24" D x 60" H
- Capacity: 3000 lbs.
- Durable Kleton blue enamel finish
- Weight: 100 lbs.

Model No. RL383


MOBILE PIPE & BAR RACKS

- Safely stores up to 1000 lbs. of material
- Folds to compact size of 61" W x 34" D x 15 1/2" H
- Features four rack levels with curved edges to prevent pipe from rolling off
- Constructed of structural square tubing
- Two swivel and two rigid, 6" hard rubber casters
- Overall dimensions: 58 1/2" W x 34" D x 58" H
- Blue enamel finish
- Weight: 100 lbs.

Model No. RB951

STANDARD VERTICAL SHEET RACKS


- All-welded steel construction
- Designed for vertically storing sheet goods
- Constructed of heavy gauge steel 1 1/4" tube for bays and a heavy gauge steel 1" x 2" rectangular tube for the frame
- Each bay can hold up to 1000 lbs.
- Capacity: 4000 lbs.
- Durable Kleton blue enamel finish



Model No.	Overall Dim. W" x D" x H"	Number of Bays	Distance Between Bays"	Wt. lbs.
RL384	84 x 50 x 36	4	10	200



RL383



CANTILEVER BAR-STOCK RACKING

LIGHT-DUTY

- All-welded components assemble easily
- Seven 12" adjustable arms per column side
- Capacity per arm: 1000 lbs.
- 36" W x 18 1/4" D x 75" H
- Shipped knocked down

REGULAR-DUTY

- Ideal for storing of steel, iron, aluminum, wood or plastic pipe
- All-welded components assemble easily
- Seven 14" adjustable arms per column side
- Capacity per arm: 2000 lbs.
- 36" W or 72" W x 21" D x 84" H
- Shipped knocked down



LIGHT-DUTY

Model No.	Description	Capacity lbs. /Unit	Wt. lbs.
RL730	Single-Sided	7000	306
RL731	Double-Sided	14 000	434

REGULAR-DUTY

Model No.	Description	Width"	Capacity lbs. /Unit	Wt. lbs.
STARTER				
RL732	Single-Sided	36	14 000	315
RL734	Double-Sided	36	28 000	452
RL736	Single-Sided	72	14 000	329
RL738	Double-Sided	72	28 000	466
ADD-ON				
RL733	Single-Sided	36	7000	168
RL735	Double-Sided	36	14 000	236
RL737	Single-Sided	72	7000	182
RL739	Double-Sided	72	14 000	250

For capacities to be validated, units must be anchored to slab using a minimum of two 1/2" x 3 3/4" wedge anchors per column (MLA725)

THREADED ROD RACKS

- Eighteen 2 1/8" diameter openings
- Overall dimensions: 24 1/8" W x 6 7/8" D x 24" H
- Weight: 16 lbs.
- Grey
- Shipped knocked down

Model No. CB578



HORIZONTAL SHEET RACKS

- Designed for storage of sheet materials
- Flat storage fully supports materials and reduces warping
- Sheets are accessible from all four sides
- All-welded construction and the frame is made of 2" square tubing
- Five shelf design creates four storage bays spaced 9 1/2" apart and an open top bay
- Bay Capacity: 2000 lbs. evenly distributed
- Maximum rack capacity: 8000 lbs.



Model No.	Overall Dim. L" x W" x H"	Number of Shelves	Net Wt. lbs.
RL923	103 x 55 x 48	5	575

NESTABLE EXPORT PALLETS

- Economic, environmental and efficient alternative to wood pallets
- 100% recyclable export pallet made from 100% recycled material
- Low cost lightweight pallet ideal for export and 1-way shipments
- Available in a flat deck **CC435** or discontinuous rim to reduce load shifting **CC436**
- Flow thru design allows for easy cleaning
- True 4-way entry for forklifts and pallet trucks
- ISPM 15 exempt




ORBIS

Model No.	Dimensions				Capacity lbs.		Wt. lbs.
	L"	x	W"	x H"	Static	Dynamic	
CC435	48	x	40	x 5 1/2	10 000	2300	21.5
CC436	48	x	40	x 6 1/2	10 000	2300	21.5

LIGHT DUTY EXPORT PALLETS


- Low cost lightweight alternative to wood pallets.
- Made of 100% recycled plastics and completely recyclable
- These low cost, single use pallets are designed for export oriented companies
- Pallets are nestable for easy storing and space saving
- 4-way entry for both forklift and pallet truck
- Streamlines customs process and reduces shipping delays
- ISPM 15 exempt



Model No.	Dimensions				Capacity lbs.		Wt. lbs.
	L"	x	W"	x H"	Static	Dynamic	
MN457	48	x	40	x 5.2	3500	1500	12.5

RACKSTAR II PALLETS

- Highly impact resistant design
- 100% recyclable with fully removable reinforcement structure
- Solid wall design for increased durability
- 4-way forklift accessible
- Easy to sanitize
- Removable/repairable stringers or full frame bottom, with easy-to-replace fasteners, are available for added capacity in forklift and conveyor use
- Rackable
- ISPM 15 exempt




ORBIS

Model No.	Description	Dim. L" x W"	Capacity lbs.		Capacity lbs.			Wt. lbs.
			Static	Dynamic	Decking	Centre Supports	Edge Supported	
CC163	w/o Lip (Includes 16 Deck Grommets)	48 x 40	30 000	6000	6000	6000	3000	56.6

MEDIUM-DUTY RACKABLE PLASTIC PALLETS

- Unique rib design for easy cleaning and sanitary applications
- Edge-supported racking application, maximum capacity of 1400 lbs.
- Bottom design of pallet ideal for automated conveying
- Anti-skid grommets on both top and bottom
- High pressure injection molded plastic pallets made with recyclable materials
- Grey
- ISPM 15 exempt




MONOFLO
INTERNATIONAL, INC.

Model No.	Dimensions				Capacity lbs.		Wt. lbs.
	L"	x	W"	x H"	Static	Dynamic	
MN172	48	x	40	x 6	30 000	3000	42

REUSABLE NESTABLE PALLETS

- Nestable pallet designed for long life
- Choice of two popular small footprint pallets
- 100% recyclable and reusable pallet with long service life
- Economic, environmental and efficient alternative to wood pallets
- 2-way entry for forklift and hand pallet trucks
- ISPM 15 exempt



ORBIS

Model No.	Dimensions				Capacity lbs.		Wt. lbs.
	L"	x	W"	x H"	Static	Dynamic	
CB518	28	x	20	x 5.3	5000	1500	9.4
CB519	40	x	28	x 5.3	10 000	2000	18.9

NESTABLE SINGLE-FACED PALLETS

- 1-piece structural foam pallets are lightweight, nestable and recyclable
- High-density polyethylene construction
- Large rectangular legs make it an excellent choice for most conveyor systems
- Fork lift: 4-ways
- Pallet truck: 4-ways
- ISPM 15 exempt




ORBIS

Model No.	Dimensions				Capacity lbs.		Wt. lbs.
	L"	x	W"	x H"	Static	Dynamic	
CB520	48	x	40	x 5	30 000	3000	29
CB524	48	x	48	x 5 3/4	30 000	4000	45.5

RACKSTAR PALLETS

- Ideal for use in food industry and in situations where higher capacity racking capabilities are important
- Double-deck, 1-piece construction with an open grid and large corner for easy cleaning
- Standard high-density polyethylene or USDA/ FDA approved HDPE
- In an edge-supported rack, pallet can hold up to a 2500 lbs. evenly distributed load
- Dynamic load capacity of 5000 lbs.
- Static load capacity: 30 000 lbs.
- 4-way fork lift or pallet truck entry
- Colour: Standard-Black, USDA/FDA-Blue
- ISPM 15 exempt



ORBIS

Model No.	Description	Dimensions"				Wt. lbs.
		L"	x	W"	x H"	
CB536	Standard	48	x	40	x 6 5/8	45
CB537	USDA/FDA Food Approved	48	x	40	x 6 5/8	45

Note: Test for pallet deflection on loads over 2500 lbs. when used with unsupported (edge-supported) pallet rack.

MEDIUM-DUTY FOOD GRADE PALLETS

- Typically used in the food industry
- 1-piece construction with an open grid for easy cleaning
- Made of FDA compliant HDPE virgin material for direct food contact
- Edge-supported pallet on a rack can hold up to a 2200-lb evenly distributed load
- 4-way fork lift or pallet truck entry
- ISPM 15 exempt



Model No.	Dimensions				Capacity lbs.		Wt. lbs.
	L"	x	W"	x H"	Static	Dynamic	
MN490	48	x	40	x 6 5/8	25 000	5000	35

WIRE MESH PARTITIONS & ENCLOSURES

Rugged Kleton wire mesh partitions and enclosures provide maximum security at a minimal cost. It is ideal for the storage of tools, valuable inventory, hazardous materials and any area of your plant where restricted access is required.

Wire mesh panels permit full visibility and allow for unrestricted circulation of air, heat and light, providing an ideal storage facility.

- 2" x 2" x 10-gauge wire mesh
- 10-gauge frame (stiffeners included on all applicable sizes)
- Pre-drilled modular components allow for quick and easy installation
- Durable Kleton blue or safety yellow finish (Other colours available)



WIRE MESH PARTITION COMPONENTS


Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.

1. UNIVERSAL POSTS

A post must be placed at each end of every panel (or of every stack of panels). Be sure to calculate an extra 2" of overall wall length for each post added. When a post meets an existing wall, add one **KD115** wall bracket for proper support (fasteners are included with **KD115** to mount to post, not to wall).

Blue Model No.	Yellow Model No.	Height	Wt. lbs.
KD053	KH860	8' 3"	22
KD046	KH922	10' 3"	27
KD050	KH923	12' 3"	32

Universal Posts




2. PANELS

Whenever possible, stacking panels horizontally (one above the other) is more economical than placing them vertically (next to each other) - this is because fewer posts are required for wall support when panels are stacked.

Examples:

- For an 8' high partition, stack two **KD037** (8' x 4') panels horizontally
- For a 10' high partition, stack two **KD037** (8' x 4') and one **KD033** (8' x 2') panel horizontally
- For a 12' high partition, stack three **KD037** (8' x 4') panels horizontally



Panels

Blue Model No.	Yellow Model No.	Frame Dimensions			Wt. lbs.
		W'	x	H'	
KD121	KH926	4	x	1	10
KD120	KH927	8	x	1	21
KD030	KH928	2	x	2	10
KD031	KH929	3	x	2	11
KD032	KH914	4	x	2	12
KD033	KH915	8	x	2	31
KD034	KH916	8	x	3	40
KD035	KH930	3	x	4	20
KD036	KD130	4	x	4	23
KD037	KD131	8	x	4	45

3. ADJUSTABLE FILLER PANELS

Adjustable filler panels fill in blank spots on the ends of wire mesh partitions to plug up potential security risks. Filler panels come in two sizes: 1' x 4' and 1' x 8' that slide over the ends of existing wire mesh sections. Bolt holes on the filler panels are separated per every inch and allow the filler panel to fill in a space between 6" and 10" wide. The holes line up with holes on the existing panel which are drilled in at the top and bottom to securely fasten the filler panel in two places.

Adjustable Filler Panels



Blue Model No.	Yellow Model No.	Dimensions			Wt. lbs.
		W'	x	H'	
KD119	KH924	4	x	1	5
KD118	KH925	8	x	1	10



Safety Yellow

WIRE MESH PARTITIONS & ENCLOSURES

WIRE MESH PARTITION COMPONENTS (CONTINUED)

Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.



Customize it to your specifications.
See page B71 for details.


4. SWING DOORS

HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right (except the **KD112** and **KH937** heavy swing door with wicket which swings open to the left only)
- Fasteners are included

STANDARD-DUTY

- Frame constructed with 1 1/4" x 1 1/4" angle iron frame
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right
- Fasteners are included



Blue Model No.	Yellow Model No.	Description	Dimensions W' x H'	Wt. lbs.
KD110	KH933	Heavy-Duty Swing Door	3 x 7	65
KH853	KH934	Standard-Duty Swing Door	3 x 7	54
KD111	KH935	Heavy-Duty Swing Door	4 x 7	74
KH854	KH936	Standard-Duty Swing Door	4 x 7	62
KD112	KH937	Heavy-Duty Swing Door w/Wicket	4 x 7	85


5. SLIDING DOORS

HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

STANDARD-DUTY

- Frame constructed with 1 1/2" x 1 1/2" angle iron frame
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width



Blue Model No.	Yellow Model No.	Description	Dimensions W' x H'	Wt. lbs.
KH852	KH938	Standard-Duty Sliding Door	4 x 8	71
KD106	KH939	Heavy-Duty Sliding Door	4 x 8	85
KD108	KH940	Heavy-Duty Sliding Door	8 x 8	122
KD107	KH941	Heavy-Duty Sliding Door	8 x 10	148

6. HARDWARE REQUIRED

For Each Stacked Panel Add:

- 4 x **MMH254**, 4 x **MMB721** for each 8' stacked panel
- 2 x **MMH254**, 2 x **MMB721** for each stacked panel under 8' long

For Each Post Add:

- 8 x **MMH262**, 8 x **MMB721**, 2 x **KD001** for each **KD053** and **KH860**
- 12 x **MMH262**, 12 x **MMB721**, 2 x **KD001** for each **KD046** and **KH922**
- 12 x **MMH262**, 12 x **MMB721**, 2 x **KD001** for each **KD050** and **KH923**

For Each Sliding Door Add:

- 1 x **KD028**, 1 x **KD029** door track for each **KD106** and **KH852** 4' wide sliding door
- 1 x **KD028**, 2 x **KD029** door track for each **KD108** and **KD107** 8' wide sliding door

Blue Model No.	Yellow Model No.	Description	Wt. lbs.
KD029	KH942	8' Door Track	16
KD028	KH943	Sliding Door Hardware Kit	6
KD115	KH944	Wall Bracket Kit	0.1
MMH254*	-	5/16" x 1" Carriage Bolt	0.01
MMH262*	-	5/16" x 3" Carriage Bolt	0.01
MMB721	-	Nut 5/16" Hex	0.01
KD001	-	3/8" Anchor Bolt	0.01

* 1 x **MMB721** is required for each **MMH254** and **MMH262**.

STRIP CURTAIN DOORS

Everything you need in one package to install your own strip curtain door and save money!

ORDERING INFORMATION

Every strip curtain door comes complete with PVC strips and universal hardware for mounting strip curtain. Simple-to-follow installation instructions are included in every package.

- Determine inside width and height of door opening.
NOTE: If mounting on door above lintel, measure from floor to mounting height.
- Select type of PVC material required: STANDARD or LOW TEMP.
Standard recommended for temperatures from -23°C to 66°C.
Low Temp. recommended for interior use only for temperatures from -40°C to 66°C.
- Select from the standard sizes listed in the chart below.
NOTE: If required size is not available, order the next largest size.
Installation instructions describe how simple trimming can custom fit almost any door opening.
- Special size doors and hanging applications are available upon request.
- For overhead doors, please call one of our sales representatives for assistance.



INTERIOR DOORS



Save energy costs

- The optimal solution to open door heat/cooling loss

Reduce noise pollution

- Provides the ideal acoustical barrier around noisy equipment


OTHER MATERIALS AVAILABLE

Every strip curtain door comes complete with PVC strips and universal hardware for door or wall mounting. Simple-to-follow installation instructions included in every package.

EASY TO ORDER

It is easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings. Special sizes are available.

CONVEYORS



Provide extra safe passage

- People can see and be seen so there is less chance of accidents

Control smoke, dust and sprays

- Strip curtains can control in-plant contaminants to improve employee environment

STANDARD DOOR SIZES

Model No. Standard	Model No. Low Temp.	Strip Dimensions	Door Opening			Wt. lbs.
			W'	x	H'	
KF022	KF004	8"	4	x	7	25
KF023	KF005	(8" x 0.080)	5	x	8	35
KF024	KF006		6	x	8	40
KF026	KF008	12"	8	x	8	80
KF025	KF007	(12" x 0.120)	8	x	10	100
KF020	KF002		10	x	10	125
KF021	KF003		12	x	12	175

NOTE: Doors with 8" strips have 2" standard overlap.
Doors with 12" strips have 4" standard overlap.

REPLACEMENT STRIPS - 5 PER CARTON

Model No. Standard	Model No. Low Temp.	Strip Dimensions	Wt. lbs.
KF032	KF013	8" x 0.080 x 8'	15
KF029	KF011	12" x 0.120 x 12'	45

BULK ROLLS

Model No. Standard	Model No. Low Temp.	Strip Dimensions	Colour	Roll'	Wt. lbs.
KF033	KF014	8" x 0.080	Clear	300	99
KF030	KF012	12" x 0.120	Clear	200	150
KF031	-	16" x 0.160	Clear	100	140
ML959*	-	8" x 0.080	Dark Amber	300	99

* For welding applications

DOCKS



Low maintenance


- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum durability
- May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
- Deep stains and ingrained dirt can be removed by carefully applying ethanol



CUSTOMIZE IT TO
YOUR SPECIFICATIONS.
SEE PAGE B71 FOR DETAILS

FIXED MOUNTING SYSTEM

Model No.	Description
KF001	Complete 4' aluminum angle mount



CURTAIN PARTITIONS

- Curtain partitions screen, isolate, enclose and protect any area of any size
- Commonly used in welding and paint shops, but can be used anywhere
- Brackets made of 16-gauge steel and designed for wall or ceiling mount but can be self supported by floor stands
- Large selection of drape material can be utilized with any curtain

DESIGN YOUR OWN CURTAIN


Curtains - Take exact length of area of enclosure and add 10% fullness for proper draping. Then multiply length and height to obtain square footage. Curtains hemmed on top and two sides 2" pocket on bottom side. Brass grommets spaced every 12". Refer to model number for square footage cost of fabric required.

Track - Straight and curved. Straight track available in 5' and 10' lengths. Curved corners are 3' long with 2' radius welded splicer on each end included. When using a curved track, length is increased by 2', e.g. 8' straight track with a curve at each end overall = 12'.

Carriers - Since curtains are made to any length be sure to add one additional carrier to actual length of curtain ordered. For example every 10' of curtain is fabricated with 11 grommets on top side. Therefore 11 carriers are required. A double carrier should be used at the beginning of each curtain. Steel roller carriers are permanently lubricated enclosed bearings.

Clamps - Available for flush ceiling/beam mounting and floor mounting. Clamps can also be used as track splicers. All fasten with supplied Allen bolts. Order sufficient clamps to support track every 5'. When free standing uprights are required, be sure to specify clamps for fastening track on posts **KB032** (posts are required every 8'). Other custom heights on application.

Note: All posts should be lagged or welded to floor as required.



Model No.	Description
TRACKS	

KB017 5', 16 ga. Track

KB016 10', 16 ga. Track

KB029 Track Splicer

KB012 End Stop

ROLLERS

KB013 Single Nylon Roller
25 lbs., Cap. 2 1/2" Hook

KB018 Single Steel Roller
75 lbs., Cap. 2 1/2" Hook

KB019 Double Steel Roller
125 lbs., Cap. 2 1/2" Hook

KB014 Overlap By-Pass Roller
12" Long x 2 3/4" High

WALL MOUNTS

KB020 Wall Connector
Bracket, Down

KB021 Wall Connector Bracket, Up

KB011 End Connector Fastener, Up

KB010 End Connector
Fastener, Down

KB017



KB029




KB013



KB019



KB014




KB020



KB021



KB011



KB010



Model No.	Description
CURTAIN	
KB040	10 oz/sq.yd., Before Treatment Cotton Duck, Flame Resistant Army Green
KB004	14 mil Yellow PVC, Flame Resistant
KB003	14 mil Green PVC, Flame Resistant
KB038	20 mil Clear PVC, Flame Resistant

Other colours are available

Model No.	Description
FLOOR MOUNTS	

KB009 3' 90° Curve Track

KB025 Track Splicer

KB027 90° Corner Connector

KB024 3-Way T-Connector

KB032 8' Square Post

KB005 12" x 12" Base

KB009




KB025



KB027



KB024



KB005



BEAM MOUNTS/SUSPENSION

KB008 3' 90° Curve Track

KB031 Ceiling Clamp

KB028 90° Corner Connector

KB023 3-Way T-Connector

KB008




KB031



KB028



KB023



CEILING MOUNTS

KB007 3' 90° Curve Track,
Three Flush Connectors

KB030 Track Splicer

KB026 90° Corner Connector

KB022 3-Way T-Connector

KB007



KB030



KB022



SECURITY GATES & PROTECTORS


SOFT EDGE FLEXIBLE WARNING & PROTECTION SYSTEMS

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, Soft Edge prevents impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40°C to 100°C



Style	Model No. 1 Metre	Model No. 5 Metres
A	KH866	KH865
B	KH868*	KH867*
C	KH870	KH869
D	KH872	KH871
E	KH952	KH953
F	KH954	KH955
G	KH956*	KH957*
H	KH958	KH959

*Held by pressure fit, not peel-away adhesive



COLUMN PROTECTORS

- Protect your building's columns from damaging bumps by moving vehicles
- 100% rust proof material, linear low density polyethylene (LLDPE)
- Octagon configuration for more rebounding ability
- Flexible deflection design - capable of handling a hit from a 7000-lb forklift at 6 mph
- Easy to assemble, nylon fasteners (included) for breakaway ability make these extremely versatile
- Protect columns under virtually any condition and temperature down to 0°F
- Dimensions: 22" L x 22" W x 40" H
- Weight: 42 lbs.




Model No.	Inside Opening"	Opening Shape
RN049	9	Round
RN051	8 x 10	Rectangular
RN048	8	Square
RN052	12	Square
RN050	10	Square
RN047	6	Square



POLYETHYLENE BOLLARD COVERS

- Enhance and protect the appearance of your steel bollards
- Reduce maintenance; avoid scraping and painting each spring
- Constructed of 1/8" UV stable polyethylene for durability
- Easy installation with patented GripperTabs™ included
- Colour: Safety yellow with reflective red tape or high visibility red with white reflective tape, for great visibility day or night
- 5-year warranty against fading and cracking



Yellow Model No.	Red Model No.	Fits Bollard Diameter"	Fits Bollard Length"	Wt. lbs.
KH806	KH836	4.5	52	7
KH808	KH838	4.5	64	9
KH809	KH839	6.6	52	8
KH810	KH840	6.6	60	9
KH811	KH841	6.6	72	10

GALVANIZED FOLDING SECURITY GATES

- Secure outside access during the day and add security at night with heavy-duty, 14-gauge steel folding gates
- Constructed of galvanized steel U-channels riveted using aircraft quality rivets for durability
- Double folding gates centre drop pin rests in your pre-drilled holes to secure gate when extended
- Locks can be located on right or left side of single gates
- Durable 3" rubber casters that fully retract when not in use
- Installation hardware included



SINGLE FOLDING GATES

Lock Location		Usable Width'	Collapsed Height'	Expanded Height'	Wt. lbs.
Left Model No.	Right Model No.				
KA035	KA036	3 to 4	6.5	6	69
KA037	KA038	3 to 4	7	6.5	73
KA039	KA040	3 to 4	7.5	7	77
KA041	KA042	3 to 4	8	7.5	80
KA043	KA044	3 to 4	8.5	8	84
KA065	KA066	6 to 7	6.5	6	82
KA067	KA068	6 to 7	7	6.5	85
KA069	KA070	6 to 7	7.5	7	87
KA071	KA072	6 to 7	8	7.5	90
KA073	KA074	6 to 7	8.5	8	92
KA085	KA086	8 to 9	7	6.5	102
KA087	KA088	8 to 9	7.5	7	104
KA089	KA090	8 to 9	8	7.5	106

DOUBLE FOLDING GATES

Model No.	Usable Width'	Collapsed Height'	Expanded Height'	Wt. lbs.
KA001	8 to 10	6.5	6	144
KA002	8 to 10	7	6.5	148
KA003	8 to 10	7.5	7	153
KA004	8 to 10	8	7.5	158
KA005	8 to 10	8.5	8	162
KA006	10 to 12	6.5	6	168
KA007	10 to 12	7	6.5	172
KA008	10 to 12	7.5	7	177
KA009	10 to 12	8	7.5	182
KA010	10 to 12	8.5	8	187
KA011	12 to 14	6.5	6	180
KA012	12 to 14	7	6.5	184
KA013	12 to 14	7.5	7	189
KA014	12 to 14	8	7.5	196
KA015	12 to 14	8.5	8	199
KA016	14 to 16	6.5	6	192
KA017	14 to 16	7	6.5	196
KA018	14 to 16	7.5	7	199
KA019	14 to 16	8	7.5	201
KA020	14 to 16	8.5	8	206
KA021	16 to 18	7	6.5	204
KA022	16 to 18	7.5	7	208
KA023	16 to 18	8	7.5	211

SAFETY GUARDS & BOLLARDS

PERIMETER GUARDS

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or Kleton blue finish



MESH STYLE KITS

Blue Model No.	Yellow Model No.	Description	Dimensions			Wt. lbs.
			W"	x	H"	
KH945	RL848	Starter Section	48	x	48	46
KH946	RL849	Add-On Section	48	x	48	46
KH947	RL850	Starter Section	96	x	48	65
KH948	RL851	Add-On Section	96	x	48	65

Note: Includes assembly fasteners, floor anchors and post caps

MESH STYLE INDIVIDUAL COMPONENTS

Blue Model No.	Yellow Model No.	Description	Dimensions			Wt. lbs.
			W"	x	H"	
KD036	KD130	Mesh Panel	4'	x	4'	20
KD037	KD131	Mesh Panel	8'	x	4'	39
KH861	KD129	Post Universal	49 1/2" H			13

HARDWARE REQUIRED

KD001	Floor Anchors (Two per Post)
MMH262	5/16" x 3" Carriage Bolt (Four per Frame)
MMB721	5/16" Hex Nut (One Nut for Each MMH262)
KD116	Post Caps (One per Post)

TUBULAR STYLE

Model No.	Description	Dimensions			Wt. lbs.
		W"	x	H"	
KD132	Starter Section	48	x	49 1/2	45
KD133	Add-On Section	48	x	49 1/2	32
KD134	Starter Section	96	x	49 1/2	66
KD135	Add-On Section	96	x	49 1/2	53

HARDWARE REQUIRED

KD001	Floor Anchors (Four per Starter Section / Two per Add-On Section)
KD116	Post Caps (One per Post)

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coat finish



CUSTOMIZE IT TO YOUR SPECIFICATIONS.
SEE PAGE B71 FOR DETAILS

Model No.	Dimensions			Wt. lbs.
	W"	x	H"	
KD127	24	x	18	65
KH855	36	x	18	75
KD128	48	x	18	85
KD136	24	x	42	95
KD856	36	x	42	110
KD139	48	x	42	115

UPRIGHT PROTECTORS

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- Four pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coat finish




Model No.	Dimensions			Wt. lbs.
	W"	x	H"	
KH858	7	x	7 x 12	12
RB925	7	x	7 x 18 1/4	15

HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coat finish



Model No.	Height"	Wt. lbs.
KD125	24	30
KH857	36	40
KD126	48	50























STRUCTURAL PIPE FITTINGS

There are many variations of fittings to suit a wide range of applications, providing the versatility to achieve any structural configuration. Pipe fittings are galvanized malleable iron castings designed to suit eight sizes of tube. A standard hex key and tube cutters are the only tools required to create strong, rigid structures. Recessed set screws, tightened by the hex key, firmly lock the tube into the fitting. The setscrew is manufactured in case hardened steel and is coated to protect against corrosion.

- Simple method of constructing tubular structures
- Cost effective alternative to welding
- Galvanized to resist corrosion



Pipe size O.D." 1.05 1.315 1.66 1.90 2.375	SHORT TEES RK597 RK598 RK599 RK600 RK601		LONG TEES RK602 RK603 RK604 RK605 RK606		SIDE OUTLET TEES RK607 RK608 RK609 RK610 RK611		TWO SOCKET CROSSES RK612 RK613 RK614 RK615 RK616	
1.05 1.315 1.66 1.90 2.375	90° ELBOWS RK617 RK618 RK619 RK620 RK621		3 WAY 90° ELBOWS RK628 RK629 RK630 RK631 N/A		BASE FLANGES RK638 RK639 RK640 RK641 RK642		RAILING BASE FLANGES RK643 RK644 RK645 RK646 RK647	
1.05 1.315 1.66 1.90 2.375	PLASTIC END PLUGS RA179 RA180 RA181 RA182 RA183		CLAMP-ON TEES RK651 RK652 RK653 RK654 N/A		HANDRAIL BRACKETS RK663 RK664 RK665 RK666 N/A		SIDE PALM FIXINGS N/A RK671 RK672 RK673 N/A	
1.05 1.315 1.66 1.90 2.375	SHORT SWIVEL TEES RK677 RK678 RK679 RK680 N/A (sold in pairs only)		SLEEVE JOINTS RK681 RK682 RK683 RK684 RK685		INTERNAL JOINTS N/A RK686 RK687 RK688 N/A		90° CROSSOVERS RK697 RK698 RK699 RK700 RK701	
1.05 1.315 1.66 1.90 2.375	OUTLET TEES RK752 RK753 RK754 RK755 RK756		GROUND SOCKETS N/A RK648 RK649 RK650 N/A		GATE EYES RK655 RK656 RK657 RK658 N/A		GATE HINGES RK659 RK660 RK661 RK662 N/A	

PIPES

Build an unlimited array of strong rigid structures combining standard black iron (unthreaded) pipe or galvanized (threaded-on one side) pipe (schedule 40), with any combination of corresponding sized fittings. Pipe sizes are available from 3/4" to 2" (inside diameter). Standard pipe length is 21 ft., with cut lengths available upon request. A cutting charge will be added per cut length of piping.

Black Iron Model No.	Galvanized Iron Model No.	Pipe O.D."	Pipe I.D."
RA109	RA110	1.05	3/4
RA111	RA112	1.315	1
RA113	RA114	1.66	1 1/4
RA115	RA116	1.9	1 1/2
RA117	RA118	2.375	2

TOOLS



Model No.	Description
TX413	T-Handle hex key for 1.05", 1.315" and 1.66" pipes
TX414	T-Handle hex key for 1.90" and 2.375" pipes



making workspace work®



DRAWER CABINETS

LOCKABLE CABINETS

Safety, security, reduced shrinkage

All cabinets come with individual lock and two keys. Lock cores can be exchanged in the field for both keyed alike and master key systems

ERGONOMIC HANDLES

Improved safety, appearance and ergonomics

When drawers are closed, handles are flush with housing so nothing protrudes. Drawer handles are full width, and are located at top of drawer

HINGED LABEL HOLDERS

Easy labelling of drawer contents

Drawer handles are covered with clear hinged covers for display of drawer labels

100% FULL EXTENSION DRAWERS

Benefit: Easy access and full use of the furthest corners of storage

Continuous smooth extension even with a full load with a 400-lb. capacity

INSTALLED DRAWER DIVIDERS

Fast, accurate identification of compartment contents and easier inventory control. Angled tops allow easy identification of contents and can accommodate most bar code labels

PREVENTIP® INTERLOCK SYSTEM

Added safety and security

Unique, patented drawer locking system ensures that when one drawer is extended, all other drawers are locked closed to prevent accidental tip-over

FORK TRUCK BASE WITH FRONT AND REAR COVERS

Transport your cabinet easily from one location to another

EXCLUSIVE SUSPENSION SYSTEM

Durable, smooth, quiet operation

Lista's suspension system has been tested against the globally respected RAL-RG 614 standard.

The drawers exceeded the required number of cycles at full load without diminished performance

Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H

Number of drawers: 5

Number of compartments: 61

Model No. FI125 Bright Blue

Model No. FI126 Light Grey




A



B



C



D

DRAWER CONFIG.

Drawers 1-3: A
Drawer 4: B
Drawer 5: C




Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H

Number of drawers: 7

Number of compartments: 114

Model No. FI127 Bright Blue

Model No. FI128 Light Grey




A



B



C



D

DRAWER CONFIG.

Drawers 1-4: A
Drawer 5: B
Drawers 6-7: C



Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H

Number of drawers: 9

Number of compartments: 154

Model No. FI129 Bright Blue

Model No. FI130 Light Grey



A



B



C



D



DRAWER CONFIG.

Drawers 1-2: A
Drawers 3-4: B
Drawers 5-7: C
Drawers 8-9: D


Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H

Number of drawers: 10

Number of compartments: 210

Model No. FI131 Bright Blue

Model No. FI132 Light Grey



A



B



C



D



DRAWER CONFIG.

Drawers 1-2: A
Drawers 3-4: B
Drawers 5-6: C
Drawers 7-8: D
Drawers 9-10: E

Other colours available upon request

DRAWER CABINETS

DRAWER CABINETS



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H
Number of drawers: 5

Number of compartments: 57

Model No. FI133 Bright Blue

Model No. FI134 Light Grey


DRAWER CONFIG.

Drawers 1-2: A

Drawer 3: B

Drawer 4: C

Drawer 5: D



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H
Number of drawers: 7

Number of compartments: 96

Model No. FI135 Bright Blue

Model No. FI136 Light Grey


DRAWER CONFIG.

Drawers 1-2: A

Drawers 3-4: B

Drawers 5-6: C

Drawer 7: D



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H

Number of drawers: 9

Number of compartments: 117

Model No. FI137 Bright Blue

Model No. FI138 Light Grey


DRAWER CONFIG.

Drawers 1-2: A

Drawers 3-5: B

Drawers 6-7: C

Drawers 8-9: D



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H

Number of drawers: 8

Number of compartments: 88


Model No. FI139 Bright Blue

Model No. FI140 Light Grey

DRAWER CONFIG.

Drawers 1-6: A

Drawers 7-8: B



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H

Number of drawers: 9

Number of compartments: 124



Model No. FI141 Bright Blue

Model No. FI142 Light Grey

DRAWER CONFIG.

Drawers 1-4: A

Drawers 5-9: B



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H

Number of drawers: 11

Number of compartments: 172

Model No. FI143 Bright Blue

Model No. FI144 Light Grey



DRAWER CONFIG.

Drawers 1-4: A

Drawers 5-8: B

Drawers 9-10: C

Drawer 11: D



Call today for all your cabinet needs!

DRAWER CABINETS




DRAWER CABINETS

Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
Number of drawers: 12
Number of compartments: 210


Model No. FI145 Bright Blue

Model No. FI146 Light Grey



DRAWER CONFIG.

Drawers 1-2, 5-6: A
Drawers 3-4, 7: B
Drawers 8-10: C
Drawers 11-12: D



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
Number of drawers: 15
Number of compartments: 300


Model No. FI147 Bright Blue

Model No. FI148 Light Grey



DRAWER CONFIG.


Drawers 1-15: A



Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
Number of drawers: 7
Number of compartments: 66


Model No. FI149 Bright Blue

Model No. FI150 Light Grey



DRAWER CONFIG.

Drawers 1-4: A
Drawers 5-7: B



Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
Number of drawers: 9
Number of compartments: 105


Model No. FI151 Bright Blue

Model No. FI152 Light Grey



DRAWER CONFIG.


Drawers 1-3: A
Drawers 4-7: B
Drawers 8-9: C



Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
Number of drawers: 10
Number of compartments: 159


Model No. FI153 Bright Blue

Model No. FI154 Light Grey



DRAWER CONFIG.

Drawers 1-2: A
Drawers 3-5: B
Drawers 6-8: C
Drawer 9: D
Drawer 10: E



SHELF CABINETS

Overall dimensions: 56 1/2" W x 28 1/2" D x 33 1/2" H
One fixed and one adjustable shelf

Model No. FI157 Bright Blue

Model No. FI158 Light Grey



SHELF CABINETS

Overall dimensions: 40 1/4" W x 22 1/2" D x 33 1/2" H
One fixed and one adjustable shelf

Model No. FI159 Bright Blue

Model No. FI160 Light Grey



BUTCHER BLOCK TOPS



Fits on 28 1/4" W x 28 1/2" D cabinets
Model No. FI155



Fits on 40 1/4" W x 22 1/2" D cabinets
Model No. FI156

CABINETS

SHOP FURNITURE THAT'S BUILT LIKE A TANK!

There are times and environments that demand more than run-of-the-mill shop furniture. This is the time and place for Strong Hold. A line of shop furniture so durable and robust that it is accepted and demanded by industrial heavyweights. Major auto manufacturers use hundreds of these units!



A. FG816



B. FI331



C. FG830



D. FG836



E. FG838

A. ROUGH & TOUGH STORAGE CABINETS

These heavy-duty 12 gauge steel models provide protection for valuable tools and machine parts. Built for "rough and tough" industrial use. Shelves are adjustable and more can be added for versatility.

Model No.	Width"	Depth"	Height"	O.A. Height"	No. of Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG815	36	20	72	78	4	418	FG820	1600
FG816	36	24	72	78	4	459	FG821	1900
FG817	48	24	72	78	4	557	FG822	1200
FG818	60	24	72	78	4	685	FG823	1650
FG819	72	24	72	78	4	733	FG824	1525

B. HEAVY-DUTY VENTILATED STORAGE CABINETS

The 12-gauge steel doors are perforated with a diamond shape for easy visibility and ventilation. Ideal for industry, health clubs or any facility where personal belongings need to be securely locked and ventilated.

Model No.	Width"	Depth"	Height"	O.A. Height"	No. of Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FI329	36	24	72	78	4	470	FG821	1900
FI330	48	24	72	78	4	548	FG822	1200
FI331	60	24	72	78	4	666	FG823	1650

C. DOUBLE SHIFT STORAGE CABINETS

These space saving cabinets provide two separate storage compartments. Companies with a second shift can secure the first shift's valuables while the second shift is on duty. Also you can use one side for personal belongings and the other to store tools.

Model No.	Width"	Depth"	Height"	O.A. Shelf Height"	Adj. Shelf Per Each Side	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG829	48	24	72	78	4	624	FG832	1275
FG830	60	24	72	78	4	722	FG833	1600
FG831	72	24	72	78	4	813	FG834	1950

D. BROOM CLOSET STORAGE CABINETS

Organize your housekeeping needs with our broom closet cabinets. As heavy-duty as the rest of the Strong Hold line, double doors permit full access to all shelves. Closet side stores long handled floor care items. Use side shelves to store paper products, cleaners and brushes. Shelves can be adjusted or removed to accommodate large pails.

Model No.	Width"	Depth"	Height"	O.A. Height"	Closet Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG835	36	24	72	78	4	477	FG845	1025
FG836	48	24	72	78	4	567	FG846	1375
FG837	60	24	72	78	4	669	FG847	1750

E. WARDROBE/STORAGE CABINETS

This cabinet fits into the heavy-duty line up as the answer to clothing storage with tools and supplies. 3-point latching mechanism adds extra protection.

Model No.	Width"	Depth"	Height"	O.A. Height"	Closet Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG838	36	24	72	78	4	477	FG845	1100
FG839	48	24	72	78	4	567	FG846	1500
FG840	60	24	72	78	4	669	FG847	1900

DEEP DOOR STORAGE CABINETS

- Padlock hasp (cannot be accessed by bolt cutters) helps secure the contents of this deep door high-density storage cabinet
- Four reinforced adjustable main shelves are complemented by six adjustable mini shelves in each 4" deep hinged door for a capacity unmatched by any other cabinet
- Padlock sold separately
- Capacity per shelf: 500 lbs.



Special padlock hasp conceals padlocks from bolt cutters.



Model No.	Description	Dimensions					Wt. lbs.
		W"	x	D"	x	H"	
FB024	Cabinet	38	x	24	x	72	315
FB025	Extra Shelf for Cabinet	38	x	21 1/4	x	-	18
FB026	Extra Shelf for Door	18	x	6	x	-	2
SA898	Padlock Keyed Different						
SR892	Padlock Keyed Alike						

DEEP DOOR 96-BIN COMBINATION CABINETS

- All-welded heavy-duty 16-gauge combination bin/shelf cabinet
- 4" deep hinged doors
- Two reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Unique padlock hasp helps prevent access with bolt cutters
- Padlock sold separately
- Powder-coated Kleton grey finish
- **Bins included:**
84 each of 4 1/8" W x 5 3/8" D x 3" H
12 each of 5 1/2" W x 10 7/8" D x 5" H

CF373



Model No.	Description	Wt. lbs.
CF371	Cabinet w/Blue Plastic Bins	359
CF372	Cabinet w/Red Plastic Bins	359
CF373	Cabinet w/Yellow Plastic Bins	359
CF374	Cabinet w/Green Plastic Bins	359
CF375	Cabinet w/Stone Plastic Bins	359

VISIBLE STORAGE WIRE MESH CABINETS

- All-welded mesh storage cabinet provides a secure yet visible area to place your tools and equipment
- Reinforced K-brace welded to the door frame delivers additional strength
- Diamond-shaped 13-gauge steel mesh
- Adjustable shelves bolt into holes
- Door has 3-point latching system with cam-lock and chrome-plated handle
- Dimensions: 24" W x 21" D x 72" H
- Weight: 146 lbs.

Model No. FB015



HEAVY GAUGE STORAGE CABINETS

- All-welded 14-gauge cabinets and shelves which can be adjusted every 3"
- Doors feature secure 3-point locking system
- 7-gauge bolt-on legs adding 4" to overall height of cabinet and provide fork lift access to move cabinet
- Capacity per shelf: 1450 lbs.



Model No.	Dimensions					No. of Shelves	Wt. lbs.
	W"	x	D"	x	H"		
FB013	36	x	21	x	78	4	370
FB012	36	x	21	x	60	3	300
FB011	36	x	21	x	42	2	230

CLEARVIEW CABINETS

- Clear polycarbonate windows so all your tools and supplies are visible at a glance
- 12-gauge 1-piece body design
- 6" sweep space
- Adjustable 14-gauge shelves
- 3-point locking device
- Hinges are 10-gauge



Model No.	Dimensions					O. A. Height"	No. of Shelves	Shelf Cap. lbs.	Wt. lbs.
	W"	x	D"	x	H"				
FG851	48	x	24	x	60	66	3	1200	446
FG852	48	x	24	x	72	78	4	1200	536

EXTRA HEAVY-DUTY STAINLESS STEEL CABINETS

- The strongest storage product available in the market today
- Made of 12-gauge, #304 stainless steel, with a #3 finish
- Corrosion-resistant, acid-resistant, will not rust and will take the everyday abuse in an industrial environment
- Shelves adjust on 2" centers
- 3-point locking system
- 7-gauge welded legs



These units can also be found in medical, pharmaceutical, automotive, electronics, textile, breweries, marine facilities, restaurants, etc.

Model No.	Dimensions					O.A. Height"	No. of Shelves	Shelf Cap. lbs.	Wt. lbs.	Extra Shelf Model No.
	W"	x	D"	x	H"					
FI340	36	x	24	x	60	66	3	1900	406	FI349
FI341	36	x	20	x	72	78	4	1600	435	FI350
FI342	36	x	24	x	72	78	4	1900	475	FI349
FI343	48	x	24	x	60	66	3	1200	489	FI351
FI344	48	x	24	x	72	78	4	1200	573	FI351
FI345	60	x	24	x	60	66	3	1650	595	FI352
FI346	60	x	24	x	72	78	4	1650	699	FI352
FI347	72	x	24	x	60	66	3	1525	726	FI353
FI348	72	x	24	x	72	78	4	1525	856	FI353

CABINETS

COMPACT CABINETS

COUNTER HIGH CABINETS

- Serves as counter and cabinet combo
- Double doors with 3-point door locking device swing to full 180°
- Quiet operating cabinet
- Two shelves, adjustable every 2"
- Cabinet dimensions: 36" W x 42" H with 18" or 21" D
- Capacity per shelf: 180 lbs.
- Shipped knocked down



LYON

Model No.	Description	Depth"	Wt. lbs.
FF985	Cabinet	18	88
FF986	Cabinet	21	96
FF987	Extra Shelf for FF985	18	7
FF988	Extra Shelf for FF986	21	9

ECONOMICAL COMPACT CABINETS

- Ideal anywhere a full sized cabinet is too large
- Includes adjustable shelves
- Locking doors
- Shipped knocked down



edral

Model No.	Dimensions W" x D" x H"	No. of Shelves	Wt. lbs.
FH482	21 x 15 x 35	2	33
FH483	30 x 15 x 66	4	50

VISUAL CABINETS

- Keep a close eye on valuable inventory
- Plexiglass door panels resist breakage and will not shatter
- 22-gauge shelves, adjustable on 2" centres
- 20-gauge steel doors
- 3-point locking mechanism with die-cast locking handle (includes two keys)
- Capacity per shelf: 150 lbs.
- Shipped knocked down



edral

Model No.	Grey	Dimensions W" x D" x H"	No. of Shelves
MI629*	FH645*	30 x 12 x 26	2
MI630	FH646	36 x 18 x 42	2
MI631	FH647	36 x 24 x 78	4

*Wall unit

48" EXTRA-WIDE ALL-WELDED CABINETS

- Offers plenty of storage space for large and small supplies
- All-welded 20-gauge steel construction
- Overall dimensions: 48" W x 24" D x 72" H
- Capacity per shelf: 175 lbs. evenly distributed
- Includes: Four adjustable shelves and locking handle
- Fully assembled



RLB
PLUS

Model No.	Colour	Wt. lbs.
FJ860	Charcoal	230
FJ869	Beige	230

ECONOMICAL QUICK ASSEMBLY STORAGE CABINETS

- Designed for an easy assembly with fewer fasteners
- Shelves are easily adjustable on 2" centres
- 1-piece base serves as an additional shelf increasing storage capacity
- 3-point locking system, with locking chrome handle and two keys, adds security
- Capacity per shelf: 100 lbs.
- Tough grey or tan powder coat finish for durability
- Shipped knocked down



edral

Model No.	Grey	Tan	Dimensions W" x D" x H"	Wt. lbs.
FH643	FH648		30 x 15 x 66	88
FH649	FH650		36 x 24 x 78	130
FH651	FH652		48 x 24 x 78	158

ALL-WELDED DEEP HI-BOY STORAGE CABINET

- Suitable for office, plant, school or institutional storage needs
- Four fully adjustable shelves
- Includes recessed handle and cylinder lock
- Shelf Capacity: 150 lbs. evenly distributed



FJ884

ASM

Model No.	Black	Beige	Charcoal	Dimensions W" x D" x H"
FJ882	FJ883	FJ884		36 x 24 x 72

WELDED STORAGE CABINETS

- Suitable for office, plant, school or institutional storage needs
- Fully adjustable shelves, recessed handle, cylinder lock, and coat rods (wardrobe and combination types)
- Choose from Hi-Boy, Lo-Boy, wardrobe, and combination cabinets
- Lo-Boy comes with two shelves
- Capacity: 150 lbs. evenly distributed

Hi-Boy Type



Lo-Boy Type



Wardrobe Type



Combination Type



Model No.			Description	Dimensions				Wt. lbs.
Charcoal	Beige	Black		W"	x	D"	x	
FJ856	FJ864	FJ859	Hi-Boy	36	x	18	x	72
FJ867	FJ871	FJ865	Wardrobe	36	x	24	x	72
FJ861	FJ858	FJ862	Combination	36	x	18	x	72
FJ863	FJ870	FJ868	Lo-Boy	36	x	18	x	72
FJ873	FJ875	FJ876	Additional Shelf	36	x	18	x	40
FJ881	FJ880	FJ879	Additional Deep Shelf	36	x	16	x	1

HEAVY-DUTY WELDED STORAGE CABINETS

- All-welded 20-gauge steel cabinet features four adjustable 18-gauge shelves, locking handle
- Shelves adjust on 2" centres
- Capacity per shelf: 300 lbs. evenly distributed
- Light grey



FJ857



Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
FJ857	Cabinet	36 x 18 x 72	185
FJ874	Additional Shelf	36 x 18 x 1	8

WELDED WALL HUNG CABINETS

- Suitable for areas where floor space is limited
- Dimensions: 36" W x 12" D x 30" H
- Includes:** Fully adjustable shelf, recessed handle and cylinder lock

FJ866



Model No.	Colour	Wt. lbs.
FJ866	Charcoal	55
FJ872	Beige	55



HEAVY-DUTY CABINET DOLLIES

- Makes cabinets fully mobile
- Allows for easy access during cleaning
- Two rigid and two swivel with brake, 4" blue elastic casters
- Capacity: 800 lbs. evenly distributed



Model No.	Dimensions W" x D"	Wt. lbs.
FJ292	36 x 18	32
FJ293	36 x 24	33
FJ294	48 x 18	34
FJ295	48 x 24	36

STANDARD WELDED GEAR LOCKERS

- Gear lockers are ideal for athletic team rooms, fire fighter's equipment or any other application where easy access to uniforms and/or equipment is required
- Open face and perforated sides make these lockers fully accessible and ventilated
- Lockable safety box and foot locker allows for safely storing of valuable goods
- Lower shelf functions as a bench which eliminates the need for locker room benches
- Base model includes:** Safety box, upper shelf and coat bar

FJ897



Model No.			Dimensions				Wt. lbs.
Light Grey	Beige	Red	W" x D" x H"				
BASE MODELS							
FJ895	FJ894	FJ896	24 x 24 x 72	240			
FJ901	FJ900	FJ902	30 x 24 x 72	251			
FJ907	FJ906	FJ908	36 x 24 x 72	278			
W/FOOT LOCKER & LOWER SHELF							
FJ898	FJ897	FJ899	24 x 24 x 72	280			
FJ904	FJ903	FJ905	30 x 24 x 72	296			
FJ910	FJ909	FJ911	36 x 24 x 72	328			

DELUXE WELDED GEAR LOCKERS

- Deluxe gear lockers provide security with optimum ventilation for valuable equipment and uniforms
- Wardrobe design interior provides the flexibility to store all different kinds of materials and clothing
- Lower lateral drawer allows you to stow heavier bulky items such as boots or gear bags
- Base model includes:** Three half shelves, one full width shelf, coat bar and lockable doors

FJ913



Model No.			Dimensions					Wt. lbs.
Light Grey	Beige	Red	W"	x	D"	x	H"	
BASE MODELS								
FJ913	FJ912	FJ914	36	x	24	x	72	407
W/LATERAL DRAWER								
FJ916	FJ915	FJ917	36	x	24	x	72	527

LOCKERS

CLEAN LINE™ ECONOMY LOCKERS

- Fully assembled, prime grade cold rolled steel locker
- All-welded frame with panels and doors assembled with pop rivets
- 20-gauge double pan construction doors, 16-gauge frames, 24-gauge bodies and shelves
- Dimensions: 12" W x 18" D x 72" H
- Single tier locker includes:**
One hat shelf, three coat hooks and aluminum recessed padlock handle
- Double and Triple lockers include:**
Two coat hooks per opening and aluminum recessed padlock handle
- High quality baked on enamel standard pearl grey paint (beige also available)

Ventilation holes on frame cross piece

20-gauge steel doors

16-gauge steel frame

Aluminum recessed padlock handle



Bank of 1

Bank of 2

Bank of 3

Bank of 4



SLOPE TOP

Slope top prevents the collection of debris and is easier to maintain against the accumulation of dust



RECESSED BASE

Raises locker 4" off the floor



SINGLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
BASIC STYLE		
FJ151	1	45
FJ152	2	90
FJ153	3	135
FJ154	4	180
W/SLOPE TOP		
FJ176	1	47
FJ177	2	92
FJ178	3	137
FJ179	4	182
W/RECESSED BASE		
FJ224	1	47
FJ225	2	92
FJ226	3	137
FJ227	4	182
W/RECESSED BASE & SLOPE		
FJ200	1	49
FJ201	2	94
FJ202	3	139
FJ203	4	184
W/PERFORATED DOORS		
FJ478	1	45
FJ479	2	90
FJ480	3	135
FJ481	4	180

DOUBLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
BASIC STYLE		
FJ155	1	48
FJ156	2	94
FJ157	3	138
FJ158	4	183
W/SLOPE TOP		
FJ180	1	50
FJ181	2	96
FJ182	3	139
FJ183	4	184
W/RECESSED BASE		
FJ228	1	50
FJ229	2	96
FJ230	3	139
FJ231	4	184
W/RECESSED BASE & SLOPE		
FJ204	1	52
FJ205	2	98
FJ206	3	141
FJ207	4	186
W/PERFORATED DOORS		
FJ482	1	48
FJ483	2	94
FJ484	3	138
FJ485	4	183

TRIPLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
BASIC STYLE		
FJ159	1	50
FJ160	2	96
FJ161	3	140
FJ162	4	185
W/RECESSED BASE & SLOPE		
FJ208	1	54
FJ209	2	100
FJ210	3	143
FJ211	4	188
W/PERFORATED DOORS		
FJ486	1	50
FJ487	2	96
FJ488	3	140
FJ489	4	185

LOCKERETTES

Model No.	Bank of	Wt. lbs.
BASIC STYLE		
FJ171	1	50
FJ172	2	96
FJ173	3	140
FJ174	4	180
W/PERFORATED DOORS		
FJ490	1	50
FJ491	2	96
FJ492	3	140
FJ353	4	180

ACCESSORIES

Model No.	Description
FJ930	Cylinder Lock
FJ682	Number Plates
FJ685	Coat Rod

FREE STANDING BASE

- Ideal for making the underneath of your lockers accessible for cleaning

Model No.	For Bank of	Wt. lbs.
FJ931	1	5
FJ932	2	8
FJ933	3	12
FJ934	4	15


- Overall height of 6"
- Constructed of 14-gauge steel legs and 16-gauge steel frame
- Grey



SEE PAGE B220 FOR PADLOCKS
AND COMBINATION LOCKS

ALL-WELDED CONCORDE™ LOCKERS

- All-welded heavy-duty cold-rolled steel construction
- Dimensions: 12" W x 18" D x 72" H
- 16-gauge door gauge
- 20-gauge double wall door with ventilation
- 11-gauge hasp with easy padlock accessibility
- **Single tier lockers include:**
 - One hat shelf and three coat hangers
- **Double and triple lockers include**
 - two coat hooks per opening
- Coat hooks are rounded and polished to avoid damage to clothing
- Magnetic latch for secure door closing
- Contemporary style ventilated louvers at top and bottom of each door (12 holes of 1" x 1/4")
- High quality baked on enamel charcoal grey paint (light grey and beige also available)



Magnet in door strike ensures doors will remain closed

Full length handle

Incorporated ventilation on the doors

20-gauge double panelled door

14-gauge hinge

22-gauge galvanized steel bottom




Type	Bank of 1 Model No.	Wt. lbs.	Bank of 2 Model No.	Wt. lbs.	Bank of 3 Model No.	Wt. lbs.	Bank of 4 Model No.	Wt. lbs.
SINGLE LOCKERS								
Basic	FJ783	64	FJ784	119	FJ785	174	FJ786	229
DOUBLE LOCKERS								
Basic	FJ799	65	FJ800	121	FJ801	176	FJ802	231
TRIPLE LOCKERS								
Basic	FJ815	66	FJ816	122	FJ817	178	FJ818	233
LOCKERETTES								
Basic	FK872	64	FK873	119	FK874	174	FK883	229

Slope tops and recessed base options also available

PLASTIC LOCKERS

A NEW GENERATION OF LOCKERS



- These plastic lockers are maintenance-free
- Drain holes make them easy to clean, just hose them down with soap and water
- Durable plastic construction makes them perfect for wet environments: food processing plants, athletic facilities, etc.
- Optional clear door design allows for easy inspection locker contents

SPECIFICATIONS:

- Rust-proof
- No need for painting
- Easy Cleaning
- Maintenance-free
- Durable polyethylene construction
- Each unit is fully assembled
- Easy installation
- Space saving design

Model No.	Description	Dimensions W" x D"	Hook	Shelf	Top	Door Colour	Wt. lbs.
FH725	12"H Locker (Usually Stacked 6 units high)	12 x 15	No	No	Flat	Grey	6
FH726	12"H Locker (Usually Stacked 6 units high)	12 x 15	No	No	Flat	Clear	6
FH727	12"H Locker	12 x 15	No	No	Slope	Grey	8
FH728	12"H Locker	12 x 15	No	No	Slope	Clear	8
FC689	18"H Locker (Usually Stacked 4 units high)	15 x 15	No	No	Flat	Grey	10
FC691	18"H Locker	15 x 15	No	No	Slope	Grey	45
FC693	36"H Locker (Usually Stacked 2 units high)	12 x 15	Yes	No	Flat	Grey	16
FH729	36"H Locker	12 x 15	Yes	No	Slope	Grey	18
FC695	Full Size 60"H Locker	15 x 18	Yes	Yes	Slope	Grey	42

All dimensions and weight are nominal and may vary due to molding tolerances. Mounting hardware not included

16-DOOR ARCHETTES

- Ideal for confined spaces
- 16 lockable compartments
- Bar for hanging garments
- Compartment dimensions 12" W x 18" D x 12" H
- Overall dimensions: 72" W x 18" D x 72" H
- Padlock hasp
- Assembly required



Model No.	Description	Colour	Wt. lbs.
FJ175	Pop Rivet Assembled	Light Grey	165
FL359	All-Welded	Light Grey	180
FL360	All-Welded	Charcoal	180

WALL HUNG LOCKERS

- All-in-one storage for clothing and personal effects
- Four compartments measuring 12" W x 18" D x 12" H
- Baked enamel grey finish



Model No.	Description	Colour
FJ919	Pop Rivet Assembled	Light Grey
FL357	All-Welded	Light Grey
FL358	All-Welded	Charcoal

LOCKER ROOM BENCHES

- Necessary for any locker room
- 18 gauge all-welded steel
- Wood top benches feature black powder coated legs that can be used free-standing or bolted to the floor



Model No.	Type	Dimensions L" x W" x H"	Wt. lbs.
FB002	Steel	72 x 12 x 17	35
RL871	Wood	48 x 9 1/4 x 16 1/2	23
RL872	Wood	60 x 9 1/4 x 16 1/2	29
RL873	Wood	72 x 9 1/4 x 16 1/2	31
RL874	Wood	96 x 9 1/4 x 16 1/2	39

PEDESTAL WORKBENCHES

CUSTOMIZE YOUR OWN WORKBENCH . . . SIMPLY SELECT ANY TWO CABINETS LISTED AND ADD A TOP

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Reversible doors, can be opened on either left or right side (factory installed hinges on right side)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size
- 30" overall height with top
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Capacity: 100 lbs. per drawer evenly distributed
- Powder coat finish with grey Kleton shell and Kleton blue on doors and drawers

KLETON



FULL DOOR CABINETS

Model FH666

16 3/4" W x 21" D x 24" H
Internal Adjustable
Shelf included
Weight: 48 lbs.



2-DOOR CABINETS

Model FH667

(2) 16 3/4" W x 21" D x 12" H
Weight: 48 lbs.



2-DRAWER W/ONE DOOR CABINETS

Model FH668

(2) 15 3/8" W x 20" D x 5 5/8" H
(1) 16 3/4" W x 21" D x 12" H
Weight: 59 lbs.



2-DRAWER CABINETS

Model FI166

(2) 15 3/8" W x 20" D
x 11 5/8" H
Weight: 66 lbs.



3-DRAWER CABINETS

Model FI167

(2) 15 3/8" W x 20" D
x 5 5/8" H
(1) 15 3/8" W x 20" D
x 11 5/8" H
Weight: 78 lbs.



4-DRAWER CABINETS

Model FH669

(4) 15 3/8" W x 20" D
x 5 5/8" H
Weight: 68 lbs.



4-DRAWER W/ONE DOOR CABINETS

Model FH670

(4) 15 3/8" W x 20" D x 2 5/8" H
(1) 16 3/4" W x 21" D x 12" H
Weight: 63 lbs.



6-DRAWER CABINETS

Model FH671

(4) 15 3/8" W x 20" D x 2 5/8" H
(2) 15 3/8" W x 20" D x 5 5/8" H
Weight: 94 lbs.



OPTIONAL PEDESTAL BASES

Model FH672

4" High -
34" high with top
Weight: 5 lbs.

LEG AND PEDESTAL COMBINATIONS

- All-welded 14-gauge steel legs
- Knockout for standard two-outlet electrical plug
- Overall height of 34" with top
- Powder coated Kleton grey finish

Model No.	Description	Dimensions D" x H"	Wt. lbs.
ML264	Single Leg for Use w/24"D Top	22 x 32	14
ML265	Single Leg for Use w/30"D or 36" D Top	28 x 32	15
FH672*	Pedestal Base (Max 1)	4" H	5
FF920*	Bench Leg Gussets (Pkg. of 2)	-	3

*Pedestal base and bench leg gussets are required components when building all leg/pedestal combinations



WE TRY TO MAKE IT EASY . . .

LOOK AT OUR PRE-DESIGNED LAYOUT OPTIONS ON PAGES B63 TO B64.

Customize to your specifications. If you need specific sizes or requirements not available on this page... call your Kleton dealer with your specs today!

HOW TO ORDER

1. Choose the pedestal and leg combination desired
 2. Choose your desired top
- See our selection of workbench tops on page B62.

CREATE A WORKBENCH DESIGNED FOR YOUR APPLICATION

- Select from the components below to build the workbench to fit your needs
- All components required to make up your workbench are on this page
- Optional features for enhanced functionality are on the following page
- All steel components constructed of 14-gauge steel unless otherwise specified
- All mounting hardware included
- Capacities range from 1000 lbs. to 3000 lbs.
- All steel components are powder coated Kleton grey
- Shipped knocked down

A - LEGS


- Legs static or mobile
- Comes with knockout for standard two-outlet electrical plug
- Provides an overall height of 34" with top



B - TOPS

A variety of tops are available. 14-gauge steel wood filled, laminated wood, shop top and plastic laminate in a variety of sizes.

Our complete list of tops can be found on page B62.




C - UNIVERSAL STRINGERS

- Adds stability to the workbench
- Prevents legs from shifting
- Included in kits ML266 to ML269
- Weight: 11 lbs.

Model No. FF979 - for 48", 60" or 72" bench

Model No. FH925 - for 84" bench

Model No. FH926 - for 96" bench




Model No.	Description	Dimensions D" x H"	Wt. lbs.
ML266*	Pair of Legs for Use w/24" D Top, Includes Stringer FF979	22 x 32	38
ML268*	Pair of Legs for Use w/30" D or 36" D Top, Includes Stringer FF979	28 x 32	45
ML264	Single Leg for Use w/24" D Top	22 x 32	14
ML265	Single Leg for Use w/30" D or 36" D Top	28 x 32	15
ML267*	Mobile Kit for Use w/24" D Top (pair), Includes Stringer FF979	22 x 32	40
ML269*	Mobile Kit for Use w/30" D or 36" D Top (pair), Includes Stringer FF979	28 x 32	40
FG732	Leg Extensions to Make Height Adjustable from 34"-39" in 1" Increments (Set of 4)	-	8

*For 84" L and 96" L tops, see Universal Stringers

CUSTOMIZE YOUR WORKBENCH WITH ANY OF THE FOLLOWING OPTIONS

D - DRAWERS

- Add storage to any workbench
- All-welded heavy-gauge steel
- 100% full extension with ball bearing slide mechanism
- Equipped with locks and two keys
- All locks keyed alike by drawer model
- Custom key options available
- Capacity: 100 lbs. per drawer evenly distributed
- Aluminum extrusion handles with grey end caps
- Overall Dimensions: 18" W x 21" D x 9" H



SINGLE DRAWER UNITS

Model No. FH673

(1) 15 3/8" W x 20" D x 5 5/8" H



DOUBLE DRAWER UNITS

Model No. FH674

(2) 15 3/8" W x 20" D x 2 3/4" H

E - BENCH RISER SHELVES

- Increase storage space
- Ideal for getting tools and other equipment off work surfaces
- 9" D x 12" H • One per workbench

Model No.	Overall Width"	Wt. lbs.
FF956	48	19
FF957	60	24
FF958	72	29
FI319	84	35
FI320	96	42

G - BACK STOPS

- Add a 3" edge to the back of any workbench
- One per bench top

Model No.	Overall Width"	Wt. lbs.
FF704	48	8
FF705	60	10
FF708	72	12
FI317	84	14
FI318	96	16

F - LOWER SHELVES

- Add extra storage to any workbench
- One or two 9" deep shelves can be used per workbench

Model No.	Overall Width"	Wt. lbs.
FF934	44 (For Use with 48" Top)	14
FF935	56 (For Use with 60" Top)	16
FF936	68 (For Use with 72" Top)	18
RL866	80 (For Use with 84" Top)	21
RL867	92 (For Use with 96" Top)	24

H - END STOPS

- Add 3" sides to any workbench
- One per side desired to enclose

Model No.	Overall Depth"	Wt. lbs.
FF792	24	4
FF793	30	5
FF794	36	6



WE TRY TO MAKE IT EASY...

LOOK AT OUR PRE-DESIGNED LAYOUT OPTIONS ON PAGES B63 TO B64.

Customize to your specifications. If you need specific sizes or requirements not available on this page... call your Kleton dealer with your specs today!

CUSTOM WORKBENCHES

SELECT ONE OF THESE SIX TOPS TO CUSTOMIZE YOUR WORKBENCH.

LAMINATED HARDWOOD TOPS - SQUARE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.	Model No.	Dimensions D" x W"	Wt. lbs.
FD015	24 x 48	56	FD025	36 x 48	84
FD016	24 x 60	70	FD026	36 x 60	105
FD017	24 x 72	84	FD027	36 x 72	126
FG969	24 x 84	98	FD028	36 x 84	147
FG970	24 x 96	112	FD029	36 x 96	168
FG972	24 x 120	140	FD023	36 x 120	210
FD019	30 x 48	70	FG976	48 x 48	112
FD020	30 x 60	88	FG977	48 x 60	140
FD021	30 x 72	105	FG978	48 x 72	168
FD022	30 x 84	123	FG979	48 x 84	196
FG973	30 x 96	140	FG980	48 x 96	224
FD018	30 x 120	175	FG982	48 x 120	280

Tops over 36" in depth are shipped in two pieces, hardware is included

LAMINATED HARDWOOD TOPS - BULLNOSE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"




Model No.	Dimensions D" x W"	Wt. lbs.	Model No.	Dimensions D" x W"	Wt. lbs.
FI522	24 x 48	56	FH751	36 x 48	84
FI523	24 x 60	70	FI532	36 x 60	105
FI524	24 x 72	84	FI533	36 x 72	126
FH742	24 x 84	98	FH754	36 x 84	147
FI525	24 x 96	112	FI534	36 x 96	168
FI526	24 x 120	140	FH756	36 x 120	210
FI527	30 x 48	70	FH757	48 x 48	112
FI528	30 x 60	88	FH758	48 x 60	140
FI529	30 x 72	105	FH759	48 x 72	168
FI530	30 x 84	123	FH760	48 x 84	196
FI531	30 x 96	140	FH761	48 x 96	224
FH750	30 x 120	175	FH762	48 x 120	280

Tops over 36" in depth are shipped in two pieces, hardware is included

SHOP TOPS


- Great top for medium-duty applications
- 1/2" double sealed resin boards laminated over 3/4" MDF core
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.
FD001	24 x 48	60
FD002	24 x 60	75
FH764	30 x 48	75
FD004	30 x 60	94
FD005	30 x 72	113
FH765	30 x 84	131
FH766	30 x 96	150
FH767	36 x 48	90
FD006	36 x 60	113
FD007	36 x 72	135
FH768	36 x 84	158
FH769	36 x 96	180

STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"
- Powder coated Kleton grey



Model No.	Dimensions D" x W"	Wt. lbs.
FD030	24 x 48	59
FD031	24 x 60	74
FH871	30 x 48	74
FD033	30 x 60	92
FD034	30 x 72	110
FH872	30 x 84	129
FH873	30 x 96	147
FH874	36 x 48	89
FD035	36 x 60	110
FD036	36 x 72	132
FH875	36 x 84	154
FH876	36 x 96	176

PLASTIC LAMINATE TOPS


- Light-duty top with smooth white plastic laminate face covering 45-lb. density particle board
- Overall thickness: 1 5/8"
- White



Model No.	Dimensions D" x W"	Wt. lbs.
FD008	24 x 48	65
FD009	24 x 60	72
FH771	30 x 48	72
FD011	30 x 60	90
FD012	30 x 72	108
FH772	30 x 84	126
FH773	30 x 96	144
FH774	36 x 48	86
FD013	36 x 60	108
FD014	36 x 72	130
FH776	36 x 84	151
FH777	36 x 96	173

304 STAINLESS STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge stainless steel with a number 4 finish and formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.
FI268	24 x 48	59
FI269	24 x 60	74
FI270	30 x 48	74
FI271	30 x 60	92
FI272	30 x 72	110
FI273	30 x 84	129
FI274	30 x 96	147
FI275	36 x 48	89
FI276	36 x 60	110
FI277	36 x 72	132
FI278	36 x 84	154
FI279	36 x 96	176

STAINLESS STEEL TOP WORKBENCHES

- Top constructed of 14-gauge stainless steel with a number 4 finish and formed edges
- Top reinforced with wood core for sound reduction and added strength
- 1 3/4" overall thickness
- Overall dimensions: 72" W x 30" D x 34" H
- Legs and stringers are constructed from 14-gauge steel powder coated Kleton grey finish
- Capacity: 2500 lbs. evenly distributed

Model No. FI296



KLETON

WORKBENCHES



SELECT FROM ONE OF OUR PRE-DESIGNED LAYOUT OPTIONS.
34" OVERALL HEIGHT, CAPACITY 2500 LBS. EVENLY DISTRIBUTED.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FF672 164 lbs.	FF671 156 lbs.	FF670 166 lbs.	FF669 146 lbs.	FF667 110 lbs.
LAMINATED WOOD				
FF658 171 lbs.	FF657 149 lbs.	FF656 150 lbs.	FF655 130 lbs.	FF653 106 lbs.
SHOP TOP				
FF679 171 lbs.	FH877 157 lbs.	FF677 150 lbs.	FF676 133 lbs.	FH878 111 lbs.
PLASTIC LAMINATE				
FF665 171 lbs.	FH879 152 lbs.	FF663 150 lbs.	FF662 133 lbs.	FH880 108 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FF707 201 lbs.	FF706 188 lbs.	FF703 203 lbs.	FF702 178 lbs.	FF700 142 lbs.
LAMINATED WOOD				
FF691 208 lbs.	FF690 181 lbs.	FF689 187 lbs.	FF688 162 lbs.	FF686 138 lbs.
SHOP TOP				
FF715 208 lbs.	FH881 189 lbs.	FF713 187 lbs.	FF712 165 lbs.	FH882 143 lbs.
PLASTIC LAMINATE				
FF698 208 lbs.	FH883 184 lbs.	FF696 187 lbs.	FF695 165 lbs.	FH884 140 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG293 228 lbs.	FG292 215 lbs.	FG291 230 lbs.	FG290 205 lbs.	FG289 169 lbs.
LAMINATED WOOD				
FG285 235 lbs.	FG284 208 lbs.	FG283 214 lbs.	FG282 189 lbs.	FG281 165 lbs.
SHOP TOP				
FG296 235 lbs.	FH885 216 lbs.	FG295 214 lbs.	FG294 192 lbs.	FH886 170 lbs.
PLASTIC LAMINATE				
FG288 235 lbs.	FH887 211 lbs.	FG287 214 lbs.	FG286 192 lbs.	FH888 167 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG109 209 lbs.	FG108 201 lbs.	FG107 211 lbs.	FG106 191 lbs.	FG104 161 lbs.
LAMINATED WOOD				
FG095 216 lbs.	FG094 194 lbs.	FG093 195 lbs.	FG092 175 lbs.	FG090 158 lbs.
SHOP TOP				
FG116 216 lbs.	FH889 202 lbs.	FG114 195 lbs.	FG113 178 lbs.	FH890 163 lbs.
PLASTIC LAMINATE				
FG102 216 lbs.	FH891 197 lbs.	FG100 195 lbs.	FG099 178 lbs.	FH892 161 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG277 208 lbs.	FG276 200 lbs.	FG275 210 lbs.	FG274 190 lbs.	FG273 160 lbs.
LAMINATED WOOD				
FG269 215 lbs.	FG268 193 lbs.	FG267 194 lbs.	FG266 174 lbs.	FG265 156 lbs.
SHOP TOP				
FG280 215 lbs.	FH893 201 lbs.	FG279 194 lbs.	FG278 177 lbs.	FH894 201 lbs.
PLASTIC LAMINATE				
FG272 215 lbs.	FH895 198 lbs.	FG271 194 lbs.	FG270 177 lbs.	FH896 158 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG640 213 lbs.	FG641 205 lbs.	FG642 215 lbs.	FG643 195 lbs.	FG644 165 lbs.
LAMINATED WOOD				
FG635 220 lbs.	FG636 198 lbs.	FG637 199 lbs.	FG638 179 lbs.	FG639 162 lbs.
SHOP TOP				
FG645 220 lbs.	FH897 205 lbs.	FG646 199 lbs.	FG647 182 lbs.	FH898 167 lbs.
PLASTIC LAMINATE				
FG648 220 lbs.	FH899 202 lbs.	FG649 199 lbs.	FG650 182 lbs.	FH900 164 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG245 263 lbs.	FG244 255 lbs.	FG243 265 lbs.	FG242 245 lbs.	FG241 246 lbs.
LAMINATED WOOD				
FG237 270 lbs.	FG236 248 lbs.	FG235 249 lbs.	FG234 229 lbs.	FG233 213 lbs.
SHOP TOP				
FG248 270 lbs.	FH905 256 lbs.	FG247 249 lbs.	FG246 232 lbs.	FH906 218 lbs.
PLASTIC LAMINATE				
FG240 270 lbs.	FH907 251 lbs.	FG239 249 lbs.	FG238 232 lbs.	FH908 215 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG137 304 lbs.	FG136 296 lbs.	FG135 306 lbs.	FG134 286 lbs.	FG132 257 lbs.
LAMINATED WOOD				
FG123 311 lbs.	FG122 289 lbs.	FG121 290 lbs.	FG120 270 lbs.	FG118 254 lbs.
SHOP TOP				
FG144 311 lbs.	FH901 297 lbs.	FG142 290 lbs.	FG141 273 lbs.	FH902 258 lbs.
PLASTIC LAMINATE				
FG130 311 lbs.	FH903 292 lbs.	FG128 290 lbs.	FG127 273 lbs.	FH904 256 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG229 261 lbs.	FG228 253 lbs.	FG227 263 lbs.	FG226 243 lbs.	FG225 214 lbs.
LAMINATED WOOD				
FG221 268 lbs.	FG220 246 lbs.	FG219 247 lbs.	FG218 227 lbs.	FG217 211 lbs.
SHOP TOP				
FG232 268 lbs.	FH917 254 lbs.	FG231 247 lbs.	FG230 230 lbs.	FH918 216 lbs.
PLASTIC LAMINATE				
FG224 267 lbs.	FH919 249 lbs.	FG223 247 lbs.	FG222 230 lbs.	FH920 213 lbs.

Continued on page B64

If you need specific sizes or requirements not available on this page ...
see pages B60 to B62 to customize your own workbench or
call your Kleaton dealer with your specs today!



WORKBENCHES



SELECT FROM ONE OF OUR PRE-DESIGNED LAYOUT OPTIONS.
34" OVERALL HEIGHT, CAPACITY 2500 LBS. EVENLY DISTRIBUTED.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG464	FG465	FG466	FG467	FG468
247 lbs.	239 lbs.	249 lbs.	229 lbs.	200 lbs.
LAMINATED WOOD				
FG459	FG460	FG461	FG462	FG463
254 lbs.	232 lbs.	233 lbs.	213 lbs.	197 lbs.
SHOP TOP				
FG469	FH913	FG470	FG471	FH914
	240 lbs.	233 lbs.	216 lbs.	202 lbs.
PLASTIC LAMINATE				
FG472	FH915	FG473	FG474	FH916
254 lbs.	235 lbs.	233 lbs.	216 lbs.	199 lbs.


36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG624	FG625	FG626	FG627	FG628
266 lbs.	258 lbs.	268 lbs.	248 lbs.	219 lbs.
LAMINATED WOOD				
FG619	FG620	FG621	FG622	FG623
273 lbs.	251 lbs.	252 lbs.	232 lbs.	216 lbs.
SHOP TOP				
FG629	FH909	FG630	FG631	FH910
271 lbs.	259 lbs.	252 lbs.	235 lbs.	221 lbs.
PLASTIC LAMINATE				
FG632	FH911	FG633	FG634	FH912
273 lbs.	254 lbs.	252 lbs.	235 lbs.	218 lbs.

36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
STEEL - WOOD FILL				
FG415	FG414	FG413	FG412	FG411
271 lbs.	263 lbs.	273 lbs.	253 lbs.	224 lbs.
LAMINATED WOOD				
FG420	FG419	FG418	FG417	FG416
278 lbs.	256 lbs.	257 lbs.	237 lbs.	221 lbs.
SHOP TOP				
FG423	FH921	FG422	FG421	FH922
278 lbs.	264 lbs.	257 lbs.	240 lbs.	226 lbs.
PLASTIC LAMINATE				
FG426	FH923	FG425	FG424	FH924
278 lbs.	259 lbs.	257 lbs.	240 lbs.	223 lbs.

EXTRA HEAVY-DUTY WORKBENCHES

ALL WELDED BENCHES

- Our most solid workbench available
- All-welded construction features a wood-filled 3/16" steel top with 11-gauge steel legs and stringers
- Mobile units come with 6" polyurethane casters, two swivel with brakes and two rigid
- Bolt-down footplates are standard
- Overall height: 34"
- Durable Kleton blue enamel finish



3500-lb. or
5000-lb. Capacity
All-Welded Bench

Model No.	Style	Dimensions			Cap. lbs.	Wt. lbs.
		W"	x	D"		
FF494	Static	72	x	30	5000	290
FF495	Static	72	x	36	5000	360
FH465	Mobile	72	x	30	3500	290
FH466	Mobile	72	x	36	3500	360

Other sizes available on request

HEAVY-DUTY MACHINE STANDS

- Designed for use as machinery stand or work table when full-sized workbench is not necessary
- All-welded construction, 14-gauge steel lip-down shelves, with bolt-down footplates on 3/16" x 1 1/2" angle leg
- 14" shelf clearance
- Overall height: 32"
- Durable Kleton blue enamel finish



1200-lb. Capacity
All-Welded

Model No.	Dimensions			Cap. lbs.	Wt. lbs.
	W"	x	D"		
FH268	30	x	18	1200	60
FH269	36	x	24	1200	70
FH270	48	x	24	1200	85



CUSTOMIZE IT TO YOUR SPECIFICATIONS.
SEE PAGE B71 FOR DETAILS.

OPEN PEDESTAL BENCHES

- Designed for workshop applications
- Feature 1 3/4" thick solid laminated hardwood top, mounted on all-welded pedestals with two shelves
- Pedestal dimensions: 18" W x 24" D x 32" H
- Overall height: 34"
- Durable Kleton blue finish



2500-lb. Capacity
Pedestal Bench

Model No.	Dimensions			Wt. lbs.
	W"	x	D"	
FF120	60	x	30	158
FF121	72	x	30	175
FF122	84	x	30	192
FF119	120	x	30	245

* 36" deep units and/or steel tops available upon request.

ECONOMY GRADE OPEN WORKBENCHES

- Meet any strength requirement for light manufacturing, assembly operations, maintenance service, etc.
- Heavy gauge adjustable legs from 29" to 34", front and back electrical knockouts, 12" wide lower shelf
- Choose between 1" presswood top or plastic top (1 1/2" grey laminated plastic surface) widely used in electronics, laboratories, and institutions
- Capacity: 200 lbs. per sq. ft.



Optional drawer FH271
can be added to all models

Model No.	Description	Dimensions			Wt. lbs.
		W"	x	D"	
FH213	1" Presswood Top	48	x	24	70
FH214	1" Presswood Top	60	x	24	76
FH215	1" Presswood Top	72	x	24	82
FH216	1" Presswood Top	60	x	30	83
FH217	1" Presswood Top	72	x	30	92
FF649	1 1/2" Plastic Top	48	x	24	77
FF650	1 1/2" Plastic Top	60	x	24	83
FF651	1 1/2" Plastic Top	72	x	30	122
FH271	Optional Drawer Only	18	x	12	12

BUILD YOUR OWN CABINET WORKBENCH



A - CABINET SHELL ONLY

- Made of heavy gauge all-welded 14-gauge steel

Model No.	Dimensions W" x D" x H"	Wt. lbs.
FH165	59 x 28 x 32	105

B - TOPS


- Our complete list of tops can be found on page B63.



Laminated Wood Top



Laminated Plastic Top




Shop Top



Blue Steel Wood-Filled

Material	60" W x 30" D	72" W x 30" D	60" W x 36" D	72" W x 36" D
Blue Steel Wood Filled	FH183	FH184	FH185	FH186
Laminated Wood	FD020	FD021	FD026	FD027
Laminated Plastic	FD011	FD012	FD013	FD014
Shop Top	FD004	FD005	FD006	FD007

- Versatile cabinet workbench suited for any industrial application that requires work surface and secure tool and parts storage
- Capacity: 1000 lbs. evenly distributed
- Durable Kleton blue enamel finish



C - SHELVES

- Made of 14-gauge steel
- Maximum two per cabinet
- Capacity: 300 lbs.

Model No.	Dimensions W" x D"	Wt. lbs.
FH164	58 3/4 x 27 3/4	15

D - DOORS

- Made of 18-gauge steel on rollers
- Recessed handles
- Includes:** Plunger lock and two keys

Model No.	Description	Wt. lbs.
FH163	Door Set, Lock Included	40

E - DRAWERS

- All-welded heavy gauge steel
- 100% full extension with ball bearing slide mechanism
- All locks keyed alike by drawer model
- Aluminum extrusion handles with grey end caps
- Capacity: 100 lbs. per drawer evenly distributed
- Includes:** Locks and two keys



Model No.	Drawer Dimensions W" x D" x H"	Wt. lbs.
FH938	15 3/8 x 20 x 5 5/8	30
FH939	15 3/8 x 20 x 2 3/4	35

ERGONOMIC WORKSTATIONS

- Highly functional and flexible system of above-work surface accessories and modular components
- Ergonomically designed, delivering easy accessibility with no stretch or strain
- Modular design allows for easy reconfiguration
- Workstation benefits include:
 - Greater productivity and efficiency
 - Reduced strain and increased ergonomic ease
 - Equipped to exactly suit your needs
 - Properly illuminated work areas
- Assembly required

TO PICK THE RIGHT FRAME FOR YOUR NEEDS YOU MUST DETERMINE THE FOLLOWING MEASUREMENTS:

Inside Useable Width (A): Is measured from the inside of one upright to the other.


Section Width (B): Is measured from the centre of one upright to the other.

Overall Width (C): Is measured from the outside of one foot plate to the other.

Then determine if you require a single frame or double frame unit.

SURFACE MOUNT FRAMES

- Frames are made from a heavy gauge steel and are notched front and back at 1" increments
- Foot Plate is 2 3/4" x 4"



Model No.	Height"	Inside Useable Width" (A)	Section Width" (B)	Overall Width" (C)	Min Work Surface Width" Required
SINGLE FRAME SECTION					
F1368	30	22 3/4	24	26 3/4	30
F1369	48	22 3/4	24	26 3/4	30
F1370	30	28 3/4	30	32 3/4	36
F1371	48	28 3/4	30	32 3/4	36
FH992	30	34 3/4	36	38 3/4	42
FH994	48	34 3/4	36	38 3/4	42
FH993	30	46 3/4	48	50 3/4	54
FH995	48	46 3/4	48	50 3/4	54
DOUBLE FRAME SECTION					
F1747	30	(2) 22 3/4	(2) 24	50 3/4	54
F1748	30	(1) 22 3/4, (1) 28 3/4	(1) 24, (1) 30	56 3/4	60
F1749	48	(2) 22 3/4	(2) 24	50 3/4	54
F1750	48	(1) 22 3/4, (1) 28 3/4	(1) 24, (1) 30	56 3/4	60

WORKBENCHES

ACCESSORIES FOR ERGONOMIC WORKSTATIONS

OVERHEAD CABINETS

- Protect, secure above-work-surface storage of large, bulky items



Model No.	Overall Dimensions				
	W"	x	D"	x	H"
FI364	24	x	15	x	16
FI365	30	x	15	x	16
FI366	36	x	15	x	16
FI367	48	x	15	x	16

PLASTIC BOX RAILS

- Easily adjustable for ergonomic access
- Can be mounted either parallel or a 15° angle to the workstation
- Suitable to use with bins that have a rear lip
- Plastic bins not included



Model No.	Overall Width"
FI030	24
FI031	30
FI032	36
FI033	48

STEEL LOUVERED BACK PANELS

- Designed to accommodate industry standard plastic bins that featured louvered edge or lip



Model No.	Overall Dim. W" x H"	Model No.	Overall Dim. W" x H"
FI034	24 x 18	FI038	24 x 30
FI035	30 x 18	FI039	30 x 30
FI036	36 x 18	FI040	36 x 30
FI037	48 x 18	FI041	48 x 30

STEEL PEGBOARD PANELS

- Accepts all standard pegging devices
- Holes are 1/4" in diameter



Model No.	Overall Dim. W" x H"	Model No.	Overall Dim. W" x H"
FI042	24 x 18	FI046	24 x 30
FI043	30 x 18	FI047	30 x 30
FI044	36 x 18	FI048	36 x 30
FI045	48 x 18	FI049	48 x 30

REVERSIBLE MARKERBOARDS/TACKBOARDS

- Two-sided reversible board
- Features white magnetic marker board on one side and grey fabric panel on the other



Model No.	Overall Dimensions W" x H"
FI050	24 x 30
FI051	30 x 30
FI052	36 x 30
FI053	48 x 30

OVERHEAD LIGHT FIXTURES

- Tilts up or down 10°
- Kit includes a switch, 8' grounded electrical cord, support track, standard acrylic diffuser and T8 bulbs
- Support brackets not included



Model No.	Use with Frame Overall Width"
FI019	48
FI020	60

Model No.	Support Brackets for Worktops
FI327	Less than 30" Deep
FI328	Greater or Equal to 30" Deep

HORIZONTAL POWER BOARDS


- 15 Amps with six plugs
- Pivots on axis providing full horizontal adjustability



Model No.	Overall Width"
FI022	24
FI023	30
FI024	36
FI025	48

ADJUSTABLE SHELVES

- Adjustable, heavy gauge steel shelves can be mounted parallel to the work surface or at a 15° angle for easy ergonomic access
- 100-lb. capacity evenly distributed



Model No.	Overall Dimensions W" x D"
FI001	24 x 12
FI002	30 x 12
FI003	36 x 12
FI004	48 x 12
FI005	24 x 15
FI006	30 x 15
FI007	36 x 15
FI008	48 x 15
FI009	24 x 18
FI010	30 x 18
FI011	36 x 18
FI012	48 x 18

SHELF DIVIDERS

- Steel dividers fit over the edge of the shelf when it is mounted parallel to the work surface



Model No.	Overall Dimensions D" x H"
FI013	12 x 4
FI014	12 x 6
FI015	12 x 8
FI016	15 x 4
FI017	15 x 6
FI018	15 x 8

VERTICAL POWER BOARDS

- 15 Amps with six outlets
- Mounts vertically to front and back of upright
- Features a lighted on/off switch, 6' cord with grounded plug and circuit breaker
- Bracket and hardware included

Model No. FI021




WORKBENCHES & WORKSTATIONS

TOOLS BALANCERS

- Designed to enhance productivity, comfort and safety
- Protect tools from being damaged
- Aircraft (steel/nylon) cable and a standard 360° swivel hanger
- No force required to maintain load, light force to position load
- Installed easily in minutes
- Recommended that a secondary support chain/cable be attached to equipment suspended overhead

Model No.	Mfg. No.	Locking Model No.	Mfg. No.	Capacity lbs.	Cable Travel ft'	Duty
FA124	GM-31	-	-	1 - 12	4.8	Light
FA125	RB2	-	-	1 - 2	5.2	Light
FA126	RB4	-	-	2 - 4	5.2	Light
FA127	RF6	FA128	RFL6	4 - 6	6.6	Light
FA129	RF8	FA130	RFL8	6 - 8	6.6	Light
FA131	BF9	FA132	BFL9	6 - 9	6.6	Light
FA133	BF13	FA134	BFL13	9 - 13	6.6	Light
FA135	BF18	FA136	BFL18	13 - 18	6.6	Light



MAXI-BENCH WORKSTATIONS




- Bring your workstation to your work
- Features a sturdy 30" x 60" wood filled steel top and heavy duty all-welded 14-gauge steel frame mounted on 5" nylon non-marking casters, two rigid, two swivel (with brakes)
- Standard features: 42" high peg board panel, double drawers, swivel-out stool, lower shelf; end stops
- FF068 (shown) and FF071 include fluorescent lamp, 25' incandescent drop light, 4-outlet power bar
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish
- Shipped assembled



Model No.	Description	Overall Height"	Wt. lbs.
FF068	Mobile, Complete	76	435
FF069	Mobile, No Electrical	76	415
FF071	Static, Complete	70	425
FF072	Static, No Electrical	70	405

72" LOUVERED BENCH RACKS



- All-welded louvered bench rack designed to be permanently installed on a 72" wide workbench
- Provides tool and storage for assembly or repair operations when combined with plastic parts bins
- 72" W x 15" D x 40" H
- Constructed of 1 1/4" square tube frame
- Durable Kleton blue enamel finish



Model No.	Description
CB364	Bench Rack Only

RACK/BIN COMBINATIONS

Red	Model No. Blue	Yellow	Bin Qty	Overall Bin Dimensions W" x D" x H"
CB173	CB172	CB174	144	4 1/8 x 7 3/8 x 3
CB176	CB175	CB177	72	5 1/2 x 10 7/8 x 5
CB185	CB184	CB186	36	8 1/4 x 14 3/8 x 7

SINGLE PEDESTAL BENCHES

- Heavy gauge steel cabinet with 1" round tube frame
- Top tray lined with a rubber mat
- Full extension drawers with a capacity of 100 lbs. per drawer
- Four 4" non-marking casters with brakes for smooth, easy rolling
- Overall dimensions 20" W x 21" D x 37" H
- Capacity: 800 lbs. evenly distributed
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers
- Comes complete with locks and two keys



Model No.	Description	Wt. lbs.
FF984	4-Drawer Cabinet	120
MH801	Single Door Cabinet	75



SERVICE BENCHES & CABINETS

MOBILE CABINET BENCHES

- Ideal for maintenance, repair and assembly departments
- Mount one, two or three cabinets from six choices of cabinets
- Heavy-duty 11-gauge steel base, 1 1/4" thick laminated hardwood top and a push handle
- Four 5" non-marking casters: two rigids and two swivels with brake
- Doors are reversible, can be opened either left or right side (factory installed hinges on right)
- All locks keyed alike by pedestal model
- Capacity: 1200 lbs. evenly distributed
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers
- Shipped knocked down



FH666



FH667



FH668



FH669



FH670



FH671



FI166



FI167

CONFIGURE YOUR OWN UNIT BY CHOOSING:

1. The pedestal style(s) that suits your needs (to a maximum of three pedestal(s))
2. Add to that the assembly kit, whether it be single, double or triple.
Assembly kit includes casters, base, handles and 1 1/4" laminated hardwood top.



Assembly Kit

1 - PEDESTAL STYLES - COMPLETE WITH LOCK AND TWO KEYS

Model No.	Description	Wt. lbs.
FH666	One Door	51
FH667	Two Half Doors	52
FH668	Two Large Drawers and One Half Door	75
FH669	Four Large Drawers	97
FH670	Four Small Drawers and One Half Door	84
FH671	Four Small Drawers and Two Large Drawers	98
FI166	Two Large Drawers	66
FI167	One Large Drawer and Two Small Drawers	78

2 - ASSEMBLY KITS

Model No.	Description	Wt. lbs.
FH407	Single	35
FH408	Double	65
FH409	Triple	95



FF993



FF994

MOBILE TOOL BOX BENCHES

- A versatile unit combining tool/storage area with a work surface
- All-welded construction, heavy-duty 11-gauge steel top and base
- Four 5" non-marking casters: two rigids and two swivels with brake
- Overall dimensions: 60" W x 22" D x 37" H
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

3-DRAWER CABINETS WITH FLIP TOP PANEL COMPARTMENT

One 22 1/8" W x 16 3/4" D x 2" H drawer

One 22 1/8" W x 16 3/4" D x 4" H drawer

One 26 1/2" W x 18" D x 12 3/8" H flip top compartment

5-DRAWER CABINETS

One 22 1/8" W x 16 3/4" D x 2" H drawer

Two 22 1/8" W x 16 3/4" D x 4" H drawers

Two 22 1/8" W x 16 3/4" D x 6 1/8" H drawers

Model No.	Description	Wt. lbs.
FF993	Five Drawers/Three Drawers	285
FF994	Three Drawers and Side Shelves	220
FF995	Five Drawers and Side Shelves	235



FF995



TOOL CARTS & MOBILE BENCHES

ALL WELDED INDUSTRIAL DUTY MOBILE SERVICE BENCHES

- Designed for moving heavy parts and tools to the job site
- 16-gauge all-welded steel construction
- Four 5" non-marking casters: two rigids and two swivels with brake
- Provides a strong maintenance-free surface to work on
- Laminated hardwood top
- Overall dimensions: 42" W x 24" D x 37" H
- Capacity: 1200 lbs. evenly distributed
- Shell durable Kleton blue enamel finish
- Cabinets are powder coated grey and Kleton blue
- Locks included
- Shipped assembled



KLETON

Model No.	Description	Wt. lbs.
ML325	Two Doors	235
ML326	One Drawer/One Door	190
ML327	Four Drawers/One Door	275
ML328	Eight Drawers	300

Note: Choose any combination of cabinets on page B60 to create your customized mobile service bench.



TOOL TOTER CARTS

For safe convenient storage of tools and equipment. An excellent addition to any tool centre

- Don't waste time looking for your tools and jigs
- Each drawer is 15 1/4" W x 23 3/4" D x 4 3/4" H with padlocking hasp
- Carrier is 18" W x 24" D x 34 1/2" H with 3" hard rubber swivel casters
- Drawer capacity: 50 lbs.
- Shipped knocked down



Model No.	Description	Wt. lbs.
FH210	Two Drawers	55
FH211	Four Drawers	85
FH212	Two Drawers and Cabinet	93

FH210



FH211



FH212



CABINET TABLES

- Sturdy combination storage cabinets and work tables provide safe locked-in storage
- Ideal for mounting vises, grinders or small power tools
- Heavy gauge steel
- Cylinder lock built into handle on door for added security
- Grey baked enamel finish

1-SHELF CABINETS

- 24" W x 24" D work area with 2" lip
- Unit is 34" H
- One full size centre shelf adjustable on 1 3/4" centres
- 12 cu. ft. of storage space
- Capacity: 250 lbs. per shelf, evenly distributed
- Weight: 80 lbs.
- Shipped knocked down

Model No. FF075

LOCKING CABINET TABLES

- 36" W x 24" D table top offers a large work area
- Unit is 34" H
- 2" deep lip prevents supplies from falling off
- Comes with one full-size centre shelf adjustable on 1 1/2" centres
- 18 cu.ft. of storage space
- Capacity: 250 lbs. per shelf, evenly distributed
- Weight: 110 lbs.
- Shipped knocked down

Model No. FF076



FF075



FF076

3-SHELF CABINETS

- 21" W x 15 1/2" D work surface can be mounted to form a 2" deep tray, or reversed to provide a rimless work area
- Unit is 34" H
- Three adjustable shelves
- 6.2 cu ft of storage space
- Capacity: 125 lbs. per shelf, evenly distributed; 500 lbs. per cabinet
- Weight: 46 lbs.
- Shipped knocked down

Model No. FF078



FF078

SHOP DESKS & CABINETS

WALL-MOUNTED SHOP DESK



- Durable carbon steel construction
- Ideal for areas with limited floor space
- Four compartment organizer and slightly sloped writing surface
- Easy to assemble, wall brackets included
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 19" H
- Weight: 74 lbs.
- Grey enamel finish
- Shipped knocked down

Model No. FI518



CABINET STYLE SHOP DESK



- Durable carbon steel construction
- Same features as the open floor style shop desk, with an added double door locking cabinet
- Two compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 146 lbs.
- Grey enamel finish

Model No. FI520



OPEN FLOOR STYLE SHOP DESK



- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Two compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 93 lbs.
- Grey enamel finish
- Shipped knocked down

Model No. FI519

OPTIONAL CASTER KIT

Model No. FI521



DELUXE SHOP DESKS



- All-purpose desk for warehouses, shops, shipping and receiving departments
- Comes with one tray lockable drawer, two double-deep file drawers, one all purpose drawer, desk top sorter and lower shelf
- Overall dimensions: 39" W x 28 3/4" D x 55 1/2" H
- Capacity: 275 lbs.
- Weight: 179 lbs.
- Grey baked enamel finish
- Shipped knocked down

Model No. FH459



OPEN STYLE SERVICE WRITERS



- This unit provides a locking upper door cabinet with one shelf for added storage space
- 25 3/8" W x 16 1/2" D x 3 1/4" H locking drawer on smooth slides
- Overall dimensions: 31 1/2" W x 21" D x 72 1/2" H
- Capacity: 200 lbs.
- Weight: 127 lbs.
- Tan baked enamel finish
- Shipped knocked down

Model No. FH386



CLOSED STYLE SERVICE WRITERS



- Same features as FH386 plus a locking lower door compartment with one shelf for storage of large/bulky items
- Overall dimensions: 31 1/2" W x 21" D x 72 1/2" H
- Capacity: 200 lbs.
- Weight: 171 lbs.
- Tan baked enamel finish
- Shipped knocked down

Model No. FH385



BUILT

100% Canadian Owned

KLETON

TOUGH



TYP. 2 PLACES

3/16"

3/16"

TYP. 2 PLACES

150"

3/16"

TYP. 2 PLACES

KLETON builds quality and dependability into all of their products. The same is true for products specially built to meet your specifications. Look throughout the catalogue for the KLETON Custom Symbol indicating which products can be customized to meet your specific needs.









PLASTIC TOOL BOXES

- ABS plastic latches
- Heavy-duty polypropylene fabrication
- Removable inner trays
- Deep storage compartments
- Padlock eye for safe storage

aurora tools®



TLV083



TLV082



TLV084

Model No.	Dimensions					Features
	W"	x	D"	x	H"	
TLV082	15	x	7	x	5 1/2	1 Removable Inner Tray
TLV083	17 1/2	x	9 1/2	x	8	1 Removable Inner Trays
TLV084	17 1/2	x	9 1/2	x	8	1 Removable Inner Trays, 2 Parts Boxes, 1 Organizer
TLV085	22	x	11	x	10 1/2	1 Removable Inner Tray, 3 Organizers
TLV086	22	x	11	x	14 1/2	1 Removable Inner Tray, 3 Organizers, 2 Drawers
TLZ117	5 1/2	x	5 1/2	x	1 1/2	Parts Box

UTILITY BOXES

- Heavy gauge steel construction
- Fully welded seams provide maximum strength
- Side handles facilitates transportation
- Diamond plate finish
- Black powder coat finish

aurora tools®



TEP498

Model No.	Dimensions					Wt. lbs.
	W"	x	D"	x	H"	
TEP498	31	x	13 1/2	x	10	15
TEP499	45	x	15	x	15	35

4-POCKET MULTI-PURPOSE TOOL HOLDERS

- Versatile three-way attachment
- Securely holds small tools or accessories

Model No. WI957



TOOL/UTILITY HOLDERS

UTILITY KNIFE HOLDERS

- Made of polyester fabric
- Designed for utility and "lock-back"-style knives, pliers and snips
- Sleeves for pens, markers, carpenter's pencils, with integral measuring tape clip
- Easily snaps on to belts up to 2" wide

Model No. TEP509



UTILITY POUCHES

Made of full grain leather. Holds knife, pencil, felt marker, and other miscellaneous tools. Excellent for warehousing and utility use.

Model No. TP214



UTILITY KNIFE & PLIER HOLDERS

Made of heavy top grain leather. All-ribose construction with belt slots. Fits most standard utility style trim knives and most pliers.

Model No. TN244

UTILITY KNIFE, PEN/PENCIL HOLDERS

Made of full grain leather. Comes with quick release snap belt loop.


Model No. TBN197

TOOL STORAGE

ATB100 PORTABLE TOOL BOXES

- Durable steel construction
- Heavy-plated latches
- Inner trays in regular hand boxes
- High gloss powder coat paint finish

aurora tools®



TEP337




TEP338



TEP336



TEP339



TEP340

Model No.	Description	Overall Dimensions					Wt. lbs.
		W"	x	D"	x	H"	
TEP516	16" Tool Box w/Metal Tool Tray	16	x	6	x	6.5	10
TEP336	21" Tool Box w/Metal Tool Tray	21	x	8 3/4	x	9	12
TEP337	26" Tool Box w/Metal Tool Tray	26	x	8 3/4	x	9	15
TEP338	20" Hip Roof Box w/Metal Tool Tray	20	x	7	x	8	8
TEP339	21" Cantilever Tool Box	21	x	8 3/4	x	12	16
TEP340	21" 3-Drawer Chest	21	x	8 3/4	x	12	20



TEP516

ATB200

- Double wall construction
- Full extension drawers with smooth action compound drawer slides
- Sturdy 5" x 2" casters
- Heavy-duty 14-gauge caster rails
- 75-lb. load rated drawers
- High gloss powder coat scratch resistant red paint



TEP328



TEP331



TEP333

Model No.	No. of drawers	Dimensions				Capacity lbs.	Wt. lbs.
		W"	x	D"	x	H"	
CHESTS							
TEP328	6	26	x	12	x	14 1/2	54
TEP329	12	26	x	18	x	20 1/2	59
TEP330	10	26	x	18	x	20 1/2	85
TOOL CARTS							
TEP493	3	27	x	18 3/4	x	35 5/8	89
TEP331	5	27	x	18 3/4	x	35 5/8	93
TEP332	11	27	x	18 3/4	x	42 3/8	135

aurora tools® **7 YEAR** Limited Warranty

ACCESSORIES

Model No.	Description	L"	x	W"	x	H"	Wt. lbs.
TEP333	1-Shelf Side Cabinet	15	x	18 3/4	x	30 1/2	57
TEP334	7-Drawer Side Cabinet	15	x	18 3/4	x	30 1/2	73
TEP335	8-Drawer Side Cabinet	15	x	18 3/4	x	37	89

ATB300

- Double wall steel construction
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Heavy-duty 5" x 1 1/4" casters on **TEP313** and **TEP315**
- Heavy-duty 5" x 2" casters on **TEP317** and **TEP319**
- Gas struts on lid of **TEP316** and **TEP318** for ease of opening and closing
- Non-slip drawer liners
- High gloss powder coat scratch resistant black paint



TEP312



TEP314



TEP315

TEP495

Model No.	No. of Drawers	Dimensions				Drawer Capacity lbs.	Capacity lbs.	Wt. lbs.
		W"	x	D"	x	H"		
CHESTS								
TEP312	4	26	x	12	x	14 1/2	75	41
TEP314	6	26	x	18	x	19	75	75
TEP316	10	41	x	18	x	19	120	119
TEP318	6	56	x	24	x	19	120	163
TOOL CARTS								
TEP313	5	27	x	18	x	31	100	85
TEP315	7	27	x	18	x	35 5/8	100	102
TEP317	11	42	x	18	x	40	120	175
TEP319	10	56	x	24	x	39 1/2	120	320

ACCESSORIES

Model No.	Description	W"	x	D"	x	H"	Wt. lbs.
TEP495	1-Shelf Side Cabinet	14	x	18	x	33 1/2	43
TEP496	2-Shelf Side Cabinet	15 1/2	x	18 1/4	x	52	80
TEP497	2-Shelf Side Cabinet	15	x	24	x	51	66

ATB400

- Heavy-duty double wall steel construction
- Quadra level ball bearing slides on all drawers
- Heavy-duty reinforced bottom support rails
- Heavy-duty casters 5" x 2" with double layer ball bearings
- Full extension slides for easy reach inside
- Integrated latch security drawer system prevents drawers from accidentally opening
- Heavy-duty gas struts on top lid
- High-gloss powder coat scratch-resistant blue paint
- Includes non-slip drawer liners



TEP322



TEP323

aurora tools®

Model No.	No of Drawers	Dimensions				Drawer Capacity Lbs.	Unit Capacity Lbs.	Wt. lbs.	
		W"	x	D"	x	H"			
CHESTS									
TEP320	4	26 7/8	x	18 1/4	x	18 1/4	100	500	74
TEP322	5	26 7/8	x	18 1/4	x	17	100	600	84
TEP324	6	41 1/2	x	18 1/4	x	20	100	700	118
TEP326	9	53 1/2	x	18 1/4	x	22 1/4	100	1000	173
TOOL CARTS									
TEP321	5	28 7/8	x	18 7/8	x	31 3/8	100	600	111
TEP323	7	28 7/8	x	18 7/8	x	36 5/8	100	800	135
TEP325	14	43 3/8	x	18 7/8	x	37 3/4	120	1600	221
TEP327	13	55 7/16	x	18 7/8	x	37 1/2	120	2400	264

WATERLOO SERIES

- Ball-bearing slides provide 50-lb. drawer load rating
- Standard 4 1/2" x 1 1/2" casters provide 700-lb. unit load rating
- Keyed locks with internal lock bars
- 41" cabinet includes MDF work surface and full-width top drawer for long-tool storage



TEP411



Model No.	Mfg No.	No. of Drawers	Dimensions			
W"	x	D"	x	H"		
CHESTS						
TEP411	WCH-266RD	6	26	x	12	x 15 1/2
TEP415	WCH-265RD	5	26	x	16	x 20
TEP439	WCH-418RD	8	41	x	16	x 20
INTERMEDIATE CHESTS						
TEP435	WIN-262RD	2	26	x	16	x 10 1/4
CABINETS						
TEP419	WCA-265RD	5	26	x	18	x 32
TEP427	WCA-266RD	6	26	x	18	x 41
TEP443	WCA-4111RD	11	41	x	18	x 37 1/2

UTILITY CARTS

- Heavy-duty steel construction
- Full extension ball bearing slides on all drawers
- High quality 4" swivel casters
- Drawer capacity: 100 lbs.
- Unit capacity: 550 lbs.
- High gloss powder coat scratch resistant black paint



TEP502



TEP483

aurora tools®

Model No.	No. of Drawers	Dimensions				Wt. lbs.
W"	x	D"	x	H"		
TEP502	2	46	x	16 1/2	x 36	105
TEP483	4	33	x	18	x 39	100

WATERLOO SHOP SERIES

- Full-width drawer pulls allows drawer access from all angles
- Friction slides provide 25-lb. drawer load rating
- Sturdy 4" casters for easy mobility provide 500-lb. unit load rating (Tool Center has 3" casters)
- External lock bar with keyed lock
- Top chests include inset handles



TEP457

Model No.	Mfg No.	No. of Drawers	Dimensions			
W"	x	D"	x	H"		
CHESTS						
TEP457	SCH-264RD-F	4	26	x	12	x 15 1/2
TEP458	SCH-267RD-F	7	26	x	12	x 17 1/2
INTERMEDIATE CHESTS						
TEP460	SIN-263RD-F	3	26	x	12	x 11 1/2
CABINETS						
TEP459	SCA-26514RD-F	5	26	x	14	x 32
TEP461	SCA-265RD-F	5	26	x	18	x 32

TOOL STORAGE

JOBOX HAS:

EZ-LOADER® SKID BOLSTERS

- Fork lift from any side
- Easily load or unload heavy, fully loaded boxes from any sides
- One piece 7-gauge steel skid bolster reinforces the bottom of the box
- With holes for optional casters

TEXTURED POWDER PAINT FINISH

- Improved durability over liquid paint
- 10 times more corrosion resistance
- 5 times more abrasion resistance
- 2 times more chip resistance
- 2 times more scratch resistance

SITE-VAULT™ SECURITY SYSTEM

- 3-locking point system
- Cover plates protect the 3-lock hooks from being bent, broken, cut or pulled out
- Full length, high strength 12-gauge lock console protects the system and reinforces the front of the lid or door
- Exclusive: fluorescent reflective orange tape indicates when the JOBOX is unlocked

JOBSITE CHESTS

- Site-Vault™ security system
- Ez-Loader® skid bolsters
- Grip-Rite™ recessed lifting channel
- Staked and welded hinge: 14-gauge steel, 3/8 continuous hinges with 1/4" steel pin and extra-large 1" knuckles
- Heavily reinforced lid and body



SLOPE LID CHESTS

- All the characteristics of a regular Jobsite Chest plus:
 - Propped lid allows for a flat working surface
 - Full length reinforced channel
 - Lift-N-Stow hinged shelf to store bulky items in the bottom
- 60" W x 30" D x 39 1/2" H
- Usable cu. ft.: 32.7
- Weight: 243 lbs.



JOBOX

Model No.	Dimensions					Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x	H"		
TEP092	36	x	20	x	23 3/4	8.3	98
TEP136	42	x	20	x	23 3/4	9.3	118
TEP137	48	x	24	x	27 3/4	15.4	148
TEP156	60	x	24	x	27 3/4	19.3	182
TEP157	48	x	30	x	33 3/8	24.3	190
TEP158	72	x	24	x	27 3/4	23.2	220

SMALL CHESTS & WELDER'S BOXES

- Compact and portable for flexible, secure storage
- A heavily-reinforced 16-gauge steel construction
- **TEP175** offers a heavily-reinforced lid able to resist pry bar entry, a recessed grip channel for opening lid, a bolt cutter proof locking system with a padlock (not included, **SR890**) protecting the lock from bolt cutters and pry bars and tall, strong bottom bolsters
- Staked and welded steel hinges
- **TEP348** is a welder's box that offers a notched upper side for storing tools connected to supply hoses

JOBOX



TEP175



TEP348

Model No.	Description	Dimensions					Usable Cu. Ft.	Wt. lbs.
		W"	x	D"	x	H"		
TEP175	Small Chest w/Embedded Lock	31	x	18	x	15 1/2	4	5.7
TEP349	Small Chest w/Hasp Lock	30	x	16	x	12	3.3	4.6
TEP348	Welder's Box	30	x	16	x	12	3.3	4.6

FIELD OFFICE

- Site-Vault™ security system
- Ez-Loader® skid bolsters
- One handle lock operation
- 30 cu. ft. storage locker
- Full length heavy-duty stainless steel hinges
- Built-in bottom door storage shelves
- Features overhead tube storage, steel pegboard, storage area for plans and binders, lockable large desktop area and door safety pin latch



JOBOX

Model No.	Dimensions					Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x	H"		
TEP167	63	x	42	x	80	100	660

CASTERS

- Heavy-duty casters for added mobility
- **Set includes:** Two fixed and two swivels
- Hardware included



4" Model No. TEP230

6" Model No. TEP231

PIANO BOXES

- Site-Vault™ security system
- Ez-Loader® skid bolsters
- Grip-Rite™ recessed lifting channel
- Lift-N-Stow bottom shelf
- 3/8 continuous hinges with 1/4" steel pin and extra-large 1" knuckles
- Gas spring door lifts with quick release mount
- Recessed handles, door opens full 90°
- Two storage bins on both sides of walls
- Formed lid sides welded to lid bolsters resists pry bar entry
- **TEP164:** Punch holes for hanging safety harnesses, three shelves with 500-lb. capacity and three storage bins
- **TEP165** and **TEP166:** Tapered drop down ramp that closes with a padlock (not included)



JOBOX

Model No.	Dimensions					Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x	H"		
TEP161	48	x	31	x	50	38	286
TEP162	60	x	31	x	50	47.5	326
TEP163	74	x	31	x	50	56.5	423

HIGH CAPACITY MODEL

TEP164	74	x	34 5/8	x	63	85.7	500
--------	----	---	--------	---	----	------	-----

DROP-FRONT MODELS

TEP165	60	x	30	x	50	47.5	405
TEP166	74	x	30	x	50	56.5	468

DRAWER CABINETS

- Site-Vault™ security system
- Ez-Loader® anti-tip skid bolsters
- Hand or foot operated latch released system
- 4 1/2" deep top shelf and 3" x 3" deep shelves on each door
- 3/8 continuous hinges with hardened 1/4" steel pin and extra-large 1" knuckles
- Three 5/8" steel locking pins per door
- High load capacity drawer: Three 2 1/2" deep drawers have 75-lb. capacity, five 5 1/2" deep drawers have 125-lb. load rating
- 60 1/8" W x 30 1/4" D x 53 1/4" H
- Usable cu. ft.: 58.7
- Weight: 610 lbs.

Model No. TEP173

JOBOX



CABINETS

- Site-Vault™ security system
- Heavy-duty doors with Grip-Rite™ channel
- Hand or foot operated latch released system
- 3/8 continuous hinges with hardened 1/4" steel pin and extra-large 1" knuckles
- Heavy-duty high strength shelves
- Three 5/8" steel locking pins per door
- Five models to choose from:

TEP168: Two doors, 24" deep
TEP169: Four doors, features front and back access
TEP170: Two doors, tall closed on right side
TEP171: Two doors, 30" deep
TEP172: Two doors, bin and clam shell, has heavy-duty galvanised movable dividers



Model No.	Dimensions					Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x	H"		
TEP168	60 1/8	x	24 1/4	x	60 3/4	47.5	379
TEP169	60 1/8	x	32 1/4	x	60 3/4	63.7	523
TEP170	60 1/8	x	24 1/4	x	60 3/4	47.5	366
TEP171	60 1/8	x	30 1/4	x	60 3/4	58.7	436
TEP172	72	x	24	x	60 5/8	49	522

ROLLING WORK BENCHES

- High capacity, fully adjustable interior; drawers and shelves are easy to move to match your requirements, additional drawers and shelves can be added in
- 18-gauge steel drawers with heavy-duty ball bearing glides
- **Includes:** Two fixed and two lockable swivelling casters



Model No.	Description	Dimensions					Usable Cu. Ft.	Wt. lbs.
		W"	x	D"	x	H"		
TEP180	Basic Unit with 6" Casters	49 7/8	x	26 7/8	x	40 5/8	24.6	264
TEP176	2 Drawers, 2 Shelves, 4" Casters	43 7/8	x	26 7/8	x	38 1/2	21.7	266.5
TEP177	2 Drawers, 2 Shelves, 6" Casters	43 7/8	x	26 7/8	x	40 1/2	21.7	279.5
TEP178	4 Drawers, 1 Shelf, 4" Casters	43 7/8	x	26 7/8	x	38 1/2	21.7	294
TEP179	4 Drawers, 1 Shelf, 6" Casters	43 7/8	x	26 7/8	x	40 1/2	21.7	307
TEP181	6 Drawers, 1 Shelf, 6" Casters	49 7/8	x	26 7/8	x	40 5/8	24.6	342

Additional drawers and shelves available upon request

TRUCK CHESTS

- Gear-Lock II™ locking system
- Self-aligning latch hoops
- Heavy-duty gas spring guards
- High-strength deep bevelled edge lid
- Recessed hinge on all chests, allows lid to be raised fully even when chest is placed flush against truck bed
- Usable Cu. Ft.: 10.2
- 5-year limited warranty



TEP214

Model No.	Dimensions					Finish	Wt. lbs.
	W"	x	D"	x	H"		
ALUMINUM							
TEP214	59 3/8	x	20 1/4	x	19	Clearcoat	49
TEP247	59 3/8	x	20 1/4	x	19	Black	49
STEEL							
TEP248	59 1/8	x	20 1/4	x	19	White	120

CROSSOVERS TRUCK BOXES

- Gear-Lock II™ locking system
- Self-latching latch hoops cannot be bent or pried out of the lock,
- Deep beveled edge lid design allows body to fit deeper inside the lid
- Channel reinforced front panel, one-piece box body construction, full length bolster reinforcement
- Full-length lock console, drill resistant push button locks
- 5-year limited warranty



TEP192
Single Lid

SINGLE LID CROSSOVERS TRUCK BOXES

Model No.	Dimensions					Usable Cu. Ft.	Finish	Wt. lbs.
	W"	x	D"	x	H"			
ALUMINUM								
TEP192	72	x	21	x	18 7/8	10.7	Clearcoat	75
TEP232	72	x	21	x	18 7/8	10.7	Black	75
TEP234	72	x	30	x	18 7/8	17.5	Clearcoat	97.5
TEP235	72	x	30	x	18 7/8	17.5	Black	97.5
STEEL								
TEP196	72	x	21	x	18 7/8	10.7	White	156
TEP241	72	x	30	x	18 7/8	17.5	White	191

UNDERBED TRUCK BOXES


- 3-point locking system
- Rotating T-Handle and drill resistant lock cylinder
- Heavy-duty housing and locking rods
- 3/4" wide rain gutter surrounds the door opening
- Quick-release keyway connectors allow the door end of the support cable to be easily and quickly disconnected to allow the door to drop down
- **Steel underbed truck box** have 3" long industrial grade hinges with 1/2" diameter stainless steel pins, 1-piece lock housing and quick release keywall connectors
- **Aluminum underbed truck box** has continuous 3/8" diameter hinges with 1" knuckles for superior strength and durability

STEEL

White Model No.	Black Model No.	Dimensions				Wt. lbs.
		W"	x	D"	x	
TEP199	TEP249	18	x	18	x	55
TEP200	TEP250	24	x	18	x	68
TEP201	TEP251	30	x	18	x	80
TEP202	TEP252	36	x	18	x	92
TEP203	TEP253	48	x	18	x	117
TEP204	TEP254	60	x	18	x	142

ALUMINUM

Model No.	Dimensions					Wt. lbs.
	W"	x	D"	x	H"	
TEP205	18	x	18	x	18	35
TEP206	24	x	18	x	18	40
TEP207	30	x	18	x	18	44
TEP208	36	x	18	x	18	48
TEP209	48	x	18	x	18	61
TEP210	60	x	18	x	18	74



TEP207

MOUNTING BRACKETS

- Sold in pairs

Model No.	Description	Wt. lbs.
TEP360	Mounting Brackets, 18" x 18"	15
TEP361	Mounting Brackets, 24" x 24"	15

WORK PLATFORMS

HIGH WORK MAINTENANCE PLATFORMS

- All-welded, ready to use
- Convert forklift truck into safe, efficient work platform
- Take care of overhead maintenance problems without setting up ladders or scaffolds
- Non-skid platform
- 72" safety mesh backscreen keeps operator and equipment away from lift mechanism
- Forks slip easily into pockets and are secured with safety chains
- Load capacity: 1000 lbs.
- Durable Kleton blue enamel finish
- No assembly required



Note:

Kleton maintenance platforms meet or exceed ASME B56.1 safety standard when a safety harness and lanyard are worn.



Model No.	Description	Wt. lbs.
MD444	High Work Platform - 36" W x 36" D x 75" H Platform	230
MH800	High Work Platform - 48" W x 48" D x 75" H Platform	300
MD338	Optional 6" Phenolic Caster Kit, 2 Rigid, 2 Swivel	22
MD948*	Light Bulb Caddy 15" W x 15" D x 43" H	25
OPTIONAL TOOL TRAYS		
MI787	36" L x 4" W x 3" D, Fits on MD444	-
MI788	48" L x 4" W x 3" D, Fits on MH800	-

* Mounts on MD444 and MH800.

MAXI ROUND SCAFFOLDING

- Multi-level working area
- 16-gauge steel frame painted using a polyester powder coating
- Anti-slip painted 14-gauge steel platform adjust every 4", comes with three platforms
- Dimensions: 6' 3" L x 2' 5" W x 6' 4" H
- Capacity: 700 lbs.
- Weight: 140 lbs.

Model No. MB086



ACCESSORIES



Model No.	Description
MB087	3' Vertical Extension
MB088	6' Vertical Extension
MB089	Set of Four 5" Casters
VC200	Anti-Slip Platform
VC201	Set of Four Outriggers w/Casters

DELTA™ HARNESSES

- Patented triangular No-Tangle™ design
- Repel™ webbing is water repellent
- Spring-loaded stand-up dorsal D-ring
- Impact indicators provide a visual alert that the harness has been involved in a fall
- Features tongue-buckle leg connections
- Universal size
- Certified to CSA standard Z259.10-06, Class A

Model No. SEB406 Mfg. No. 1102000C



EZ-STOP™ SHOCK ABSORBING LANYARDS

- Features the lightest, smallest, and strongest shock absorber in the world
- Thinnest-ever webbing using HI-10™ Vectran® energy management material, a multifilament high tenacity performance yarn spun from liquid crystal polymer that is five times stronger than steel
- Repel™ webbing repels water to reduce the attraction of mold and dirt
- High abrasion resistance
- Excellent chemical and cut resistance
- High impact resistance

Model No. SEJ420 Mfg. No. 1246011C



EMERGENCY STOP SWITCHES

- Safety kill switch for person on work platform
- Will cut power to forklift in case of an emergency
- Consists of control box for platform, plug-in box (to be installed on forklift), and wire that extends 6' to 20'
- Switch is easy to install
- Recommended for maintenance platform MD444 and MH800

Model No. MD328



MAXI SQUARE ALUMINUM SCAFFOLDING

- Lightness and sturdiness
- Can be used in stairways
- Anodized aluminum tube 1 1/2" sq. frame
- Anti-slip anodized aluminum platform adjusts every 2", comes with one platform
- Dimensions: 6' 2" L x 2' 5" W x 6' 3" H
- Capacity: 700 lbs.
- Weight: 90 lbs.

Model No. VC032



ACCESSORIES



Model No.	Description
VC203	Set of Four Outriggers w/Casters
VC202	5" Swivel Caster with Locking System
VC204	Guardrail System

STEEL SCAFFOLDING

- Multi-level working area
- 1" O.D. 16-gauge steel frame
- Two anti-slip 14-gauge steel platforms
- Height: 4'
- Reach: 9'
- 4" heavy-duty double locking casters
- Units fold/collapse for easy storage
- Capacity: 500 lbs.
- Yellow powder coat finish
- Meets and exceeds CSA, OSHA & ANSI standards



Model No.	Overall Dimensions	Weight lbs.
	L" x W" x H"	
VC782	41 x 22 1/2 x 45 3/4	50
VC781	49 1/2 x 22 1/2 x 57 3/4	59

* More sizes & options available upon request



FIBREGLASS LADDERS

WHAT HEIGHT?

STEPLADDER

Max. Height You Want to Reach*	Buy This Size
7'	4'
8'	5'
9'	6'
10'	7'
11'	8'
12'	10'
14'	12'
16'	14'
18'	16'
20'	18'
22', 24'	20'

*Assumes a 5' 6" person with a vertical 12" reach

EXTENSION LADDER

Height of Top Support Point	Buy This Size*
9' max.	16'
9' to 13'	20'
13' to 17'	24'
17' to 21'	28'
21' to 25'	32'
25' to 28'	36'
28' to 31'	40'

*Reflects section overlap, ladder angle

WHAT LOAD CAPACITY?

Formula:

Your Weight

+



Load Capacity

=

Material Weight

Typically Add:

75 lbs. For Heavy-Duty Projects

50 lbs. For Light-Duty Projects



200 lbs.

CSA Grade 3
Household

225 lbs.

CSA Grade 2
Tradesman and Farm

250 lbs.

CSA Grade 1
Construction and Industrial

300 lbs.

CSA Grade 1A
Construction and Industrial meets
ANSI Type IAA, Industrial Heavy Duty

375 lbs.

CSA Grade 1AA
Construction and Industrial meets
ANSI Type IAA, Extra Heavy-Duty

INDUSTRIAL-DUTY FIBREGLASS STEPLADDERS (6300 SERIES)

CSA Grade 1, ANSI Type 1, 250-lb. Load Rating

- Durable non-conductive "C" channel front rails in high visibility safety orange
- Super tough copolymer utility top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Rear horizontal struts every 12", top and bottom struts reinforced with zinc-coated steel diagonal braces
- Heavy-duty slip-resistant safety shoes

VC025



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC023	4	46	23	20	30	17
VC024	5	57	34	21	34	18
VC025	6	68	45	23	43	20
VC026	7	79	56	24	44	23
VC027	8	90	67	26	55	26

INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6900 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer utility top
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms
- Full rear "L" horizontal struts every 12"
- Reinforced with zinc-coated steel diagonal braces at top and bottom steps
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance

MF609



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
MF606	3	34	11	19	23	12
MF607	4	45	23	20	28	14
MF608	5	56	34	21	34	17
MF609	6	68	45	23	39	20
MF610	7	79	56	24	44	23
MF611	8	90	67	26	51	26
MF612	10	113	90	29	61	37
MF613	12	137	114	32	74	48

INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6400 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer top for strength and durability
- Slip-resistant serrated aluminum steps
- Inside spreader arms complete with "wraparound" brackets to strengthen spreader to rail connection
- Full rear "L" horizontal struts every 12", top and bottom struts reinforced with zinc-coated steel diagonal braces
- Extra-large PVC rubber safety boots are heavy-duty and provide increased rail protection and slip-resistance

MD490



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC211	2	24	11	17	17	8
MD487	3	34	11	19	23	12
MD488	4	46	23	20	28	15
MD489	5	57	34	21	34	19
MD490	6	68	45	23	39	23
MF516	7	79	56	24	44	27
MD491	8	90	67	26	50	30
MD492	10	113	90	29	61	38
MD493	12	137	114	32	74	52

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS STEPLADDERS (6800 AA SERIES)

CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety orange
- Super tough copolymer top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wraparound" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Each step is double braced with zinc-coated steel diagonal braces providing incredible strength and stiffness
- Full rear "L" horizontal struts reinforced with zinc-coated steel diagonal braces offer maximum rigidity
- Heavy-duty aluminum "wraparound" sleeves at base of rails for maximum protection

VC256



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC254	4	46	23	20	28	15
VC255	5	57	34	21	34	19
VC256	6	68	45	23	39	27
VC257	7	79	56	24	45	31
VC258	8	90	67	25	50	35
VC259	10	113	90	29	61	44
VC260	12	136	113	31	72	59

FIBREGLASS LADDERS

INDUSTRIAL HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDERS (6500 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness
- Rear horizontal struts reinforced with zinc-coated steel braces offer maximum rigidity
- Heavy-duty slip-resistant safety shoes



MF411

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC205	4	46	24	21	30	17
VC206	5	57	35	23	36	22
MF411	6	68	46	24	42	25
MF412	8	90	68	26	53	33
MF413	10	113	92	29	67	41
VC207	12	135	115	31	75	50

INDUSTRIAL HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Double front construction allows two climbers to access the ladder from opposite sides
- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Wide aluminum top with extra-thick brackets for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wraparound" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Reinforced with zinc-coated steel diagonal braces on the front of every other step providing extra rigidity
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance



MF414

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC214	4	45	23	20	38	19
VC461	5	57	34	22	49	25
MF414	6	67	45	23	56	26
VC462	7	79	56	25	65	36
MF415	8	90	67	26	72	36
MF416	10	112	89	29	91	46
VC215	12	135	112	32	109	58

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDERS (6500 AA SERIES)

CSA Grade 1AA, ANSI Type 1AA, 375-lb Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety yellow
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy duty aluminum "wraparound" sleeves at base of rails
- Rugged outside zinc-coated steel spreader arms
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness



VC225

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC223	4	46	24	20	38	24
VC224	5	57	35	22	47	28
VC225	6	68	46	23	56	32
VC226	8	90	68	26	72	48
VC227	10	113	92	29	91	57
VC228	12	135	115	32	109	66

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 AA SERIES)

CSA Grade 1A, ANSI Type 1AA, 375-lb. Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety orange
- Double front construction allows access from either side
- Extra strength fiberglass side rails in high visibility safety yellow
- Redesigned super-tough top bracket system for even greater stability
- Slip-resistant 3" aluminum steps
- Heavy-duty aluminum "wraparound" sleeves at base of rails



VC219

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC218	4	45	23	20	38	19
VC219	6	67	45	23	56	26
VC220	8	90	67	26	72	36
VC221	10	112	89	29	91	46
VC222	12	135	112	32	109	58

SAFETY DO'S

Care & Maintenance

- Inspect the rails of fiberglass ladders for weathering due to UV (ultraviolet) exposure
- Keep the ladder protected from heat, weather, and corrosive materials



Safety Before You Climb

- Use fiberglass ladders if there is even a remote possibility of working near electricity or overhead power lines. Fiberglass is electrically non-conductive
- NEVER use metal, water logged or dirty wood ladders near electricity!



FIBREGLASS LADDERS

INDUSTRIAL HEAVY-DUTY FIBREGLASS PRO PLATFORM STEPLADDERS (FXP1700 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Super tough copolymer utility top includes multiple tool slots
- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 3/4" W x 21" D
- Utility top is 30" above the platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms



VD407



Model No.	Nominal Height'	Open Height"	Highest Standing Point"	Base Width"	Base Depth"	Approx. Weight lbs.
VD405	4 1/2	53 1/4	24	21 1/4	32 5/8	18
VD406	5 1/2	64 5/8	36	23 1/3	38 5/8	22
VD407	6 1/2	76	48	24 4/5	44 4/7	24
VD408	7 1/2	87 1/2	60	26 1/5	50 1/2	27
VD409	8 1/2	97 7/8	72	27 3/4	56 4/9	30
VD410	10 1/2	121 3/4	96	30 7/8	68 1/4	46
VD411	12 1/2	144 1/2	120	33 4/5	80 1/8	60
VD412	14 1/2	167 1/2	144	36 4/5	92	72

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS PRO PLATFORM STEPLADDERS (FXP1800 SERIES)

CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Super tough copolymer utility top includes multiple tool slots
- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 3/4" W x 21" D
- Utility top is 3' above the platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms



VD413



Model No.	Nominal Height'	Open Height"	Highest Standing Point"	Base Width"	Base Depth"	Wt. lbs.
VD413	5	57 5/8	24	21 1/4	32 5/8	19
VD414	6	69 1/8	36	23 1/3	38 5/8	23
VD415	7	80 1/2	48	24 4/5	44 4/7	25
VD416	8	91 7/8	60	26 1/5	50 1/2	28
VD417	9	103 3/8	72	27 3/4	56 4/9	31
VD418	11	127	96	30 7/8	68 1/4	47
VD419	13	149	120	33 4/5	80 1/8	61
VD420	15	172 3/8	144	36 4/5	92	73

INDUSTRIAL HEAVY-DUTY FIBREGLASS 2-WAY PLATFORM STEPLADDERS (FMP1500 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 2/5" W x 17 1/10" D
- Top rail guard height is 21" above platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Double-rivet step construction
- Rugged outside zinc-coated steel spreader arms



VD428



Model No.	Nominal Height'	Open Height"	Highest Standing Point"	Base Width"	Base Depth"	Wt. lbs.
VD428	6	67 7/8	48	25 3/8	53 3/8	35
VD421	8	96	72	28 3/8	69 1/2	56
VD373	10	114 1/8	96	31 3/8	85	77
VD372	12	113 7/8	120	34 3/8	100 1/4	98

EXTRA WIDE HEAVY-DUTY INDUSTRIAL FIBERGLASS PLATFORM STEPLADDERS (6500-XW SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Large, safe and comfortable slip-resistant platform, 24" W x 18" D
- 3" wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Heavy-duty aluminum "wrap around" sleeves at base of rails
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness
- Rear horizontal struts reinforced with zinc coated steel brace offer maximum rigidity
- Heavy-duty slip resistant safety boots



VC721



Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
VC719	4	46	23	25	36	18
VC720	5	57	34	27	42	22
VC721	6	68	46	28	48	27
VC722	8	90	68	30	59	31

INDUSTRIAL HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (6900 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive fibreglass side rails in high visibility safety yellow
- Rung through rail design
- Slip-resistant serrated "D" rungs for safe climbing and comfort
- Black ABS, high impact non-marring end caps
- Large heavy-duty pivot feet with slip-resistant rubber pads and ice picks



VC329



Model No.	Nominal Height'	Max. Open Height'	Base Section		Fly Section		Wt. lbs.
			Outside Width"	Inside Width"	Outside Width"	Inside Width"	
VC329	16	13	17 1/8	14 3/4	16 1/8	13 3/4	34
VC330	20	17	17 1/8	14 3/4	16 1/8	13 3/4	43
VC331	24	21	17 1/8	14 3/4	16 1/8	13 3/4	51
VC332	28	25	17 1/8	14 3/4	16 1/8	13 3/4	58
VC333	32	28	17 1/8	14 3/4	16 1/8	13 3/4	65

INDUSTRIAL EXTRA HEAVY-DUTY STRAIGHT LADDERS (5600 SERIES)

CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Durable non-conductive fibreglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated rungs for safe climbing
- Black ABS, high impact non-marring end caps
- Feature large heavy-duty pivot feet with slip-resistant rubber pads and ice picks



VC263




Round Rung Model No.	"D" Rung Model No.	Nominal Height'	Outside Width"	Inside Width"	Approx. Weight lbs.
VC263	VC268	8	17 3/8	15	18
VC264	VC269	10	17 3/8	15	21
VC265	VC270	12	17 3/8	15	24
VC266	VC271	14	17 3/8	15	28
VC267	VC272	16	17 3/8	15	31

ALUMINUM LADDERS

INDUSTRIAL HEAVY-DUTY ALUMINUM STEPLADDERS (3400 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating.

- High strength to weight ratio provides an economical alternative for general contract work
- Super tough copolymer top for strength and durability
- Wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- 10" x 10" heavy-duty hinged utility tray for holding tools and paint accessories
- Heavy-duty slip-resistant safety shoes



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Point"	Base Width"	Base Depth"	Wt. lbs.
VC241	4	46	23	18	29	12
VC242	5	57	34	20	35	14
VC243	6	68	45	21	41	17
VC244	8	91	67	24	54	22
VC245	10	114	90	26	66	28
VC315	12	135	114	32	78	40
VC316	14	158	134	35	88	51
VC317	16	181	160	38	102	59

INDUSTRIAL HEAVY-DUTY ALUMINUM PLATFORM STEPLADDERS (3500 SERIES)

CSA Grade 1A, ANSI Type 1, 300-lb. Load Rating.

- Ideal for general fixed height work
- Large comfortable slip-resistant platform, 14" x 18"
- Wide slip-resistant serrated aluminum steps for safe climbing
- Outside spreader arms
- Heavy-duty slip-resistant safety shoes



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
MF069	4	46	23	21	28	13
VC460	5	56	34	22	33	17
VC246	6	68	46	24	42	19
VC247	8	90	68	26	54	24
VC248	10	114	92	29	66	30
VC312	12	135	115	34	78	43
VC313	14	157	136	36	87	52
VC314	16	180	158	39	102	60

COMMERCIAL-DUTY ALUMINUM STEPLADDERS (2400 SERIES)

CSA Grade 2, ANSI Type 2, 225-lb. Load Rating

- Super tough molded copolymer utility top
- Durable yet light-weight extruded side rails
- 3" slip-resistant serrated steps
- J-shaped spreader arms
- Heavy-duty rubber safety shoes



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Wt. lbs.
MF063	4	45	24	18	31	9
MF064	6	67	45	21	44	13
VC458	7	79	57	24	50	18
MF065	8	90	67	25	56	19
VC459	10	114	92	28	69	26

INDUSTRIAL HEAVY-DUTY 2-WAY STEPLADDERS (3600 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Double-front construction allows access from either side
- Serrated steps and side rails
- Features extra thick top brackets for greater stability and heavy-duty rubber safety shoes



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Base Width"	Spread"	Wt. lbs.
VC318	4	19	39	14
VC319	6	21	57	20
VC320	8	24	72	28
VC321	10	26	89	36

INDUSTRIAL HEAVY-DUTY ALUMINUM EXTENSION /STRAIGHT LADDERS

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Heavy-duty "C" channel construction
- Side rails: 2 1/2" x 1" for straights up to 14'
- Side rails: 3" x 1" for straights up to 16' and up
- Heavy-duty serrated "D" rungs prevent slipping for safe and sure climbing
- Black ABS, high impact, non-marking end caps
- Heavy-duty safety shoes

Model No.	Nominal Length'	Working Length'	Outside Width"	Wt. lbs.
SINGLE LADDERS (3100D SERIES)				
VC273	8	-	17 3/4	12
VC274	10	-	17 3/4	14
VC275	12	-	17 3/4	18
VC276	14	-	17 3/4	21
VC277	16	-	17 3/4	24
VC278	18	-	17 3/4	27
VC279	20	-	17 3/4	30

Model No.	Nominal Length'	Working Length'	Outside Width"	Wt. lbs.
EXTENSION LADDERS (3200D SERIES)				
VC322	16	13	17 3/4	31
VC323	20	17	17 3/4	36
VC324	24	21	17 3/4	43
VC325	28	25	17 3/4	51
VC326	32	29	17 3/4	58
VC327	36	32	17 3/4	69



FEATHERLITE
INDUSTRIAL LADDERS

SAFETY DON'T'S


- DON'T stand above the highest **safe standing level**
- DON'T stand above the second step from the top of a stepladder and the 4th rung from the top of an extension ladder. A person standing higher may lose their balance and fall



ALUMINUM LADDERS

4 TO 1 RATIO

Place an extension ladder at a 75 1/2° angle. The set-back ("S") needs to be 1 ft. for each 4 ft. of length ("L") to the upper support point.



SAFETY DO'S

- Climb facing the ladder. Center your body between the rails. Maintain a firm grip
- Always move one step at a time, firmly setting one foot before moving the other
- Haul materials up on a line rather than carry them up an extension ladder
- Use extra caution when carrying anything on a ladder

SAFETY DON'T'S

- DON'T place the base of an extension ladder too close to the building as it may tip over backward
- DON'T place the base of an extension ladder too far away from the building, as it may slip out at the bottom.
Set the ladder at a 75 1/2° angle
- DON'T over-reach, lean to one side, or try to move a ladder while on it. You could lose your balance or tip the ladder.
Climb down and then reposition the ladder closer to your work!



INDUSTRIAL HEAVY-DUTY ALUMINUM EXTENSION /STRAIGHT LADDERS

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Rigid box section side rails, unequalled for strength and durability
- Side-mounted rope pulley and slide guide system keeps rope clear of climbers feet and allows easy raising (only on extension)
- Yellow ABS, high impact non-marring end caps
- Premium heavy-duty rung locks (only on extension)
- Slip-resistant serrated "D" rungs for safe climbing and comfort (round rung on single)
- Heavy-duty ribbed swivel feet with ice picks

FEATHERLITE
INDUSTRIAL LADDERS

MD506
Single


VC033
Extension

Model No.	Nominal Length'	Working Length'	Width"	Wt. lbs.
SINGLE LADDERS (4100 SERIES)				
MD506	8	-	14 5/8	13
MD507	10	-	14 5/8	16
MD508	12	-	14 5/8	19
MD509	14	-	14 5/8	22
MD510	16	-	14 5/8	25
MD511	18	-	14 5/8	28
MD512	20	-	14 5/8	31
EXTENSION LADDERS (4200D SERIES)				
VC033	16	13	17	29
VC034	20	17	17	37
VC035	24	21	17	44
VC036	28	25	17	50
VC037	32	29	18 1/2	69
VC038	36	32	18 1/2	78

MULTI-PURPOSE JAWS™ TELESCOPIC LADDERS

CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Compact and multifunctional, replaces all conventional ladders
- Easily folds for storage or transport
- Flared ends with slip-resistant feet provide superior stability in any position
- Polymer rung locks are virtually indestructible
- Welded outer rungs
- Extra deep side rails make the Jaws™ stiffer and stronger
- Mechanical interlocking tooth hinges for superior strength and five locking positions
- Extruded 6061-T6 marine alloy for strength and corrosion resistance
- JLT Series has extra-strong "Box-beam" rails for maximum strength and durability



MEETS OR EXCEEDS
ANSI
14.2 STANDARD
WHERE APPLICABLE

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Folded Height	Extension Range'	Stepladder Range'	Scaffold Height'	Wt. lbs.
MA740	4' 9"	9 to 15	4 1/2 to 7 1/2	1 to 4	36
MA741	5' 9"	11 to 19	5 1/2 to 9 1/2	1 to 5	41
MA742	6' 9"	13 to 23	6 1/2 to 11 1/2	1 to 6	50

EXTRA WIDE HEAVY-DUTY INDUSTRIAL ALUMINUM PLATFORM STEPLADDERS (3500-XW SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Large, safe and comfortable slip-resistant platform, 24" W x 18" D
- 3" wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Heavy-duty slip-resistant safety boots

FEATHERLITE
INDUSTRIAL LADDERS

VC711

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
VC709	4	46	23	25	35	16
VC710	5	56	34	27	39	20
VC711	6	68	46	28	48	24
VC712	8	90	68	30	53	29

INDUSTRIAL HEAVY-DUTY ALUMINUM 2-WAY PLATFORM STEPLADDERS (AMP1500 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable "C" channel side rails
- Large, safe and comfortable slip-resistant platform, 14 2/5" x 17 1/10"
- Top rail guard height is 21" above platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Double-rivet step construction
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms



VD422

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
VD422	6	69 5/8	48	25 3/8	53 3/8	35
VD423	8	92 1/2	72	28 3/8	69 1/2	56
VD424	10	114 7/8	96	31 3/8	85	77
VD425	12	136 1/4	120	34 3/8	100 1/4	98

LADDERS & STANDS

HEAVY-DUTY WORKHORSES

- All-welded, ready to use
- Overbuilt to be the last sawhorse you'll ever need
- Capacity: 2000 lbs. each, evenly distributed
- Powder coated finish safety yellow



KLETON



VC158

Model No.	Height"	Width"	Depth"	Wt. lbs.
VC157	24	36	20	43
VC158	36	48	20	60

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS 2-WAY STEP STOOLS

CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Height: 2'
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Base width: 21"
- Base depth: 23"
- Slip-resistant feet
- Double-rivet step construction
- Weight: 11 lbs.

Model No. VD426



INDUSTRIAL HEAVY-DUTY FIBREGLASS WORKING PLATFORMS

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- 12" wide slip-resistant standing platform
- Platform height: 21"
- Platform dimensions: 12" W x 37 1/4" D
- Base width: 16 1/4"
- Base depth: 46 7/8"
- Weight: 13 lbs.

Model No. VD404



ALUMINUM STEP STOOL/LADDERS (3400 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Super tough copolymer top for strength and durability
- Both front and rear legs are braced
- Solid aluminum rivets in front prevent steps from loosening
- Slip-resistant vinyl feet

FEATHERLITE
INDUSTRIAL LADDERS

VC239



Model No.	Height'	Base Width"	Spread"	Wt. lbs.
VC239	2	15 1/2	17 1/2	5
VC240	3	17	24	6

INDUSTRIAL-DUTY ALUMINUM SAWHORSES/STEPS

- Engineered to allow for convenient mixing of sizes in plank applications
- Durable extruded aluminum steps and side rails, serrated for strength and safety
- Trestle design allows safe access from either side
- J-shaped spreaders for easy set-up and storage
- Heavy-duty rubber safety shoes
- Capacity: 250 lbs.



VC010

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Base Width"	Base Depth"	Wt. lbs.
VC010	2	23	32	24 1/2	10
VC011	3	35	33	32	14
VC012	4	47 1/2	34 1/2	34 1/2	19

FIBREGLASS STEP STOOL/LADDERS (6400 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Super tough copolymer top for strength and durability
- Slip-resistant serrated aluminum steps
- Extra-large PVC rubber safety boots are heavy-duty and provide increased rail protection and slip-resistance

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Height'	Base Width"	Spread"	Approx Weight lbs.
VC211	2	17	17	8
MD487	3	19	23	12



VC211

LADDER CARTS

- Provides greater mobility, enhanced access, safe ladder handling, and minimal storage requirements
- Compact footprint increases maneuverability
- Safely carries a 6' ladder without hitting doorways, walls or elevators
- Tall profile improves access and offers a more comfortable work height
- Commercial-grade hybrid construction of powder-coated steel and structural foam
- Fully adaptable to work site requirements, with long-item storage, tool holders
- Perforated panels hold 1/4" and locking cabinets on model MI824
- Overall dimensions: 27" W x 31.5" D x 42" H
- Capacity: 500 lbs.



MI823



MI824

Model No. MI823

WITH LOCKABLE CABINET

Model No. MI824

ALUMINUM TELESCOPIC LADDERS

- Compact and easy to move, use and store
- Extends and locks in 12" increments
- Indicators let you know when the rungs are locked into place
- Anti-slip rungs
- Capacity: 250 lbs.
- CSA Grade 1

VC441



METALTECH

Model No.	Height'	Reach'	Closed Dimensions W" x D" x H"	Colour	Weight lbs.
VC441	12	16	19 x 4.5 x 32	Yellow	25
VC252	15	19	19.5 x 4.5 x 36	Blue	37

* Other sizes available

ROLLING LADDERS

ROLLING LADDER STANDS

- Ideal wherever there is a need to reach bulky materials
- Roll easily into position and lock firmly to the floor for maximum safety
- 2 to 6-step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- First step on all 8 to 16-step ladders activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- Frame is rugged welded 1" round steel tubing
- 8 to 16-step ladders shipped knocked down, easily assembled
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- **CSA certified to the ANSI A14.7 standard**

Note:
Ladders are not to be used as work platforms.



Model No.	No. of Steps	Top Step Height"	Overall Height"	Top Step W" x D"	Base W" x D"	Wt. lbs.
WITHOUT HANDRAILS						
MA612	2	19	19	22 x 16	24 x 26	32
MA613	3	28	28	22 x 16	24 x 30	42
MH279	4	37	37	22 x 16	24 x 37	52
MA615	5	46	46	22 x 16	24 x 41	61
WITH HANDRAILS						
MA614*	4	37	78	22 x 16	30 x 36	78
MA616*	5	46	87	22 x 16	30 x 46	89
MA617*	6	55	95	22 x 16	30 x 51	100
MA622**	8	72	113	30 x 16	38 x 60	180
MA623**	10	89	130	30 x 16	38 x 72	230
MA624**	12	109	149	30 x 16	38 x 80	250
MA625**	14	128	167	30 x 16	38 x 93	275
MA626**	16	144	185	30 x 16	38 x 104	305


* Only front casters are spring loaded. ** Locking step.

MECHANICS/MAINTENANCE ROLLING LADDER STANDS

- Double-straddle base puts worker in close proximity for hard-to-reach jobs
- Tilt and roll wheelbarrow mobility allows easy movement over rough surfaces
- Oversize 22" W x 24" D top step for easier worker movement
- Removable 24" W x 10" D tool tray fits on front or side railing (included)
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



Tool Tray Included
MH242




Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
MH212	3	28	58	24 x 44	85
MH213	4	38	68	24 x 50	98
MH214	5	47	77	24 x 56	112
MH215	6	57	87	24 x 68	125

TILT-N-ROLL LADDER STANDS

- Balanced design allows ladder to tilt into the rolling position
- Ladder moves easily two 4" casters
- 1-piece all-welded steel construction
- Legs have reinforced rubber tips that hold ladder secure during use
- Oversize 22" W x 24" D top step allows worker more freedom/movement and comfort
- 30" high rails with 24" wide expanded metal steps
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



Optional Tool Tray MH242



Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
MD603	3	27	57	25 x 44	70
MD604	4	38	68	25 x 50	81
MD605	5	47	77	25 x 56	93
MD606	6	56	86	25 x 62	105
MH242	Optional tool tray				9

ROLLING STEP STANDS

- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- All the ladders operate on spring-loaded casters
- Casters retract under operator's weight and rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is welded 1" round steel tubing
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

Model No.	No. of Steps	Step W" x D"	Top Step W" x D" x H"	Base W" x D"	Wt. lbs.
VC131	2	18 x 8	18 x 16 x 19	20 x 26	28
VC132	3	18 x 8	18 x 16 x 28	20 x 30	38
VC133	4	18 x 8	18 x 16 x 37	20 x 37	48
VC134	5	18 x 8	18 x 16 x 46	20 x 41	57



ROLLING LADDERS

PORTABLE FOLDING LADDERS

- Foldable locking design saves on storage space when not in use
- Welded construction
- 58° slope, 7" deep steps for easy climbing
- Perforated step
- Locks in the folded or climbing positions
- Approximately 10" deep when folded for easy storage
- Maximum capacity: 350 lbs.



Model No.	No. of Steps	Top Step Height"	Open W" x L"	Folded Dimensions W" x D" x H"	Wt. lbs.
VC436	2	20	24 x 17	24 x 10 x 41	30
VC437	3	30	24 x 23	24 x 10 x 52	35
VC438	4	40	24 x 30	24 x 10 x 65	42

ALUMINUM ROLLING LADDERS

- Widely used in hospitals, banks, offices, pharmaceutical and food processing applications
- Corrosion resistant, easy to clean and non-magnetic
- 3/4" schedule 40, 1-1/16" O.D. pipe
- 7" deep steps
- 14" deep top step
- Slip-resistant ribbed tread style steps, a more aggressive serrated is available upon request for all sizes
- Spring-loaded casters included on 2-7 step models only
- Step lock included on 8-12 step models only
- Capacity: 350 lbs.
- All-welded with unpainted aluminum mill finish
- Complies with OSHA and ANSI standards



Number of Steps	Top Step Height"	Overall Height"	16" W Step Model No.	Base W" x D"	24" W Step Model No.	Base W" x D"
WITHOUT HANDRAILS						
1	10	10	VC470	16 x 14	VC471	24 x 14
2	20	20	VC472	19 x 24	VC473	28 x 24
3	30	30	VC474	21 x 30	VC475	28 x 30
4	40	40	VC476	21 x 36	VC477	29 x 36
WITH HANDRAILS						
2	20	52	VC478	19 x 24	VC479	28 x 24
3	30	62	VC480	21 x 31	VC481	29 x 31
4	40	72	VC482	21 x 37	VC483	30 x 37
5	50	82	VC484	21 x 44	VC485	30 x 44
6	60	92	VC486	26 x 51	VC487	32 x 51
7	70	102	VC488	26 x 57	VC489	32 x 57

Also available in other sizes and tread styles

ROLL & FOLD STEEL ROLLING LADDERS

- Mobile ladder can be folded for space-saving storage or transporting
- Ideal for use on asphalt or similar rough surfaces
- 1-1/16" tubular steel construction
- 16" W x 10" D top step with 16" W x 7" D intermediate steps
- Two 10" diameter semi-pneumatic wheels on rear of ladder, reinforced rubber tips on front legs to secure ladder during use
- Capacity: 450 lbs.
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Shipped knocked down



Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Grip Strut Step Tread Model No.
6	66	27 x 50	90	VC523	VC533
7	76	27 x 57	100	VC524	VC534
8	86	36 x 63	112	VC525	VC535
9	96	36 x 70	122	VC526	VC536
10	106	36 x 77	132	VC527	VC537
11	116	36 x 83	142	VC528	VC538
12	126	36 x 90	152	VC529	VC539

Also available in other sizes

STOP-STEP LADDERS

- Stops still when you step on it
- Gives 18" to 54" of firm footing
- 1" square high tensile aluminum struts, frames and braces
- Heavy gauge extruded aluminum 16" x 8" cross steps with 9" raise
- Long lasting 1 5/8" retractable casters allow rubber base cups to grip floor
- Download rating: 300 lbs.
- Colour: Beige
- OSHA compliant
- 10 year limited warranty
- Shipped knocked down

MD624



MD627



Model No.	No. of Steps	Top Step Height"	Overall Dimensions W" x D" x H"	Wt. lbs.
STOP-STEP				
MD623	2	18	21 x 19 3/4 x 22 3/4	16
MD624	3	27	21 x 26 3/4 x 31 3/4	22
MD625	4	36	22 3/4 x 33 1/2 x 40 3/4	34
STOP-STEP W/DOUBLE HANDRAIL				
MD626	3	27	21 x 26 3/4 x 56 1/2	32
MD627	4	36	23 3/4 x 33 1/2 x 65 1/2	39

ALL DIRECTIONAL STEEL ROLLING LADDERS

- Ladder turns within its own radius; rolls in all directions
- 1 1/16" tubular steel construction
- 24" W x 10" D top step with 24" W x 7" D intermediate steps
- Step lock standard on all models
- Capacity: 450 lbs.
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Shipped knocked down



Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Grip Strut Step Tread Model No.
7	70	35 x 56	106	VC540	VC550
8	80	35 x 63	116	VC541	VC551
9	90	35 x 68	126	VC542	VC552
10	100	35 x 75	136	VC543	VC553
11	110	35 x 82	146	VC544	VC554
12	120	35 x 89	156	VC545	VC555

Also available with a 50° forward descent safety angle

50° SAFETY SLOPE STEEL ROLLING LADDERS

- 1 1/16" tubular steel construction
- 24" W x 17" D top step with 24" W x 8 1/2" D intermediate steps
- Step lock included on all models
- Capacity: 450 lbs.
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Shipped knocked down



Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Grip Strut Step Tread Model No.
6	60	35 x 66	96	VC607	VC621
7	70	35 x 74	106	VC608	VC622
8	80	35 x 82	116	VC609	VC623
9	90	35 x 91	126	VC610	VC624
10	100	35 x 99	136	VC611	VC625
11	110	35 x 107	146	VC612	VC626
12	120	35 x 116	156	VC613	VC627

Also available in other sizes

STEP STOOLS, STANDS & LADDERS

STEP STOOLS

HEAVY-DUTY STEP STOOLS

- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Capacity: 500 lbs.
- Wt.: 10 lbs.

Model No. ON528



STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- 13" overall height
- Capacity: 350 lbs.
- Wt.: 7 lbs.



OA300



Model No.	Mfg. No.	Colour
OA299	2523BL	Black
OA300	2523BE	Beige

INDUSTRIAL STEP STOOLS

- Durable, nestable, corrosion-proof
- Moulded-in handles make them easy to carry
- Includes rubber feet and a non skid tape surface
- Capacity: 500 lbs.
- Colour: Safety Yellow

MN532



Model No.	Description	Overall Dimensions L" x W" x H"	Wt. lbs.
MN531	Single Step	28 x 20 x 13	10
MN532	Double Step	36 x 28 x 20	20

INDUSTRIAL STEP STOOLS

- Durable, corrosion-proof, 500-lb. capacity polyethylene construction
- Two, three and four step stools have rear opening to access storage compartments
- Four-step stool comes standard with handrails and casters
- Hand holes and light weight combine for easy manoeuvrability
- All stools include rubber feet and non skid tape surface
- Safety yellow for visibility
- Also available in other colours



MN601

Model No.	Description	Overall Dimensions L" x W" x H"	Wt. lbs.
MN599	Single Step	18 x 12 x 12	10
MN600	Double Step	22 x 21 x 20	22
MN601	Triple Step	32 x 22 x 30	33
MN644	Quad Step w/Casters	43 x 22 1/2 x 66	53

INDUSTRIAL STEP STOOLS

- Durable, nestable, corrosion-proof
- Hand holes and light weight combine for easy manoeuvrability
- Includes rubber feet and a non skid tape surface
- Pronounced ribbing provides additional structural support
- Capacity: 500 lbs.
- Colour: Safety Yellow



MN656

Model No.	Description	Overall Dimensions L" x W" x H"	Wt. lbs.
MN656	Single Step	25 x 25 x 10 1/2	8.5
MN657	Single Step	25 x 25 x 14 3/4	11
MN658	Double Step	32 3/4 x 25 3/4 x 20	18.5
MN659	Double Step	33 x 25 3/4 x 24	19

STEP STANDS

- Rugged all-welded construction
- Rolling stands come with spring-loaded casters
- Dimensions: 16" D x 12" H • Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7



MH225

STEP STANDS

Model No.	Base Width"	Platform Dimensions W" x D"	Wt. lbs.
MH228	20	18 x 16	11
MH229	24	22 x 16	13
MH230	32	30 x 16	16

ROLLING STANDS

Model No.	Base Width"	Platform Dimensions W" x D"	Wt. lbs.
MH225	20	18 x 16	17
MH226	24	22 x 16	19
MH227	32	30 x 16	22

4' ALUMINUM LIGHT-DUTY PLATFORM STANDS (1300 SERIES)

CSA Grade 3, ANSI Type 3, 200-lb. Load Rating

- 1" tubular construction makes this ladder lightweight and compact for storage
- Handrail with comfort foam grip
- Fold-down utility tray for paint, tools, etc.
- Non-marring, slip-resistant feet
- Overall height: closed: 55"; open: 51"
- Overall platform height: 22 1/2"
- Approximate weight: 8 lbs.

Model No. TJZ869



WORK STEP STANDS

- Solid all-welded construction
- Elevate workers to comfortable working heights
- Provides solid footing around machinery and other work areas
- Capacity: 800 lbs.
- Durable Kleton blue enamel finish

Model No.	Platform Dimensions W" x D"	Top Step Height"	Wt. lbs.
VC127	24 x 32	6	28
VC128	32 x 32	6	34
VC129	24 x 32	12	32
VC130	32 x 32	12	38



VC127



REPLACEMENT PARTS

Model No.	Description
VC055	Rubber Foot Tip



TILT-N-ROLL STEP STANDS

- Frame is welded 1" round steel tubing
- Non-clogging slip-resistant steel steps
- Handle allows step stand to move easily on two 4" casters
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7

VC336



Model No.	No. of Steps	Step Dimension W" x D"	Top Step W" x D"	Top Step Height"	Base Dim. W" x D"	Wt. lbs.
VC335	1	22 x 8	22 x 16	12	29 x 16	24
VC336	2	22 x 8	22 x 16	19	29 x 24	33