

INDUSTRIAL & OFFICE SEATING

DELUXE SWIVEL STOOLS

- 360° swivel motion is ideal for workers who have repetitive side to side movement
- Seat easily adjusts to your selected height, just raise or lower the steel rod and lock securely in place
- 2" foam over a 1/2" plywood base and 1/2" foamed backrest
- All-welded frame constructed of 1" diameter 16-gauge steel
- 3/4" circular tube footrest
- Four leg cluster design has a 22" spread giving them optimum stability
- Black vinyl upholstery with a royal grey frame
- Optional casters available

OJ905 has an ergonomic self-skinned molded polyurethane foam seat and back, features lumbar support, waterfall seat and 4-leg frame for superior comfort and durability.



Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
OJ905	25 - 31	19 x 17	33
FC670	25 - 31	19 x 17	33
FC675	Set of 4 Casters	-	2

STATIONARY & ADJUSTABLE HEIGHT STOOLS

Stationary



Adjustable



- Ruggedly built for long lasting service in a warehouse factory or office
- All-welded frame is a 7/8" diameter steel tube
- Legs are braced with a 3/4" 18-gauge circular footrest for increased strength and stability
- 14" diameter embossed steel seat has a 1/8" tempered hardboard inlay
- **FC656** has a 14 1/2" x 15" sq. seat and is reinforced by steel bars
- All stools have four chrome floor glides that will not damage floors
- On the adjustable models the telescopic legs have screw locks that adjust on 1" increments
- Contoured back rest constructed of 19-gauge steel
- Royal grey
- **OK067** is a chrome-painted premium shop stool

Model No.	Height"	Seat Dimensions"	Wt. lbs.
STATIONARY HEIGHT			
A. FC649	24	14	20
B. FC647	24	14	12
B. FC648	30	14	14
C. OK067	25 1/2	13 1/2	12
Model No.	Height"	Seat Dimensions"	Wt. lbs.
ADJUSTABLE HEIGHT			
D. FC653	25 - 33	14	12
E. FC655	25 - 33	14	20
F. FC656	18 - 26	14 1/2 x 15	18

SPECIALTY STOOLS

- Designed specifically for laboratories and medical offices
- 14" diameter, 3" high, vinyl-covered seat
- Pneumatic mechanism to adjust the height
- Footring is standard on stools with a 20" - 33" adjustable height, optional on the other stools
- Optional casters or glides available



MUR-VAN MANUFACTURING

Model No.	Adjustable Height"	Wt. lbs.
WITH CASTERS		
OC785	16 - 22	14
OC786	20 - 28	18
OC787	23 - 33	20
WITH GLIDES		
OC788	16 - 22	14
OC789	20 - 28	18
OC790	23 - 33	20

Optional footring **OC819** for heights 16"-22" and 21"-28" only

SWIVEL STOOLS

- Seats made of 19-gauge embossed steel with 1/8" tempered hardboard inlay
- 1" diameter, 16-gauge steel frame all-welded tubing
- Circular 18-gauge footrest guarantees comfort and stability
- Heavy-duty rubber cushioned steel glides protect floors
- 1" x 14 1/2" long steel adjustment stem for easy height selection on all units
- 9 1/2" x 15 3/4" backrest is 4-way adjustable
- Optional casters available: **FC675**



MUR-VAN MANUFACTURING

Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
FC658	22 - 28	14	19
FC661	22 - 28	14	28
FC665	17 - 23	14 1/2 x 15	27
FC675	Set of 4 Casters	-	2

SIT/STAND STOOLS

- Sit/stand stools dramatically reduce fatigue for workers unable to sit down on the job
- Can be positioned for up close work
- **FC683** heavy gauge triangular glides provide safety, features a built-in footrest, a 15" wide x 13 7/8" high self skinning polyurethane seat mounted to an adjustable spring suspension frame that automatically tilts forward up to 15° while in use
- Removable seat attaches to frame with a double pin locking system which easily adjusts to 12 positions from 21" to 35"
- **FC685** features a sturdy, tip proof 5-leg base with a padded comfortable "Bicycle style" seat
- Pneumatic height adjustment from 23 1/2" to 33 1/2"

Model No. FC683 Manual Adjustment

Model No. FC685 Pneumatic Adjustment



SAFCO

INDUSTRIAL & OFFICE SEATING

INDUSTRIAL SEATING

- Features a full 8" of pneumatic lift while seated
- Exclusive extension tube provides an adjustable height range of 17" to 35"
- Seats and backs are microcellular self skinning polyurethane foam which inhibits punctures, tears and moisture absorption
- Large 26" diameter 5-leg steel base with 2 1/2" diameter glides ensure stability and safety even at the highest levels
- Large wide angle footrests make it easy to step up into seat



FC680
Features 22° back angle and 10° seat tilt adjustment w/double paddle handles.



FC681
Features 3" back rest height and 3" back rest depth adjustment.
Assembly required.



Model No.	Dimensions"		No. of Footrests
	Seat	Backrest	
FC680	18 1/2" x 17"	15 3/4" x 9"	3
FC681	16 1/4" x 16 1/4"	14 1/2" x 9"	1

PNEUMATIC SWIVEL STOOLS

- 5" gas lift
- Height adjusts from 15" to 20 1/2"
- Black select fabric
- Weight: 10 lbs

Model No. OD846



OD847



- 10" gas lift
- Height adjusts from 22" to 32"
- Weight: 12 lbs

Model No. OD847

STEEL BASE SWIVEL STOOLS

- 5" pneumatic lift of 25" to 30", for easy height adjustment
- Five legs and an all-welded steel base, gives optimum stability
- 16-gauge, 1" diameter steel legs • Full 360° rotation
- Powder-coated black Santex
- Optional casters are available



OJ973



OJ974



OJ975

Model No.	Upholstery Seat	Seat Dimensions"	Wt lbs.
OJ973	Vinyl & Foam-Padded Seat & Back	19 x 17	33
OJ974	Polyurethane Seat & Back	18 x 17	33
OJ975	Premium Self Skinned Polyurethane Seat & Back	19 x 18	35
OJ976	Optional Set of 5 Tire Casters (Includes Leg Insert Socket)		

SHOPTECH ERGONOMIC INDUSTRIAL STOOLS

- Industrial seating that brings ergonomic comfort and productivity to the shop floor, the laboratory or the shipping office
- Durable, easy to clean, molded polyurethane seating is the perfect solution for clean rooms or wipe down applications
- **OE088** has an overall height of 16 to 21 1/2" with a 19" W x 14" D seat
- **OE089** sit/stand stool has an overall height of 19 to 26 3/4", seat is 19" W x 14" D with a 6" W x 5" H back

Model No.	Description	Wt. lbs.
OE088	Stool	20
OE089	Sit/Stand	19



ERGONOMIC INDUSTRIAL SHOP SEATING

- Industrial chairs featuring comfortable and supportive seating that is easy to clean
- Seats made of a soft molded polyurethane material, backs formed to support the body for greater comfort and less fatigue
- Pneumatic height adjustment of 15" to 20 1/2"
- 5-prong poly on steel base with dual wheel carpet casters
- Optional chrome footring adds 10" to height
- Glides recommended with footring
- **OC816** and **OC821** task chairs have adjustable backrest height, depth and angle
- Optional stool kit **OC822**

Model No.	Description	Wt. lbs.
W/CASTERS		
OC815	Operator's Chair	25
OC816	Task Chair	26.5
NH450	Operator's Chair w/Stool Kit	30
NH451	Task Chair w/Stool Kit	31.5
W/GLIDES		
OC820	Operator's Chair	25
OC821	Task Chair	26.5
NH452	Operator's Chair w/Stool Kit	30
NH453	Task Chair w/Stool Kit	31.5

OC815



OC816



DRAFTING STOOLS

- Designed with a contoured seat and back
- 3-way back adjustment provides user comfort
- Seat and back are made with a solid 3/4" plywood frame and fastened together with T-nuts
- Standard 100% polypropylene black fabric upholstery
- One piece durable plastic base with chrome footrest
- Two pneumatic gas levers simplify height adjustment from 23" to 33" and ergonomic tilt
- With casters

Model No. OA286



INDUSTRIAL & OFFICE SEATING

1405 & 1410 PREMIUM SERIES CHAIRS

- Task and operator chair
- Molded foam cushions
- "One-touch" ergonomic chair controls
- Gas lift height adjustment
- Back height and depth adjustment
- Seat and back angle adjustment on 1410 Series
- Optional arms and stool kit available
- Dual wheel carpet casters

Black Onyx



Charcoal



Model No.	Black Onyx	Charcoal	Description	Seat Dimensions W" x D" x H"	Back Dimensions W" x H"
OE744	OE745		1405 Series Chair	17 1/2 x 18 x 17-22 1/2	16 1/4 x 14
OE746	OE747		1405 Series w/Stool Kit	17 1/2 x 18 x 22-27	16 1/4 x 14
OE748	OE749		1410 Series Multi Functional	17 1/2 x 18 1/2 x 18-23 1/2	17 1/2 x 15



OE744




OE748

TASK CHAIRS & ECONOMICAL STENO CHAIRS

- Pneumatic height adjustments
- Backrest height adjustments
- Five prong poly on steel base
- Dual wheel carpet casters
- Stool kit available
- Optional arms
- Optional glides (recommended with stool kit)

Black Onyx



Charcoal



Model No.	Black Onyx	Charcoal	Description	Seat Dimensions W" x D" x H"	Back Dimensions W" x H"	Wt. lbs.
ECONOMICAL STENO CHAIRS						
OC310	OC309		w/o Arms	18 x 17 x 17-22	16 1/2 x 11 1/2	30
OC312	OC311		w/T-Arm Kit	18 x 17 x 17-22	16 1/2 x 11 1/2	32
OE093	OE092		w/Stool Kit	18 x 17 x 22-27	16 1/2 x 11 1/2	35
TASK CHAIRS						
OE095	OE094		w/Stool Kit	18 x 17 x 24-30	16 1/2 x 13 1/2	35



OC311



OE095

OPTIONS FOR CHAIRS

Model No. OA271

Loop Arm Kit
(width adjustable)



Model No. OC323

T-Arm Kit (width & height adjustable)



Model No. OA269

Stool Kit



ACTIV® A-43 MID-BACK MESH-CHAIRS

- Tilt mechanism with lockout feature and tension adjustment
- Height and depth adjustable lumbar support between 18 1/4" to 21 1/2"
- Optional height and tilt adjustable headrest
- Back is 22" height and 19 1/2" width
- Seat is 20" width and 19 1/2" depth
- Height and width adjustable armrests
- Fabric options on seat and optional headrest
- Soft touch mesh on seat as standard fabric
- Black base and gas cylinder



Model No.	Description
OK208	Mid Back Mesh-Chair
ON573	Head Rest

ACTIV® SERIES A-96 MESH CHAIRS

- Flexibly adjusts to support your back as you move in your seat while working
- Allows airflow to your back to keep you cool and comfortable
- Feels soft and comfortable, not rigid, against your back
- Mesh contoured shaped back
- Black fabric on seat
- Pneumatic seat height adjustment between 18 1/2" and 21 1/2"
- Back is 19 1/2" high and 18" wide
- Seat is 19 1/4" wide and 20" deep
- Fixed armrests
- Tilt feature with lockout
- Tension adjustment
- Chrome base and gas cylinder
- Carpet caster



Model No. OK210



ACTIV® A-618 LEATHER MANAGER'S CHAIRS

- Thick padded and contoured seat and back for superior comfort
- Seat is 21 3/4" width and 21" depth
- Back is 24" height and 21 1/2" width
- Back features built-in lumbar support which allows increased relaxation of the back
- Contoured armrests for increased support
- Pneumatic seat height adjustment from 18" to 22"
- A tilt mechanism with lockout and tension adjustment control knob
- Contoured backrest shaped to fit the contours of the body
- Soft-touch leather like fabric
- Fixed armrests



Model No. OK390



INDUSTRIAL & OFFICE SEATING

ACTIV® A-41S GUEST CHAIRS

- Breathable mesh fabric backrest
- Contoured backrest shaped to fit the contours of the body
- Lumbar support allows increased relaxation of the back
- High density foam seat cushion with plastic shell seat pan
- Fixed loop style armrests
- Black 4-legged base
- Seat: 18 1/2" H x 18 1/2" W x 19 1/2" D
- Back: 16 1/2" H x 17 1/2" W
- Stacks five high

Model No. ON707



POLYPROPYLENE FOLDING CHAIRS

- Durable contoured back and seat for all day comfort
- Steel framing and folding legs for extra strength
- Easy to clean
- Dimensions: 15 1/2" L x 16 1/2" W x 33 1/2" H
- Capacity: 350 lbs.

Model No. ON602



ECONOMY DRAFTING CHAIRS

- Pneumatic seat height control adjusts from 23" to 33"
- Manual back height and depth adjustment
- Chrome-plated adjustable footring
- Five-star nylon-reinforced base for strength and durability
- Back dimensions: 16" W x 9 1/2" H
- Seat dimensions: 18 3/4" W x 16 5/8" D



Model No.	Colour	Wt. lbs.
OE096	Black	25



STAG4 ERGONOMIC SEATING

- Ergonomic seat allows user to work in a kneeling position with comfort
- Reduced pressure sensations felt in the knees, ankles and lumbar region
- 1-lever mechanism for seat height adjustment and 20° adjustable slope for kneeling position
- Padding: Dual-density cushions, closed-cell foam
- Upholstery for standard unit: Easy to maintain black/grey moburg and naugahyde, antibacterial, antistatic material
- For welding unit: Flame retardant natural cow suede
- Seat height adjustment: Standard pneumatic lift: 16" to 21"
- Dimensions: Knees: 9.5" W x 16" D, Seat: 12.5" W x 12" D, Steel base: 21" x 27"
- Five 3" caster wheels with three brakes, adaptable to all surfaces
- Includes small tool tray



Model No	Description
OG347	Ergonomic Bench
OG348	Ergonomic Bench w/Welding Fabric



TF180 ERGONOMIC INDUSTRIAL STOOLS

- An ergonomic stool with a larger seat improving workers comfort
- Seat height adjustment: Pneumatic lift: 23" to 33"
- Dimensions: Seat: 17.5" W x 14" D, Backrest: 12" W x 14" H
- Mechanism: three levers seat height adjustment, tilting seat, and tilting backrest
- Padding: Dual-density cushions, closed-cell foam
- Base: 28" diameter, steel
- Five 3" caster wheels adaptable to all surfaces



Model No	Description
OP241	Ergonomic Industrial Stool
OP242	Ergonomic Stool w/Welding Fabric



HEAVY-DUTY STEP STOOLS

- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Capacity: 500 lbs.
- Wt.: 10 lbs.

Model No. ON528



STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- 13" overall height
- Capacity: 350 lbs.
- Wt.: 7 lbs.

OA300



Model No.	Mfg. No.	Colour
OA299	2523BL	Black
OA300	2523BE	Beige



COMPUTER CABINETS

ALL-WELDED DESK TOP CABINETS

- Locking slide-in pocket doors with inner compartments for storage of files or manuals
- Pull out keyboard shelf • Sliding tray may be used for mouse pad or as a writing surface
- Vented back for air circulation • Finish baked enamel blue and grey
- Ships fully assembled

Model No. OC533

OPEN PEDESTAL STANDS

- 32" high, designed to support the desk top unit for stand-up operation
- Blue-baked enamel finish
- **Includes:** Convenient storage shelf and adjustable leg levellers for uneven work surfaces
- Shipped knocked down

Model No. OC534

ENCLOSED PEDESTAL STANDS/PRINTER STANDS

- Roll in/roll out hideaway printer stand which locks inside the enclosure when not in use
- Printer stand has two adjustable shelves as well as one bottom 28" W x 25" D shelf for printers or paper
- 30" high enclosure may be oriented for left or right hand access
- Blue and grey baked enamel finish
- Shipped knocked down

Model No. OC535



Model No.	Description	Dimensions					Wt. lbs.
		W"	x	D"	x	H"	
OC533	Desktop Upper Computer Cabinet Only	30	x	27 3/4	x	30	122
OC534	Computer Cabinet Open Pedestal Stand Only	30	x	27 3/4	x	32	66
OC535	Computer Cabinet Enclosed Stand w/Printer Stand	30	x	27 3/4	x	33	142

MOBILE COMPUTER CABINETS

- All-steel welded construction
- Top monitor compartment is 22 1/2" W x 23" D x 18 3/4" H with a slide-out keyboard shelf
- Locks independently of bottom section which includes two adjustable shelves
- 5" polyolefin casters (two rigid, two swivel w/brake)
- **Includes:** Vented back for air circulation and a 6-outlet power strip with built-in surge suppression
- Overall dimensions: 26" W x 24" D x 64" H
- Weight: 149 lbs.
- Durable baked enamel blue and light grey finish
- Shipped fully assembled

Model No. OC532



MOBILE COMPUTER CABINETS

- All-steel construction
- Slide-out keyboard tray
- Lower lockable cabinet is 24 5/8" W x 22 7/8" D x 22 5/8" H
- 2-position shelf can be located for desk top style or up to 18" H tower style CPU's
- Fixed shelf is 24 5/8" W x 22 7/8" D x 11 1/2" H and provides ample room for any sheet fed style or continuous form style printer
- Rear cabinet access holes for paper feed, cables and ventilation fan (not included)
- 5" polyolefin casters (two rigid, two swivel w/brake)
- Overall dimensions: 27" W x 24" D x 49 1/4" H
- Blue
- Weight: 125 lbs.
- Shipped knocked down, assembly required with simple hand tools

Model No. OC839



MOBILE SECURITY COMPUTER CABINETS

- Secure locking cabinet with resistant acrylic see-thru window for LCD monitor
- Slide-out locking keyboard is 19 3/4" W x 17 1/2" D x 4" H
- Lower compartment is 20 1/2" W x 21" D x 23 1/2" H and has a locking front and rear access doors
- Two convenient side wing shelves for additional work space, fold down when not required
- 5" heavy-duty casters (two rigid, two swivel w/brake)
- Overall dimensions: 24 1/2" W x 22 1/2" D x 62 1/4" H
- Powder coat finish provides a durable finish



Model No.	Colour
OG880	Blue
OG881	Putty
OG882	Light Grey
OG883	Black



COMPUTER CABINETS

- A unique 2-piece heavy-duty all-welded steel construction that provides space efficient security for your valuable electronic equipment
- Locking upper compartment with plexiglass window provides viewable access for most 20" monitors
- Lower compartment features one fixed bottom and one adjustable shelf
- Top level can be bolted onto a desk (bolts not included)
- Louvers in the rear provide equipment ventilation
- Heavy-duty all-welded steel top and bottom sections bolt together for easy assembly
- **Includes:** 5" casters (two rigid, two swivel w/brake)



Model No.	Description	Dimensions					Colour
		W"	x	D"	x	H"	
OE824	Complete Computer Enclosure w/Casters	24 1/2	x	22 1/2	x	59 1/2	Light Grey
OE825	Complete Computer Enclosure w/Casters	24 1/2	x	22 1/2	x	59 1/2	Putty
OE826	Top Level (Internal)	20 3/4	x	21 3/4	x	19 1/4	Light Grey
OE827	Top Level (Internal)	20 3/4	x	21 3/4	x	19 1/4	Putty

COMPUTER CABINETS & LITERATURE RACKS

EXTRA WIDE COMPUTER CABINETS

- Heavy-duty all-welded construction with vented back for air circulation
- Separate locking upper and lower compartments allow access only to the equipment needed
- Slide out keyboard shelf facilitates ergonomic operation
- Two adjustable shelves in lower section can be located for any style equipment
- Top compartment:
46 1/2" W x 23" D x 18 1/2" H
- Lower cabinet section:
46 1/2" W x 23" D x 30" H
- Overall dimensions: 50" W x 24" D x 64" H
- Tough powder coat finish
- Complete with five polypropylene casters
- Includes 6-outlet UL listed and CSA approved power strip with built-in surge protection

Model No. ON576

Mfg. No. CSC6718



HOOK & LOOP FASTENERS

- Used as an alternative to zippers, screws, snaps, and bolts
- One nylon strip consists of tiny hooks and another consists of soft pliable loops
- Simply press together to fasten and pull apart to open
- Applications include the apparel, furniture, packaging and printing industries
- Peel & stick (adhesive backed)



Hook		Loop		Width"	Length yds
White	Black	White	Black		
OC500	OC501	OC502	OC503	1	10
OC504	OC505	OC506	OC507	1	25

COMPUTER CABINETS FOR HARSH ENVIRONMENTS


- Heavy-duty all-welded construction with forklift channels for easy movement
- Built-in fan with guard and filter keeps equipment cool and provides positive air pressure in the enclosure to keep out dust
- Locking upper compartments with plexi-glass window provides viewable access to most 20" monitors
- Locking pull-out drawer facilitates ergonomic operation of keyboard and mouse while top and bottom compartments are locked
- Roll-out printer shelf in lower section provide full access and is height adjustable for any style equipment
- Adjustable bottom shelf provides space for desktop or tower style CPUs
- Rear access panel for easy cable management
- Caster base includes 5" polypropylene casters (two rigid, two swivel with brake)
- Tough powder coat finish
- Includes 6-outlet UL listed and CSA approved power strip with built in surge protection
- Optional caster base available for even greater mobility



Model No.	Mfg. No.	Description	Dimensions			Colour	Wt. lbs.
			W"	x D"	x H"		
ON574	CSC6850	Computer Cabinet	28 1/2	x 28 1/2	x 60	Blue	255
ON575	CSC6852	Optional Caster Base	-	-	38	Blue	11

LITERATURE STORAGE RACKS

- Construction is of sturdy heavy gauge steel
- Provide a convenient and compact way to store literature
- Most models accommodate 150 standard 8 1/2" x 11" sheets, while others are wider to hold magazines and special forms



Optional legs to permit free standing as illustrated are available for all literature racks.



ROTATING LITERATURE RACKS

Model No.				Overall Dimensions					Openings					Paper	No. of	Wt.
Putty	Grey	Tan	Black	W"	x	D"	x	H"	W"	x	D"	x	H"	Width"	Pockets	lbs.
OC540	OA152	OA130	OC536	9 3/4	x	4 1/8	x	65 1/2	8 5/8	x	3/4	x	8 1/2	8 1/2	23	32
OC559	OA166	OA156	OA607	13 1/8	x	4 1/8	x	58 1/2	12 1/8	x	1	x	8 3/4	12	20	38
OC541	OA161	OA155	OC537	9 3/4	x	4 1/8	x	36	8 5/8	x	3/4	x	8 1/2	8 1/2	11	18
OC558	OA148	OA162	OA125	13 1/4	x	4 1/8	x	36	12 1/8	x	1	x	8 3/4	12	11	24
OC543	OA169	OA165	OC539	9 3/4	x	4 1/8	x	21	8 5/8	x	3/4	x	8 1/2	8 1/2	5	9
OC557	OA163	OA144	OA609	13 1/8	x	2	x	26 1/4	12 1/8	x	5/16	x	5 5/8	12	10	13
OC545	OA171	OA624	OC544	Optional Legs for 9 3/4" Wide Models (Sold Individually)												
OC556	OA164	OA167	OC555	Optional Legs for 13 1/8" Wide Models (Sold Individually)												
ROTATING LITERATURE RACKS																
OC553	OA149	OA179	OC552	14 1/8	x	14 1/8	x	66	8 5/8	x	3/4	x	8 1/2	8 1/2	92	136
OC549	OA134	OA158	OC548	14 1/8	x	14 1/8	x	48 1/2	8 5/8	x	3/4	x	8 1/2	8 1/2	44	92
OC547	OA145	OA128	OC546	14 1/8	x	14 1/8	x	21 1/4	8 5/8	x	3/4	x	8 1/2	8 1/2	20	47

DURHAM MFG
Est. 1922

FILING SYSTEMS

VERTICAL FILING SYSTEMS

Ideal for filing blueprints, charts, artwork and other oversized documents. Cuts filing and retrieving time; saves on floor space. Exclusive suspension system allows clamps to slip easily in and out of storage racks. Clamps open to 1" to hold up to 100 individual sheets (20 lbs. maximum weight per clamp).

MOBILE VERTICAL FILES

- All-steel construction with four ball bearing swivel casters (two lock)
- Fits 24" to 36" clamps (order separately)
- Holds up to 12 clamps that simply drop in and lift out
- Maximum capacity is 1200 sheets or 240 lbs.
- Compact economy
- Width adjusts from 27 1/2" to 39 1/4"
- Depth is 16" overall
- Height adjusts from 40" to 52"
- Assembly required
- Weight: 25 lbs.

Model No. OE130



HEAVY-DUTY MOBILE STANDS

- Steel construction with four 3" ball bearing swivel casters (two lock)
- Holds 12 hanging clamps in pivot brackets that swing open for easy access to contents
- Height adjusts from 43 5/8" to 61 5/8" for sheets up to 54" long
- Adjusts from width 27 1/2" to 37 1/2"
- Tropic sand finish
- Assembly required



Model No.	Description	Wt. lbs.
OE129	Mobile Stand Only	47
OA195	Mobile Stand with 12-24" Clamps	61
OA196	Mobile Stand with 12-30" Clamps	63
OA213	Mobile Stand with 12-36" Clamps	65
OA197	Mobile Stand with 12-42" Clamps	67

PRINT-LOCK® HANGING CLAMPS



- Clamps hold up to 100 sheets or 20 lbs.
- Green plastic label holders included
- Available in natural aluminum with polished chrome plated cast alloy wing knobs and black end caps



Model No.	Description	Clamp/Pkg.	Wt. lbs.
OE135	18" Long Hanging	6	6
OE136	24" Long Hanging	6	7
OE137	30" Long Hanging	6	8
OE138	36" Long Hanging	6	9
OE139	42" Long Hanging	6	10

VERTICAL FILES W/RECESSED DRAWER HANDLES

- High side walls accommodate hanging files and eliminate the need for hanging file frames
- Removable cam lock included
- Full cradle suspension
- Easy-to-grab recessed pull
- Fully adjustable and removable follower block is standard in every drawer
- Legal size: 18" W x 26 9/18" D




Black	Model No. Grey	Putty	Description	Height"	Wt. lbs
OTE611	OTE612	OTE613	2-Drawer	29	70
OTE618	OTE619	OTE620	3-Drawer	40	104
OTE624	OTE625	OTE626	4-Drawer	52	128

DATA ORGANIZERS

- Horizontal literature rack
- All racks easily bolt together with fasteners provided
- Steel modular, horizontal racks that can be grouped for floor or table mounted storage
- Capacity for literature or directories up to three inches thick
- 8" legs (model CA159) available to raise unit off the floor
- Tan enamel finish
- Includes: Mounting clips

DURHAM MFG®
Est. 1922



Specifications	Model OA157	Model OA168	Model CA159
Height "	10 3/4	14 1/4	33 7/8
Width "	33 3/4	33 3/4	3 1/8
Depth "	11 5/8	11 5/8	12 1/8
Opening Width "	11	11	-
Opening Depth "	11 1/2	11 1/2	-
Opening Height "	3	3	-
No. of Openings	9	12	-
Paper Width "	8 1/2	8 1/2	-

WIDE SPAN RECORD STORAGE SHELVING

- Efficiently organize and store all records in a single information retrieval center
- Record management is facilitated with easy to identify printed storage boxes
- 12-gauge steel posts and beams and warp free particle board decks provides maximum strength
- Easy to install with snap together shelf beams, no nuts and bolts
- Storage boxes constructed of white corrugated fibreboard, with handles, making it a durable and easily maneuverable box, a perfect choice for economical storage
- Order complete units, including shelving, deck and boxes, or shelving with deck only
- Grey



RN004



RN009

METALWARE
STEEL SHELVING
CORPORATION

Shelving & Deck Only Model No.	Complete Unit w/Boxes Model No.	No. of Shelves	Dimensions L" x D" x H"	No. of Boxes
RL997	RN006	3	72 x 18 x 60	30
RL998	RN007	3	72 x 32 x 60	60
RL999	RN008	4	72 x 18 x 84	40
RN001	RN009	4	72 x 32 x 84	80
RN002	RN010	3	42 x 18 x 60	18
RN003	RN011	3	42 x 32 x 60	36
RN004	RN012	4	42 x 18 x 84	24
RN005	RN013	4	42 x 32 x 84	48

POLYPROPYLENE FOLDING TABLES

- Blow molded polypropylene top
- Lightweight with folding legs for easy storage
- 29" fixed table height with locking steel legs
- Easy to clean
- Folding legs automatically lock by use of gravity activated mechanism when opened
- Capacity: 500 lbs. for solid table
350 lbs. for fold-in-half table



Chairs (ON602)
not included

OK137



ON598



Model No.	Description	L"	x	W"	x	H"	Wt. lbs.
ON598	Rectangular	48	x	24	x	29	22
ON599	Rectangular	72	x	30	x	29	35
ON600	Rectangular	96	x	30	x	29	50
ON601	Rectangular Fold-in-Half	72	x	30	x	29	36
OK137	Round	48	x	48	x	29	31
OK138	Round	60	x	60	x	29	47

ECONO/STOR® BOXES

- The perfect choice for economical storage of semi-active or dead records
- Recycled material
- **OA081** can be adapted to hold up to one cubic foot of legal or letter size



Model No.	Record Size	Dimensions W" x D" x H"	Stackable Up To
OA082	Letter	12 x 24 x 10	650 lbs.
OA079	Legal	15 x 24 x 10	700 lbs.
OA081	Letter or Legal	12 x 15 x 10	350 lbs.

CORKBOARDS

- Ideal for office or warehouse environments
- Sturdy aluminum frame
- Plastic-molded corners protect the boards and wall from damage
- Double-sided cork for added durability



ON593

KLETON

Model No.	Dimensions"	Wt. lbs.
ON593	18 x 24	3.5
ON594	24 x 36	6
ON595	36 x 48	10.5
ON596	48 x 72	18
ON597	48 x 96	30

CORKBOARD ACCESSORIES

PUSH PINS

Plastic head, assorted colours. 100 per pkg.


Price per package

Model No. OJ472



WHITE BOARDS

- White writing surface provides clean, colourful display
- Effortless erasing, wipes clean with cloth or felt brush
- Aluminum frame
- Plastic corners for board and wall protection



ON531

KLETON

NON-MAGNETIC

MAGNETIC

Model No.	Dimensions"	Wt. lbs.
ON535	24 x 36	6
ON536	36 x 48	10.5
ON537	48 x 72	18

Model No.	Dimensions"	Wt. lbs.
ON530	18 x 24	3.25
ON531	24 x 36	6
ON532	36 x 48	10.5
ON533	48 x 72	18
ON534	48 x 96	30

DURA-INK® DRY ERASE INK MARKERS

- Ideal for white board marking in offices and factories
- Mark can be removed quickly and easily with dry rag, towel, or eraser



Markal
High Performance Industrial Markers

Model No.	Colour
PE773	Red
PE774	Black
PE775	Blue
PE776	Green

CLOCKS, DESK LAMPS & KEY CABINETS

TIME CLOCKS

- Large, easy-to-read analog clock face
- LED display of year, month and date
- Automatic or manual printing
- Print window with light
- Automatically adjusts for Daylight Savings Time, short months, leap year and power outages
- Selectable for 4-digit imprint
- Built-in battery backup

SPECIFICATIONS:

Power Supply: 110/120 AC $\pm 10\%$ (50/60 Hz)
Power Consumption: Normal 3 W, Max. 12 W
Ambient Temperature: 14°F - 113°F (-10°C - 45°C)
Humidity: 10% - 90% (no condensation)
Dimensions: 6 3/4" W x 6 1/4" D x 8" H
Weight: 150 x 172 x 165 (mm)
 6 lbs. (2.7 kg)

Model No.	Description
HN140	English



TIME CLOCK ACCESSORIES

- Card rack is adjusted for standard 8 1/4" long cards
- Fits 25 standard time cards
- Rack is adjustable to accommodate cards of different widths

Model No.	Description
HA004	Card Rack
HA001	1000 Time Cards, English
HN141	Replacement Ribbon for HN140 & HN164 Time Clock



WALL CLOCKS

BATTERY-OPERATED

- 12" diameter round office wall clock
- 12/24 hour
- Glass face
- Black chrome frame

Model No. HT072



HT072

ELECTRIC

- 12" diameter round office wall clock
- 12/24 hour
- Plastic face
- Black frame

Model No. HX019



HX019

BATTERY OPERATED

- 14" diameter quartz clock
- Silent quartz movement with second hand
- Use 1 AA battery
- Plastic face
- Chrome frame

Model No. HT071



HT071

TIME CLOCKS

- Manual or automatic print
- Selectable imprints: year (4-digit), month, date and time or notation
- Selectable print format: year, month and date or Julian date; day or date; AM/PM or 0-23 hours; regular minutes or 100th of an hour
- Right or left side printing
- Desk or wall mount
- Fast, easy set-up of date, time, print format, etc.
- Easy-to-replace ribbon cartridge
- Easy-to-read LCD display
- Automatic adjustment for Daylight Saving Time
- Quartz clock accuracy
- Built-in lithium battery backup protects clock and program data in the event of power failure
- Fast, quiet dot matrix printing
- Selectable notations: RCV'D, SENT, FAX'D, VOID, PAID, CFM'D APR'D, CMPL'D, ORIGN, FILE



SPECIFICATIONS:

Power Supply: 120 AC $\pm 10\%$, 60 Hz
Power Consumption: Normal 3W, Max. 6W
Ambient Temperature: 14°F - 113°F (-10°C - 45°C)
Humidity: 10% - 90% (no condensation)
Dimensions: 5 1/2" W x 6 1/2" D x 6" H
 150 x 140 x 165 (mm)
Weight: 4.2 lbs. (1.8 kg)

Model No.	Description
HN164	English

KEY STORAGE CABINETS

- Organize and control your office or warehouse with wall-mounted key cabinets
- Heavy gauge steel construction with piano hinged doors and key panels – provide a secure location for key storage
- Industrial 19-gauge body with 18-gauge door on all except OJ922, it has a 20-gauge body and 19-gauge door
- Durable beige powder coat epoxy finish
- All models come with numbered slots and key tags



OJ924



Model No.	Description	W"	x	D"	x	H"
OJ922	30-Key Cabinet	8	x	2 1/2	x	12
OJ923	60-Key Cabinet	10 3/4	x	3	x	12 1/4
OJ924	120-Key Cabinet	13	x	3 1/4	x	17
OJ925	240-Key Cabinet	16 1/2	x	5	x	20
OJ927	500-Key Cabinet	18	x	5 1/2	x	25
OJ928	Key Tags – 20/Pack			-		

SWING ARM CLAMP-ON DESK LAMPS

- Spring arm adjusts to many positions
- 36" reach
- Clamp to any surface
- Durable baked enamel finish
- Uses standard 100-watt bulb (not included)
- Certified for sale in Canada by an accredited certification body



Model No.	Frame Colour	Light	Type
XA982	Black	100 W	Incandescent
REPLACEMENT BULBS			
Model No.	Colour	Light	
XC557	Frosted	100 W	

WATER COOLERS

OASIS WATER COOLERS

Oasis® water coolers are manufactured with a heavy gauge steel frame which provides durable and quiet operation. They feature a 5-year limited warranty on the sealed refrigeration system and most component parts. All waterways are constructed of lead-free materials and HFC 134A is used as a refrigerant. No CFCs are used. All units are standard tan sandstone finish. Drinking water temperature is 50°F/10°C. Certified for sale in Canada by an accredited certification body.

WALL-MOUNTED COOLERS

Units come in standard or compact models. All units are shipped with complete instructions and wall mounting bracket. Units should be installed with the nozzle 36" from the floor.

Model No.	Mfg. No.	Description	GPH Capacity	W"	x	D"	x	H"	Wt. lbs.
0J952	PLF4CM	Compact	4	17	x	13 3/16	x	16	51
0A061	P8M	Standard	8	17	x	29 7/8	x	14	73
0A536	P14M	Standard	14	17	x	29 7/8	x	14	76



OA061



OA063

COMPACT FREE-STANDING COOLERS

Attractive economical line suitable for applications in offices, shops or factories where space saving is critical.

Model No.	Mfg. No.	Description	GPH Capacity	W"	x	D"	x	H"	Wt. lbs.
0A063	P3CP	Compact	3	12	x	12	x	43 3/4	66
0A064	P5CP	Compact	5	12	x	12	x	43 3/4	69
0A548	P10CP	Compact	10	12	x	12	x	43 3/4	73



OC709

AGAINST-A-WALL OR FREE-STANDING COOLERS

All plumbing connections are completely sealed within the cabinet, permitting flush-to-wall installation.

Model No.	Mfg. No.	Description	GPH Capacity	W"	x	D"	x	H"	Wt. lbs.
0C709	P8FA	Standard	8	17	x	14	x	43 3/4	94
0A550	P14FA	Standard	14	17	x	14	x	43 3/4	96

BARRIER-FREE WHEELCHAIR COOLERS

- Designed specifically for easy access
- Wheelchairs fit under edge of water basin for comfort and convenience
- Instructions and wall mounting brackets included
- Drinking water temperature 50°F



Model No.	Mfg. No.	Bubbler Valve Type	GPH Capacity	W"	x	D"	x	H"	Wt. lbs.
0A059	P8AC	3 Electric Push Bars	7.8	17 1/2	x	18 1/2	x	22 11/32	54



OA059

DRINKING WATER FILTER FOR OASIS® COOLERS


- Removes dirt, cloudiness, particles, unpleasant odours and taste
- Reduces chlorine by 97%, lead between 95.9% and 99% and cryptosporidium and giardia cysts by 99.99%
- Works with all the Oasis® water coolers listed on this page
- Fast and easy-to-change refill cartridges with automatic shut-off valve inside the filter
- Designed to last 1500 gallons or approximately six months
- Includes: Brackets, complete filter and colour-coded waterline connections

Model No. OG445 Filter

Mfg. No. 033926-002

Model No. OG446 Refill cartridge

Mfg. No. 033879-001



INSULATED BEVERAGE COOLERS

- Heavy-duty blow-molded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- Leak-resistant screw on lid
- Drip-resistant spigot
- Sturdy molded-in handles on the 10-gallon
- Universal cup dispenser is available for 3 gallons and up, holds 200 cups



Model No.	Mfg. No.	Description	Wt. lbs.
NI653	FG16830111	3 Gallons	5.4
ON611	1840999	5 Gallons	7.5
ON607	1841106	5 Gallons with Dispenser	7.5
NI656	FG16100111	10 Gallons	10.9
NI657	FG825706	Universal Cup Dispenser	0.82