

SAFETY CABINETS

FLAMMABLE STORAGE CABINETS

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for Class I, II and III liquids
- FM approved

ZENITH
Safety Products

10 YEAR
Limited Warranty

SAQ325



Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Exterior Dimensions W" x D" x H"	Wt. lbs.
SEE911	Single	12	1	23 x 18 x 35	99
SEE912	Single	16	1	23 x 18 x 44	116
SEE913	Double	22	1	35 x 22 x 35	151
SEE914	Double	24	3	43 x 12 x 44	173
SAQ325	Double	30	1	43 x 18 x 44	174
SAQ326	Double	45	2	43 x 18 x 65	252
SAS521	Double	60	2	34 x 34 x 65	430

EXTRA SHELF

Model No.	For Use With:	Dimensions W" x D"	Wt. lbs.
SEE922	SEE911, SEE912	19 1/2 x 14	5
SEE923	SEE913	31 1/2 x 18	9
SEE924	SEE914	39 1/2 x 8	6
SAQ328	SAQ325, SAQ326	39 3/8 x 14	9
SAS574	SAS521	30 3/8 x 30	12

SURE-GRIP® EX FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure
- U-LoC™ handle comes with two keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leakproof sill
- Adjustable leveler legs and galvanised SpillSlope™ shelves
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable yellow powder coat paint finish
- Meet NFPA and OSHA requirements
- FM approved

Quality
10 Year
Limited Warranty

JUSTRITE



SAQ023



SAP509

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAP509	893000	2 Doors, Manual	30	1	43 x 18 x 44	231
SAQ021	893020	2 Doors, Self-Closing	30	1	43 x 18 x 44	237
SAP510	894500	2 Doors, Manual	45	2	43 x 18 x 65	310
SAQ023	894520	2 Doors, Self-Closing	45	2	43 x 18 x 65	313
SAQ024	896000	2 Doors, Manual	60	2	34 x 34 x 65	387
SAQ025	896020	2 Doors, Self-Closing	60	2	34 x 34 x 65	392
SAQ026*	899000	2 Doors, Manual	90	2	43 x 34 x 65	480
SAQ027*	899020	2 Doors, Self-Closing	90	2	43 x 34 x 65	480

*Codes state that not more than 60 gallons may be Class I and Class II liquids.

PAINT & INK STORAGE CABINETS

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for Class I, II and III liquids
- FM approved

ZENITH
Safety Products

10 YEAR
Limited Warranty

SAQ327



Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim.				Wt. lbs.
SAQ327	2 Door, Manual	60	5	43	x	18	x 65	267
Model No.	Description	Dimensions						Wt. lbs.
SAQ328	Extra Shelf	39 3/8		x	14			9

SURE-GRIP® EX PAINT & INK STORAGE CABINETS

Offers the same safety and quality features and options that are available in Justrite's safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 120-gallon capacities
- U-LoC™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- Meets NFPA and OSHA regulations
- FM approved

SAQ084

Backed by our
10 Year
Limited Warranty

JUSTRITE



SAQ081



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ079	891511	1 Door, Manual, Compac	20	2	23 1/4 x 18 x 44	154
SAQ081	893011	2 Doors, Manual	40	3	43 x 18 x 44	239
SAQ084	894511	2 Doors, Manual	60	5	43 x 18 x 65	345
SAQ087*	896011	2 Doors, Manual	96	5	34 x 34 x 65	424

EXTRA SHELVES

SAP839	29937	Extra Shelf for 40-Gallon Cabinets
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets

*Codes state that not more than 60 gallons may be Class I and Class II liquids.

SURE-GRIP® EX SAFETY CABINETS

These cabinets offer U-LoC™ handles and come with a double key set or accept an optional padlock for greater security. They also have Haz-Alert™ reflective warning labels to offer visibility under dark conditions. Yellow powder-coat paint finish. Meet NFPA and OSHA regulations.

WALL MOUNT

- Avoids taking up extra floor space
- Mount easily with furnished brackets
- FM approved

COUNTERTOP & COMPAC

- Increased access to often-used liquids, without compromising safety
- Portable size keeps work areas flexible
- Each has one adjustable shelf
- A great size for the home handyman
- Compac cabinets are FM approved

SLIMLINE

- Three adjustable shelves provide flexible, safe storage
- Small footprint allows placement almost anywhere
- FM approved

STACKABLE "PIGGYBACK"

- Designed to mount on top of Justrite's standard 30 and 45-gallon safety cabinets
- Can be used singly or stacked to provide expanded or segregated storage of flammables
- Suitable for wall mounting or countertop use
- FM approved



Model No.	Mfg. No.	Type	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ034	890400	Countertop	1 Door, Manual	4	1	17 x 17 x 22	62
SAQ036	891200	Compac	1 Door, Manual	12	1	23 1/4 x 18 x 35	129
SAQ038	891500	Compac	1 Door, Manual	15	1	23 1/4 x 18 x 44	154
SAQ040	893400	Wall Mount	2 Doors, Manual	20	5	43 x 12 x 44	221
SAQ030*	891300	Piggyback	2 Doors, Manual	12	-	43 x 18 x 18	129
SAQ031*	891700	Piggyback	2 Doors, Manual	17	1	43 x 18 x 24	157
SAQ032	892200	Slimline	1 Door, Manual	22	3	23 x 18 x 65	200

EXTRA SHELVES

Model No.	Mfg. No.	Description	Wt. lbs.
SAQ043	29936	For 12 and 15-Gallon Compac Cabinets	5

*Piggyback cabinets are not to be used with sliding door cabinets.

DRUM STORAGE SURE-GRIP® EX SAFETY CABINETS

Suitable for storage of larger quantities of flammable liquids and have all the same features as Justrite's standard safety cabinets.

- Two manual doors
- Safely store one or two 55-gallon US drums
- Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels
- Rollers at bottom of cabinet facilitate drum movement (**sold separately**)
- Ramp for drum cabinets (**sold separately**) aids in loading drums with a hand truck

SAQ046



SA088



FLAMMABLE STORAGE CABINETS

ULC APPROVED – 2" FIBRE INSULATED

- Double wall welded 18-gauge steel construction, filled with a fire-proof insulation
- Two manual-close doors
- Full length piano-hinged doors with three-point lock
- Two 2" flame arrestor vents and ground wire connection screw
- 2" deep leak-proof sill, adjustable galvanised shelves on 1/2" centres
- Zinc-plated leveler legs



herbertwilliams
FIRE EQUIPMENT LTD.

Model No.	Mfg. No.	Cap. Gal.	Adjustable Shelves	Ext. Dimensions W" x D" x H"	Wt. lbs.
SA087	WB30	30	1	44 x 19 x 45	350
SA088	WB45	45	2	44 x 19 x 66	430



Model No.	Mfg. No.	Drum US Cap.	Ext. Dim. W" x D" x H"	Listings & Approvals	Wt. lbs.
SAQ046	896260	1-55 Gallons	34 x 34 x 65	FM	425
SAQ048	899160	2-55 Gallons	59 x 34 x 65	-	781

GAS CYLINDER CABINETS

- Heavy-duty construction
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof

- English and French warning labels included
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- Easy assembly, knock-down feature saves on shipping costs

Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

COMPRESSED GAS (9" DIAMETER CYLINDERS)

Model No.	W"	Dimensions x D" x H"	Cylinder Capacity	Wt. lbs.
SAF837	44	x 30 x 74	10	210
SAF848*	88	x 30 x 74	20	420

*Consists of two units of the SAF837

LIQUID PROPANE (35-LB CYLINDERS)

Model No.	W"	Dimensions x D" x H"	Cylinder Capacity	Wt. lbs.
SEB837*	30	x 17 x 37	2	70
SEB838*	17	x 17 x 69	2	85
SAF836	44	x 30 x 37	6	135
SAF847	44	x 30 x 74	12	270

*All welded, fully assembled



SAF837



SEB837



SEB838



SAF847



SAFETY CONTAINERS & FIRE EXTINGUISHERS

TYPE I SAFETY CANS

- Fully compliant Type I safety cans with stainless steel flame arresters
- Chemical resistant, provides faster liquid flow, and offers exceptional durability and corrosion protection
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Warning label includes large ID zone for user labelling
- Optional poly funnel offers targeted pouring
- FM approved, UL/ULC listed
- 10-year limited warranty



SEA213



SEA212



Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity	Ext. Dim. Dia." x H"
WITH FUNNEL					
SEA240	7110110	SEA241	7110210	1 US Gal.	9 1/2 x 11
SEA204	7120110	SEA244	7120210	2 US Gal.	9 1/2 x 13 3/4
SEA208	7125110	SEA247	7125210	2.5 US Gal.	11 3/4 x 11 1/2
SEA213	7150110	SEA250	7150210	5 US Gal.	11 3/4 x 16 7/8
WITHOUT FUNNEL					
SAI516	10001	-	-	1 Pint	4 5/8 x 6 3/4
SAI517	10101	-	-	1 Quart	4 5/8 x 8 1/4
SEA199	7110100	SEA200	7110200	1 US Gal.	9 1/2 x 11
SEA203	7120100	SEA205	7120200	2 US Gal.	9 1/2 x 13 3/4
SEA207	7125100	SEA209	7125200	2.5 US Gal.	11 3/4 x 11 1/2
SEA212	7150100	SEA214	7150200	5 US Gal.	11 3/4 x 16 7/8

Other colours available, call us today!

LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved 5 US gallon cans



SEC080

Model No.	Mfg. No.	Description	Faucet
SEC080	7150140	Steel Shelf Can	Control Flow Lab, 3/4" Brass
SEC081	7150150	Steel Shelf Can	3/4" NPT Rigid Brass
SEC082	7150146	Steel Tilt Can w/Stand	Control Flow Lab, 3/4" Brass
SEC083	7150156	Steel Tilt Can w/Stand	3/4" NPT Rigid Brass
SEC084	14545	Polyethylene Shelf Can	Control Flow Lab, 3/4" Brass
SEC085	14535	Polyethylene Tilt Can W/Stand	Control Flow Lab, 3/4" Brass

TYPE II ACCUFLOW™ SAFETY CANS

- AccuFlow™ exclusive Safe-Squeeze® trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty



SEA233



Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity US Gal.	Ext. Dim. Dia." x H"
5/8" HOSE WIDTH					
SEA217	7210120	SEA218	7210220	1	9 1/2 x 11
SEA221	7220120	SEA222	7220220	2	9 1/2 x 13 1/2
SEA224	7225120	SEA226	7225220	2.5	11 1/2 x 12
SEA232	7250120	SEA234	7250220	5	11 1/2 x 18
1" HOSE WIDTH					
SEA225	7225130	SEA227	7225230	2.5	11 1/2 x 12
SEA233	7250130	SEA235	7250230	5	11 1/2 x 18

Other colour/capacity/hose width combinations available, call us today!

OILY WASTE CANS

- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used
- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanised steel body in a variety of sizes accommodates any work area
- Carrying handle for portability
- 6 - 21 US gallon foot-operated units are FM approved and UL listed
- 2 US gallon hand-operated, countertop model is FM approved

SR357



Yellow Model No.	Mfg. No.	Red Model No.	Mfg. No.	Cap US Gal.	Ext. Dimensions Dia." x H"	Wt. lbs.
SR361	09200Y	SR356	09200	2	9 5/8 x 9 1/8	6
SR362	09101	SR357	09100	6	11 7/8 x 15 7/8	10
SR363	09301	SR358	09300	10	13 15/16 x 18 1/4	12
SR364	09501	SR359	09500	14	16 1/16 x 20 1/4	15
SR365	09701	SR360	09700	21	18 3/8 x 23 7/16	22

STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed

SC951 Wall Hooks



Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.
SAQ814	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12 - 14	150	15 1/2	3 1/8	Vehicle	4 1/4
SA445	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Wall	10 1/2
SC946	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SED109*	WBDL-ABC340LV	5	3A:40BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4
SED110	WBDL-ABC30WH	30	10A:120BC	10 - 15	28	195	30 3/4	7 1/8	Wall	50 1/3

*Meets requirements for forklifts

SPILL KITS ALLOW FOR IMMEDIATE CLEAN-UP OF SPILLS

Choice of oil, universal or hazmat kits. Oil kits can handle oil and fuel spills on land or on water. Universal kits handle more general purpose spills such as acids, caustics (bases), common fluids such as coolants, ethanol, pesticides and solvents. Hazmat kits handle chemical and more toxic fluids.

95-GALLON SPILL KITS

- 50 Sorbent Pads, 15" x 17"
- 5 Sorbent Socks, 3" x 48"
- 5 Sorbent Pillows, 8" x 18"
- 4 Sorbent Booms, 5" x 10"
- 1 Sorbent Roll, 15" x 150'
- 1 Drain Cover, 36" x 36"
- 1 Caution Tape, 3" x 300'
- 2 Pairs Nitrile Gloves, 2XL (11)
- 2 Pairs Safety Goggles, One Size
- 2 Microporous Coveralls, XL
- 10 Disposal Bags, 26" x 36"



Mobile Version



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ262	SEI167	SEJ263
Mobile Spill Kit	SEJ264	SEI494	SEJ265
Replacement Kit*	SEJ824	SEI873	SEJ826

*Replacement kit does not include original package container

55-GALLON SPILL KITS

- 50 Sorbent Pads, 15" x 17"
- 5 Sorbent Socks, 3" x 48"
- 3 Sorbent Socks, 3" x 120"
- 1 Drain Cover, 36" x 36"
- 1 Pair Nitrile Gloves, 2XL (11)
- 2 Microporous Coveralls, XL
- 1 Pair Safety Goggles, One Size
- 3 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI196	SEI195	SEJ271
Replacement Kit*	SEI576	SEJ833	SEJ834

*Replacement kit does not include original package container

5-GALLON SPILL KITS

- 5 Sorbent Socks, 3" x 48"
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles, One Size
- 2 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ975	SEI160	SEJ286
Replacement Kit*	SEJ976	SEJ858	SEJ859

*Replacement kit does not include original package container

63-GALLON SPILL KITS

- 100 Sorbent Pads, 15" x 17"
- 4 Sorbent Socks, 3" x 120"
- 4 Sorbent Pillows, 18" x 18"
- 1 Drain Cover, 36" x 36"
- 1 Optisorb®, 25-lb. Bag
- 2 Pairs Nitrile Gloves, 2XL (11)
- 2 Pair Safety Goggles, One Size
- 3 Disposal Bags, 26" x 36"



Mobile Version



Description	Oil Only Model No.	Universal Model No.
Mobile Spill Kit	SEI198	SEI197
Replacement Kit*	SEI943	SEI944

*Replacement kit does not include original package container

30-GALLON SPILL KITS

- 75 Sorbent Pads, 15" x 17"
- 4 Sorbent Socks, 3" x 120"
- 1 Drain Cover, 36" x 36"
- 1 Caution Tape, 3" x 300'
- 2 Pairs Nitrile Gloves, 2XL (11)
- 2 Pairs Safety Goggles, One Size
- 2 Microporous Coveralls, XL
- 5 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ275	SEI165	SEJ276
Replacement Kit*	SEJ839	SEI614	SEJ840

*Replacement kit does not include original package container

20-GALLON SPILL KITS

- 50 Sorbent Pads, 15" x 17"
- 4 Sorbent Socks, 3" x 48"
- 2 Sorbent Pillows, 8" x 18"
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles, One Size
- 1 Disposal Bag, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ291	SEI164	SEJ277
Replacement Kit*	SEJ841	SEJ842	SEJ843

*Replacement kit does not include original package container

10-GALLON VEHICLE SPILL KITS

- 20 Sorbent Pads, 15" x 17"
- 2 Sorbent Socks, 3" x 48"
- 2 Sorbent Pillows, 8" x 18"
- 1 Repair Putty, 4 oz.
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles, One Size
- 2 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI184	SEI183	SEJ284
Replacement Kit*	SEI888	SEI889	SEJ851

*Replacement kit does not include original package container


SPILL CONTROL

BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Sold per package



SEJ934



SEH972

OIL ONLY

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------	------------------	-------------------------	-----------

PADS - OIL ONLY

SEJ934	Heavy	15" x 17"	30	100
SEH968	Heavy	15" x 17"	10	25
SEH969	Medium	15" x 17"	25	100
SEI999	Light	15" x 17"	15	100
SEH970	Light	15" x 17"	30	200

ROLLS - OIL ONLY

SEH972	Heavy	150' x 30"	50	1
SEH971	Heavy	150' x 15"	25	1
SEJ001	Medium	150' x 30"	40	1
SEJ002	Medium	150' x 15"	20	1
SEH973	Light	300' x 30"	55	1



SEH959



SEH964

UNIVERSAL

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------	------------------	-------------------------	-----------

PADS - UNIVERSAL

SEJ935	Heavy	15" x 17"	30	100
SEH959	Heavy	15" x 17"	10	25
SEJ940	Medium	15" x 17"	25	100
SEH961	Light	15" x 17"	15	100
SEH962	Light	15" x 17"	30	200

ROLLS - UNIVERSAL

SEH966	Heavy	150' x 30"	50	1
SEH965	Heavy	150' x 15"	25	1
SEH964	Medium	150' x 30"	40	1
SEH963	Medium	150' x 15"	20	1



SEI007



SEI008

HAZMAT

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------	------------------	-------------------------	-----------

PADS - HAZMAT

SEI007	Heavy	15" x 17"	30	100
SEJ004	Medium	15" x 17"	25	100
SEJ005	Light	15" x 17"	15	100
SEJ006	Light	15" x 17"	30	200

ROLLS - HAZMAT

SEI009	Heavy	150' x 30"	50	1
SEI008	Heavy	150' x 15"	25	1
SEJ008	Medium	150' x 30"	40	1
SEJ009	Medium	150' x 15"	20	1

SORBENT PILLOWS

- Designed to recover and absorb large volumes of liquid
- Pillows can slide underneath dispensing units and machines to contain constant drips
- Oil only pillows are made from 100% polypropylene, and absorb more than 25x their weight
- Universal pillows are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Sold per package



SEH956



SEI005

Model No.	Dimensions L" x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------------------	-------------------------	-----------

PILLOWS - OIL ONLY

SEH956	18 x 8	25	10
SEH957	18 x 18	40	10

PILLOWS - UNIVERSAL

SEJ028	18 x 8	30	10
SEJ029	18 x 18	45	10

PILLOWS - HAZMAT

SEI006	18 x 8	30	10
SEI005	18 x 18	45	10

SORBENT SOCKS

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Oil only and hazmat socks are made from 100% polypropylene, and absorb more than 25x their weight
- Universal socks are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Sold per package



SEI048

Model No.	Dimensions L" x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------------------	-------------------------	-----------

SOCKS - OIL ONLY

SEH955	120 x 3	45	10
--------	---------	----	----

SOCKS - UNIVERSAL

SEI048	120 x 3	40	10
--------	---------	----	----

SOCKS - HAZMAT

SEI004	120 x 3	45	10
--------	---------	----	----

RAG RUGS

- Made of 100% recycled cotton and polyester, with a binder on one side
- Excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Absorbs more than 12x its weight in oil, water, or chemicals
- Sold per package



SEI055


Model No.	Weight	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------	--------------------	-------------------------	-----------

ROLLS - UNIVERSAL

SEI055	Heavy	150 x 36	50	1
--------	-------	----------	----	---


FINE FIBRE SORBENT PADS & ROLLS

- Premium fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers superior absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Sold per package




SEH975

SEI959



SEH936

SEH982



SEH986

SEH988

ZENITH®
Safety Products

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEH974	Heavy	15" x 17"	30	100
SEH975	Medium	15" x 17"	25	100
SEI977	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH976	Heavy	150' x 30"	50	1
SEH977	Heavy	150' x 15"	25	1
SEH978	Medium	150' x 30"	40	1
SEH979	Medium	150' x 15"	20	1
PADS – UNIVERSAL				
SEJ936	Heavy	15" x 17"	30	100
SEH981	Medium	15" x 17"	25	100
SEI978	Light	15" x 17"	30	200
ROLLS – UNIVERSAL				
SEH982	Heavy	150' x 30"	50	1
SEH983	Heavy	150' x 15"	25	1
SEH984	Medium	150' x 30"	40	1
SEH985	Medium	150' x 15"	20	1
PADS – HAZMAT				
SEH986	Heavy	15" x 17"	30	100
SEI979	Medium	15" x 17"	25	100
SEH987	Light	15" x 17"	30	200
ROLLS – HAZMAT				
SEH988	Heavy	150' x 30"	50	1
SEI980	Heavy	150' x 15"	25	1
SEI981	Medium	150' x 30"	40	1
SEI982	Medium	150' x 15"	20	1

DRIP DAM™ ROOF LEAK DIVERTERS

- Fast & efficient response to overhead leaks
- Convenient hose connector with cap
- Fits 5/8" and 1/2" standard garden hose, not included
- High chemical resistance
- Lightweight, reusable and easy to store
- Material: PVC
- Attach with four bungee cords or rubber tie downs (not included)



Model No.	Dimensions'		
SEI133	3	x	3
SEI134	3	x	6
SEI136	6	x	10
SEI657	5	x	5
SEI658	6	x	6
SEI659	10	x	12
SEI660	12	x	12



RUBBER TIE DOWNS

- Other sizes available



Model No.	Size"	Max. Safe Stretch"
PE368	15	22 1/2



COLLAPSIBLE SHOVELS

- Aluminum
- Compact storage
- Easy-to-connect lock buttons permit rapid assembly
- Ideal for picking up sorbent material and to include in spill kits
- Durable aluminum handle
- Non-sparking, designed for emergency responses
- Assembled length: 29" L
- Collapsed size: 15" L x 10" W x 3" H
- Weight: 1.5 lbs.

Model No. SEI088
Mfg. No. 0401



NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses

Model No.	Dimensions			
	L"	x	W"	Thick"
SH104	36	x	36	x 1/16
SAP060	48	x	48	x 1/16



OPTISORB® GRANULAR ABSORBENT

- Made from diatomaceous earth, 100% natural and moisture free mineral
- All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- Environmentally friendly
- 50% more absorbency per pound than clay alternatives
- 25-lb. bag

Model No. SEI076



SPILL CONTROL

POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums



POLY-OVERPACK® 20 SALVAGE DRUM

- Accepts bottles, cans, and 5-gallon pails
- 20 US gallon sump capacity
- Exterior dimensions:** 23" top dia. x 18" bottom dia. x 19" H
- Interior dimensions:** 21 1/2" top dia. x 17" bottom dia. x 17 1/2" H



POLY-OVERPACK® 30 SALVAGE DRUM

- Unit can contain up to 16 US gallon drums
- 30 US gallon sump capacity
- Exterior dimensions:** 23" top dia. x 18" bottom dia. x 30" H
- Interior dimensions:** 21 1/2" top dia. x 17" bottom dia. x 28 1/2" H

Model No.	Mfg. No.	Description	Wt. lbs.
SAG189	1220-YE	Poly-Overpack® 20	10
SAH551	1230-YE	Poly-Overpack® 30	13

POLY-OVERPACK® 95 SALVAGE DRUM

LIGHTWEIGHT POLYETHYLENE OVERPACK CAN CONTAIN A BROAD RANGE OF HAZARDOUS CHEMICALS INCLUDING ACIDS AND CORROSIVES!

- Damaged and deformed drums can be overpacked easily
- Twist-on lid with a closed cell polyethylene gasket can be closed securely and easily by using any long object, like a two-by-four
- Accepts all 55 US gallon drums
- Meets performance-oriented packaging requirements of U.S. DOT and UN regulations as well as Group 1 packaging standards and salvage drum regulations
- Molded area allows for easy gripping and pick-up by material handling equipment
- 95 US gallon sump capacity
- Exterior dimensions:** 31 3/4" top dia. x 26" bottom dia. x 41 1/2" H
- Interior dimensions:** 27" top dia. x 24 3/4" bottom dia. x 37" H



Model No.	Mfg. No.	Description	Wt. lbs.
SB756	1037-YE	Poly-Overpack® 95	48



SPILL SCOOTER™

- 100% polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Holds 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- Dimensions: 34 1/2" Dia. x 9" H
- 500-lbs. load bearing capacity
- 11 US gallon capacity



Drum not included

Model No.	Mfg. No.	Description	Wt. lbs.
SB767	5205-YE	Spill Scooter™	26
SC554	5206-BK	T-Handle	3

POLY-OVERPACK® 65 SALVAGE DRUM

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- Maximum handling capacity: 440 lbs.
- Exterior dimensions:** 27 3/4" top dia. x 23" bottom dia. x 37 1/2" H
- Interior dimensions:** 26 3/4" top dia. x 22" bottom dia. x 34 1/4" H



Spill products not included

Model No.	Mfg. No.	Description	Wt. lbs.
SE471	1065-YE	Poly-Overpack® 65	47



WHEELED OVERPACK® 95 SALVAGE DRUM

- First mobile 1-piece Overpack® that can handle 55 US gallon drums
- Salvage drum and dolly all in one, eliminates the need for a separate dolly
- UN rated salvage drums, ideal for spill kits
- Built-in handles and 6" wheels allow for easy maneuverability
- Easy steering through doorways and around obstacles
- Polyolefin wheels recommended for indoor use and pneumatic wheels for outdoor use
- 95 US gallon sump capacity
- Exterior dimensions:** 31 1/2" top dia. x 25 3/4" bottom dia. x 47 1/2" H
- Interior dimensions:** 27" top dia. x 25" bottom dia. x 38 1/2" H



Model No.	Mfg. No.	Description	Wt. lbs.
SAH549	1299-YE	Polyolefin Wheels	56
SAH550	1299-YE-A	Pneumatic Wheels	56



LEAK CONTAINMENT DRUM DOLLIES

- Polyethylene dolly will not dent, corrode, or rust
- Handles 45-gallon drums
- Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4"
- Capacity: 1000 lbs.
- Grey



DC465

Model No.	Caster Type	Caster"	O.A. Height"
DC465	Polyurethane	3	6 1/4
DC466	Polyolefin	3	6 1/2
DC467	Polyolefin	4	7 1/4

NESTABLE 2-DRUM POLY-SPILLPALLET™

- 100% polyethylene provides excellent chemical resistance
- Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 66 US gallons
- Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions:
51" L x 26" W x 21" H




Drums Not Included

Model No.	Mfg. No.	Description	Wt. lbs.
SE1786	5222-YE	2-Drum Poly-SpillPallet™	45
SE1787	5222-YE-D	2-Drum Poly-SpillPallet™ w/Drain	45

LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Poly-Ramp™ allows for easy loading of pallet



Drums Not Included



Model No.	Mfg. No.	Description	Dimensions L" x W" x H"	Wt. lbs.
SB762	5102-YE	Poly-SpillPallet™	98 x 25 1/4 x 12	84
SB763	5102-YE-D	Poly-SpillPallet™ w/Drain	98 x 25 1/4 x 12	84
SAQ186	5039-BK	Poly-Ramp™	68 x 30 3/4 x 12 1/2	65

POLY-SLIM-LINE™ 6000

- 100% polyethylene with removable grates
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on the Poly-Slim Line™ 6000
- Load bearing capacity of 2400 lbs.
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable

SE410 Pallet not included



SR442

Model No.	Mfg. No.	Description	Dimensions L" x W" x H"	Wt. lbs.
SE408	5400-YE	Poly-Slim-Line™	54 x 54 x 12	91
SE409	5400-YE-D	Poly-Slim-Line™ w/Drain	54 x 54 x 12	91
SE410	6004-YE	Multi-Purpose Racker/Stacker™	48 1/2 x 41 x 20	87
SB773	6003-YE	Poly-Shelf™	17 x 22 x 17 1/2	10
SAQ186	5039-BK	Poly-Ramp™	68 x 30 3/4 x 12 1/2	65
SR442*	6005-BK	Universal® Well Liner	12 3/4 x 15 1/2 x 2 1/2	1.5

*Can also be used with Poly-Dolly®

POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Transports 55 US gallon drums with ease
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit
- Integrally molded handles for extra strength
- Double looped strap for easy loading
- Accessible for forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an all terrain dolly
- Dimensions: 69" L x 32 1/2" W x 26 1/2" H
- 70 US gallon sump capacity
- 600-lbs. load bearing capacity

SB769 Drum Not Included



Model No.	Mfg. No.	Description	Wt. lbs.
SB769	5300-YE	Poly-Dolly®	98
SB770*	5300-YE-A	Poly-Dolly® ATD	104

*All terrain dolly with heavy-duty pneumatic rubber wheels



THE POLY-RACK™ SYSTEM

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!

POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums
- 100 plus gallon containment sump
- Deep dispensing well easily holds 5-gallon pails
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.

POLY-STACKER™

- Holds two 55 US gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup

POLY-SHELF™


- It easily attaches to Poly-Stacker™
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf™ drains into the dispensing well in the Poly-Racker™

Model No.	Mfg. No.	Description	Max Capacity lbs.	Dimensions L" x W" x H"	Wt. lbs.
SB771	6000-YE	Poly-Racker™	3000	49 x 52 1/2 x 22 1/2	120
SB772	6002-YE	Poly-Stacker™	2400	49 x 41 x 13	56
SR466	6006-YE	Single Poly-Racker™	1600	31 x 53 x 32	95
SR467	6007-YE	Single Poly-Stacker™	800	31 x 40 1/2 x 20	50
SB773*	6003-YE	Poly-Shelf™	60	17 x 22 x 17 1/2	10

*Use only with Poly-Racker™ or Poly-Stacker™



Drums Not Included



SPILL CONTROL

ECOPOLYBLEND™ SPILL CONTROL PALLETS

- Eco-friendly pallets are made of up to 100% recycled polyethylene, dirt hiding black colour is 100% recycled and high visibility yellow is 35% recycled content
- Fully compliant and quality engineered with a robust design, they withstand the toughest environments and are nearly impervious to chemical attack
- Featuring seamless construction, oversized sumps and sturdy removable self-locating grates, these pallets provide optimum, solid protection from leaks and spills
- 2-drum and 4-drum square pallets include wide forklift pockets for easy relocation
- Optional ramp for 4-drum square pallets offers convenience when loading and unloading heavy drums, and square or space saving linear styles in multiple sizes offer storage versatility
- Pallets meet or exceed EPA, SPCC, NFPA 1 and the International Fire Code

Drums not included



SBA855 shown
with Ramp SBA859



SBA844



Yellow Model No.	Mfg. No.	Black Model No.	Mfg. No.	Description	Exterior Dimensions W" x D" x H"	Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
WITHOUT DRAIN								
SBA997	28622	SBA844	28623	2-Drum, In-Line	49 x 25 x 18	66	2500	44
SBA853	28626	SBA846	28627	3-Drum, In-Line	73 x 25 x 11 5/8	75	3750	58
SBA857	28630	SBA850	28631	4-Drum, In-Line	97 x 25 x 9	75	5000	77
SBA855	28634	SBA848	28635	4-Drum, Square	49 x 49 x 10 1/4	73	5000	70
WITH DRAIN								
SBA852	28624	SBA845	28625	2-Drum, In-Line	49 x 25 x 18	66	2500	44
SBA854	28628	SBA847	28629	3-Drum, In-Line	73 x 25 x 11 5/8	75	3750	58
SBA858	28632	SBA851	28633	4-Drum, In-Line	97 x 25 x 9	75	5000	77
SBA856	28636	SBA849	28637	4-Drum, Square	49 x 49 x 10 1/4	73	5000	70
ACCESSORIES								
SBA859	28620	-	-	Ramp for 4-Drum Square	49 x 33 x 10 1/2	-	1000	40
SBA860	28259	-	-	2-Drum Replacement Grate	24 x 48 x 2 1/2	-	-	16

ECOPOLYBLEND™ LOW PROFILE ACCUMULATION CENTRES

- High value secondary containment centres are eco-friendly, made of up to 100% recycled durable polyethylene, dirt hiding black colour is 100% recycled and high visibility yellow is 35% recycled content
- These handy platforms offer leak protection from drums, pails, batteries, or any other container of hazardous or non-hazardous liquids
- Sturdy, removable grates make sump cleaning easy while low profile offers convenience when loading/unloading
- Versatile modular design allows you to customize your workspace around existing structures, linear style or over entire floor
- Optional joining clips and Sump-to-Sump™ drain kit provide a continuous sump for on-site compliance when needed
- Accessory ramp can be located anywhere on any 2-drum or larger centre

Drums not included



Yellow Model No.	Mfg. No.	Black Model No.	Mfg. No.	Description	Exterior Dimensions W" x D" x H"	Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
SBA866	28652	SBA861	28653	1-Drum Unit	25 x 25 x 5 1/2	12	1250	17
SBA867	28654	SBA862	28655	2-Drum Unit	49 x 25 x 5 1/2	24	2500	32
SBA868	28656	SBA863	28657	4-Drum Unit	49 x 49 x 5 1/2	49	5000	61
SBA869	28658	SBA864	28659	6-Drum Unit	73 x 49 x 5 1/2	73	7500	91
SBA870	28660	SBA865	28661	8-Drum Unit	97 x 49 x 5 1/2	98	10000	122
SBA871	28650	-	-	Ramp	48 x 33 x 6 1/4	-	1000	41

HEAD & FACE PROTECTION

MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or "Quick Fit" suspension
- "Quick Fit" suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- **Certified to CSA standard Z94.1-05 type 2 class E**



NORTH

by Honeywell



Model No.	Mfg. No.	Suspension	Colour	Wt. oz.
SH342	A89010000	Quick Fit	White	14.7
SH343	A89020000	Quick Fit	Yellow	14.7
SH344	A89030000	Quick Fit	Orange	14.7
SH345	A89080000	Quick Fit	Navy Blue	14.7
SAI080	A89070000	Quick Fit	Sky Blue	14.7
SH346	A89040000	Quick Fit	Green	14.7
SH347	A89R010000	Ratchet	White	15.6
SH348	A89R020000	Ratchet	Yellow	15.6
SH349	A89R030000	Ratchet	Orange	15.6
SH350	A89R080000	Ratchet	Navy Blue	15.6
SAI081	A89R070000	Ratchet	Sky Blue	15.6
SH351	A89R040000	Ratchet	Green	15.6

ACCESSORIES

SA0538	A89S3	4-Point Quick Fit Suspension
SAN022	A89RS3	4-Point Ratchet Suspension

V-GARD® PROTECTIVE CAPS

- Comfortable, lightweight protection
- Polyethylene shell and suspension system
- Slotted sides and advanced styling in standard (6 1/2 - 8) size
- **Meets or exceeds ANSI Z89.1-2003 Type I Class E and CSA Z94.1-2005 type 1 class E**



SAF970

MSA

Model No.	Mfg. No.	Suspension	Colour
SAF958	463942	Staz-On®	White
SAF959	463943	Staz-On®	Blue
SAF960	463944	Staz-On®	Yellow
SAF961	463945	Staz-On®	Orange
SAF970	475358	Fas-Trac®	White
SAF971	475359	Fas-Trac®	Blue
SAF972	475360	Fas-Trac®	Yellow
SAF973	475361	Fas-Trac®	Orange

THE PEAK A79 CSA TYPE 1

- High-density polyethylene shell
- Side slots for attaching accessories
- Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- Weighs less than 12 oz.
- Pinlock and ratchet suspensions also available separately
- **Certified to CSA standard Z94.1-05 type 1 class E**



NORTH

by Honeywell



SA654

Model No.	Mfg. No.	Suspension	Colour
SA653	A79010000	Pinlock	White
SA654	A79020000	Pinlock	Yellow
SH138	A79030000	Pinlock	Orange
SH139	A79080000	Pinlock	Navy Blue
SH141	A79R010000	Ratchet	White
SH142	A79R020000	Ratchet	Yellow
SH143	A79R030000	Ratchet	Orange
SH144	A79R080000	Ratchet	Navy Blue

Other colours available upon request.

BIONIC™ FACESHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit
- Highly adjustable headgear tilts faceshield nearer or farther from face depending on preference and application
- Easily replaceable faceshield with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- **Compliant with CSA Z94.3 standards**



SAK421

UVEX

by Honeywell

Model No.	Mfg. No.	Description
FACESHIELDS		
SAK421	S8500	Clear Uncoated Faceshield
SAK422	S8510	Clear Anti-Fog Hardcoat Faceshield
REPLACEMENT FACESHIELDS		
SAK423	S8550	Clear Uncoated
SAK424	S8555	Clear Anti-Fog Hardcoat

EYE PROTECTION

Z100

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAN426	Clear



Z200

- Superior protection at an economical price
- Ideal visitor spectacle
- Molded-in nose bridge
- Polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEF024	Clear



Z500

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Anti-fog lens on **SEB183** is ideal for high humidity applications
- Non-slip rubber head grips
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAP877	Clear
SEB183	Clear Anti-Fog
SAS362	Grey/Smoke
SAS363	Amber
SAS364	Blue
SEA551	I/O Blue Mirror
SEE955	Orange



Z300

- Impact-proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on **SEF219** and **SAN430** protects against dust, fumes and chemical splash
- Anti-fog lens on **SAN430** is ideal for high humidity applications
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Description
SEF218	Direct Vent
SEF219	Indirect Vent
SAN430	Indirect Vent Anti-Fog



Z600

- Frameless design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAW920	Clear



Z700

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX442	Clear



Z900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX444	Clear



Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC953	Clear



Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC954	Clear



Z1500

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC955	Clear
SEI524	Grey/Smoke
SEI525	Amber
SEI526	Blue
SEI527	Mirror
SEI528	Antifog



Z1600

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEE817	Clear



ZENITH®
Safety Products

Z2200

- Modern design with extended wraparound coverage
- Flexible temples provide superior comfort and fit
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Clear frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK293	Clear



ZENITH®
Safety Products

Z1700

- Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEG788	Clear



ZENITH®
Safety Products

GOGGLES W/SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Model No. SEL095

ZENITH®
Safety Products



Z1900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SEH632	Clear
SEK286	Grey/Smoke
SEK287	Amber
SEK288	Blue
SEK289	I/O Full Mirror
SEK290	Clear Anti-Fog



SEH632



SEK287

ZENITH®
Safety Products

NYLON EYEWEAR RETAINER

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Model No. SEF182

ZENITH®
Safety Products



NEOPRENE EYEWEAR RETAINER

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Model No. SEF183

ZENITH®
Safety Products



EYEWEAR CASES

- Extends the life of eyewear by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith® eyewear
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF180

ZENITH®
Safety Products




GOGGLES CASES

- Extends the life of goggles by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith® goggles
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF181

ZENITH®
Safety Products



Z2000

- Sporty design with extended wraparound coverage
- Non-slip, extremely flexible temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Green frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK291	Clear



ZENITH®
Safety Products

Z2100

- Modern design with extended wraparound coverage
- Ratchet temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Clear frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK292	Clear



ZENITH®
Safety Products

HEARING PROTECTION

QUIET BANDS

Ergonomic design keeps the pods suspended so they do not become contaminated when you set the Quiet bands down.

QB2® HYG supra-aural protection has a NRR 25 dB rating

One free pair of replacement pods included with each Quiet band.



by Honeywell

Model No.	Mfg. No.	Description
SN616	QB2HYG	Supra-Aural, 25 dB
REPLACEMENT PODS		
SN618	QB200HYG	1 pair per pkg.



MAX LITE® LOW PRESSURE FOAM

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 30 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SM558	LPF-1	Uncorded, Poly Bag	200 prs.
SM559	LPF-30	Poly Cord, Poly Bag	100 prs.




PLUGSTATION® EAR PLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Eliminates the mess of individual paper/polybag packaging
- Each dispenser is sealed and disposable plus completely recyclable
- Available in 250 or 500 pairs per PlugStation® with SparkPlugs® or Pura-Fit® foam ear plugs
- Camo Plugs® only available in 500 pair dispenser
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB



SAK439



Model No.	Mfg. No.	Description	Qty /Dispenser
SE924	6644	SparkPlugs®	250 prs.
SE925	6645	SparkPlugs®	500 prs.
SE847	6844	Pura-Fit®	250 prs.
SF624	6845	Pura-Fit®	500 prs.
SAK439	6648	Camo Plugs®	500 prs.

LEIGHTNING®

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment
- Hygiene kits available



by Honeywell

Model No.	Mfg. No.	Description	NRR dB
SAK147	1010922	L1, Over-Head Headband	25
SAK149	1010924	L3, Over-Head Headband	30



LASER LITE® MULTI-COLOUR FOAM

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 32 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SM562	LL-1	Uncorded, Poly Bag	200 prs.
SM563	LL-30	Corded, Poly Bag	100 prs.




MAX® FOAM

- The world's most-used polyurethane foam ear plug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 33 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SD630	MAX-1	Uncorded	200 prs.
SD631	MAX-30	Corded	100 prs.



FIRMFIT™ SINGLE USE EARPLUGS

- Made of TPE foam
- Softer and exerts less expansion pressure on ear canal
- Orange colour makes compliance checks easy
- Rating: NRR 30dB

SEK003



Model No.	Mfg. No.	Description	Qty /Box
SEK003	FF-1	Earplug Uncorded Poly Bag	200 prs.
SEK004	FF-30	Earplug Corded Poly Bag	100 prs.
SEK067	FF-1-PB	Earplug Uncorded Paper Bag	100 prs.
SEK068	FF-30-PB	Earplug Corded Paper Bag	100 prs.

SEK004

THUNDER®

- Non-deforming comfort headband fits all head sizes
- Ventilated inner headband and soft pads for maximum comfort
- Quick-Click height adjustments
- Dielectric design safe for electrical environments
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Hygiene kits available



by Honeywell

Model No.	Mfg. No.	Description	NRR dB
SAK150	1010928	T1, Over-Head Headband	26
SAK151	1010929	T2, Over-Head Headband	28
SAK152	1010930	T3, Over-Head Headband	30



NUISANCE DUST MASKS

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps • 50 masks per box
- Sold per box**

Model No. SAS499

ZENITH
Safety Products



PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex-free
- SAS498** comes with exhalation valve for reduced humidity build up
- NIOSH approved N95
- Sold per box**

Model No.	Qty/Box
SAS497	20
SAS498	12

ZENITH
Safety Products




SAS497

SAS498

7700 SERIES HALF MASK RESPIRATORS

- Non-allergenic silicone facepiece material
- Easy to clean, extremely durable and resists distortion
- Contoured sealing flange and improved cradle suspension

Model No.	Mfg. No.	Size
ZC352	770030S	Small
SM802	770030M	Medium
SA788	770030L	Large



Cartridges sold separately

NORTH

by Honeywell

5400 SERIES LOW MAINTENANCE FULL FACEPIECE RESPIRATORS

- Elastomer material with high chemical resistance
- Oral nasal cup reduces fogging
- Hard-coated polycarbonate lens provides over 200° field vision

Model No.	Mfg. No.	Size
SAH792	54001S	Small
SAH791	54001	Medium/Large

NORTH

by Honeywell

Cartridges sold separately



N SERIES RESPIRATOR CARTRIDGES

- Sleek, low profile design provides better balance and a wider field of vision
- Sold two per package**

SEI596



SEI601

Model No.	Mfg. No.	Description
SEI595	75SCL	Defender™ Multi-Gas
SEI596	N75001L	Organic Vapour
SEI597	N75002L	Acid Gas
SEI598	N75003L	Organic Vapour and Acid Gas
SEI601	75SCP100L	Defender™ Multi-Gas w/P100 Filter
SEI602	7581P100L	Organic Vapour w/P100 Filter
SEI603	7582P100L	Acid Gas w/P100 Filter
SEI604	7583P100L	Organic Vapour and Acid Gas w/P100 Filter

NORTH

by Honeywell

2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge easily seals without a metal nose band
- Soft foam nose cushion
- NIOSH approved N95
- 10 respirators per box
- Sold per box**

MOLDEX



Model No.	Mfg. No.	Description
SE849	2300N95	Medium/Large
SE850	2301N95	Small
SE851	2307N95	Alternate Shape

2700 N95 PARTICULATE RESPIRATORS

- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- NIOSH approved N95
- 10 respirators per box
- Sold per box**

MOLDEX



Model No.	Mfg. No.	Description
SJ902	2700N95	Medium/Large
SJ903	2701N95	Small

2800 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Soft foam nose cushion
- Softspun® lining increases comfort and durability
- NIOSH approved N95
- 10 respirators per box
- Sold per box**

MOLDEX



Model No.	Mfg. No.	Description
SJ904	2800N95	Medium/Large
SJ905	2801N95	Small

8511 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up
- Adjustable M-nose clip
- Braided comfort straps
- Lightweight construction
- NIOSH approved N95
- 10 respirators per box
- Sold per box**

Model No. SE261
Mfg. No. 8511N95

3M



8210 N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Lightweight construction
- Adjustable nose clip
- Welded strap attachment - no staples
- NIOSH approved N95
- 20 respirators per box
- Sold per box**

Model No. SE260
Mfg. No. 8210N95

3M



FALL PROTECTION

EZ-STOP SHOCK ABSORBING LANYARDS

- Features the lightest, smallest, and strongest shock absorber in the world; 66% smaller and 40% lighter than previous EZ-stop models
- Lightest and strongest rebar hooks on the market
- Thinnest-ever webbing using HI-10™ Vectran® energy management material for reduced weight and bulk
- Vectran® is a multifilament high tenacity performance yarn spun from liquid crystal polymer that is five times stronger than steel
- Repel™ webbing repels water to reduce the attraction of mold and dirt
- High abrasion resistance
- Excellent chemical and cut resistance
- High impact resistance
- High visibility accents keep you safe in low-light conditions
- Protected labels for durability and longevity
- Rugged and durable soft shock absorber cover is designed to last
- Certified to CSA standard Z259.11-05, Class E4



SEJ423



Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections
SEJ418	1246012C	3	One	Snap Hook	Snap Hook
SEJ420	1246011C	6	One	Snap Hook	Snap Hook
SEJ421	1246102C	6	One	Snap Hook	Rebar Hook
SEJ423	1246024C	6	Two	Snap Hook	Rebar Hooks

REBEL™ WEB SELF-RETRACTING LIFELINES

- Web lifeline
- Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Durable aluminum housing
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Model No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection
SEB349	AD110BC	10	Swivel Snap Hook	Swivel Carabiner
SEB350	AD120BC	20	Rebar Hook	Swivel Carabiner

SEB349

SEB350



DURABUILT LANYARDS

- Energy absorbing lanyard
- Durable polyester construction
- Variety of constructions and configurations available
- Double locking snap hook harness connection
- Certified to CSA standard Z259.11-05, class E4

Model No.	Mfg. No.	Length'	Number of Legs	Anchorage Connections
CONTINUOUS WEB				
SAK520	FPD26311/4	4	One	Double Locking Snap Hook
SAK521	FPD26311/6	6	One	Double Locking Snap Hook
DECELERATOR				
SAH537	FPD29811/4	4	One	Double Locking Snap Hook
SAH750	FPD29811/6	6	One	Double Locking Snap Hook
SAH761	FPD29819/6	6	One	Double Locking Rebar Hook
SAK524	FPD2981G/4	4	One	Scaffolding Hook
SAK525	FPD2981G/6	6	One	Scaffolding Hook
DOUBLE-LEG DECELERATOR				
SAK528	FPD2991GG/4	4	Two	Scaffolding Hooks
SAK529	FPD2991GG/6	6	Two	Scaffolding Hooks

SAH750




by Honeywell

MILLER® MANYARD® SHOCK-ABSORBING LANYARDS

- Unsurpassed in the market for safety, comfort and mobility
- Heavy-duty tubular outer jacket serves as a back-up web lanyard
- Locking snap hook harness connection
- Certified to CSA standard Z259.11-05, Class E4

Model No.	Mfg. No.	Length'	Anchorage Connection
SC980	216WLS-Z7/4FTYLC	4	Locking Snap Hook
SC982	216WLS-Z7/6FTYLC	6	Locking Snap Hook
SC984	219WRS-Z7/4FTYLC	4	Locking Rebar Hook
SC986	219WRS-Z7/6FTYLC	6	Locking Rebar Hook

SC980



by Honeywell

DELTA™ HARNESSES

- Patented triangular no-tangle design
- Repel™ webbing is water repellent
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Spring-loaded stand-up dorsal D-ring
- Certified to CSA standard Z259.10-06, Class A



Model No.	Mfg. No.	Leg Connections
SEB391	1110600C	Quick-Connect
SEB406	1102000C	Tongue Buckle
SEB403	1103321C	Pass-Thru

SEB391



PRO™ HARNESSES

- Harness design provides greater comfort and added safety
- High quality alloy steel dorsal D-ring is adjustable for worker convenience
- Spring-loaded torso buckles provide fast and easy adjustment on the job
- Lightweight hardware reduces fatigue and increases comfort and productivity
- Lanyard keepers provide a place to "park" a lanyard
- Certified to CSA standard Z259.10-06, Class A



SEB369

Model No.	Mfg. No.	Leg Connections	Additional Features
SEB363	1191201C	Pass-Thru	-
SEB366	1191237C	Tongue Buckle	-
SEB369	1191253C	Quick-Connect	Back, Shoulder, & Leg Padding
SEB360*	1191209C	Tongue Buckle	Hip Pad & Belt

* CSA standard Z259.10-06, Class A, P

RITE-ON™ HARNESSES

- Integrated back and shoulder pad
- Fast-action bayonet style connectors
- Sweat wicking pad fabric
- Tangle-free pad design
- Lightweight polyester webbing
- Universal size with full adjustability
- Certified to CSA standard Z259.10-06



by Honeywell

Model No.	Mfg. No.	D-Rings	CSA Class
SAK490	FP81F/1DBA	Back	A
SA0635	FP81F/4EDLA	Extended-back, Side and Front	A, P, L

SAK490



MILLER® AIRCORE™ HARNESSES

- Designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler
- Patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort
- Easy adjustment with cam buckles on shoulder straps
- Contoured ergonomic padding design minimizes contact around a worker's neck, lower back, and inner thighs to reduce chaffing and irritation
- Stand-up back D-ring • Steel hardware
- Quick-connect chest strap buckles for easy donning
- Lightweight materials and components reduce fatigue for all-day endurance and increased productivity
- Durable knitted mesh back shield minimizes moisture absorption and maintains optimal air circulation
- Certified to CSA standard Z259.10-12



by Honeywell

SEJ646



Model No.	Mfg. No.	D-Rings	Leg Connections	CSA Class
SEJ642	AC-TB/UGN	Back	Tongue Buckle	A
SEJ643	AC-TB-D/UGN	Back and Side	Tongue Buckle	A, P
SEJ645	AC-QC/UGN	Back	Quick Connect	A
SEJ646	AC-QC-D/UGN	Back and Side	Quick Connect	A, P

LEATHER GLOVES

SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVES

- Top split cowhide leather construction
- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton lined palm
- Rubberized safety cuff provides superior protection
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

SM579



ZENITH[®]
Safety Products

Applications: Heavy-duty material handling, fabrication and metal handling

Model No.	Description	Size	Qty/Case
SM578	Outside Double Palm & Index Finger	Large	120
SM579	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	120
SD604	Outside Double Palm, Index Finger & Finger Tips	Large	60
SE349	Inside Double Palm & Index Finger	Large	120

SMOOTH GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Smooth grain leather finish
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120
- **Sold per pair**

Applications: Material handling, fabrication, metal handling and construction



ZENITH[®]
Safety Products

Model No.	Size
SAN270	Large

THINSULATE™ LINED SPLIT COWHIDE FITTERS GLOVES

- Premium split cowhide leather construction
- Full Thinsulate™ lining provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Thinner lining than acrylic boa provides better dexterity
- **Sold per pair**

Applications: Extreme cold material handling, fabrication, metal handling and construction

SAN637



SM609

ZENITH[®]
Safety Products

Model No.	Size	Lining Weight g	Qty/Case
SAS500	Ladies	100	72
SAN637	Medium	100	60
SAL544	Large	40	72
SM609	Large	100	72
SAP248	X-Large	100	72
SAP249	2X-Large	100	72

GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium grain cowhide leather construction
- Full acrylic boa lining provides superior warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

Applications: Extreme cold material handling, fabrication, metal handling and construction



SA0053

ZENITH[®]
Safety Products

Model No.	Description	Size
SA0053	Rubberized Safety Cuff	Large
SEI681	Rubberized Safety Cuff, Patch Palm	Large

GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

Applications: Material handling, fabrication, metal handling and construction



YC386

ZENITH[®]
Safety Products

Model No.	Description	Size
YC386	Standard Quality, Starched Cuff	Large
SAJ497	Better Quality, Plasticized Cuff	Large
SEC594	Better Quality, 4 3/4" Gauntlet Cuff	Large
SAP230	Better Quality, Rubberized Cuff	X-Large
SAP234	Superior Quality, Rubberized Cuff	X-Large

SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120
- **Sold per pair**

Model No.	Size	Colour
SED160	Large	Fluorescent Yellow
SEK236	Large	Fluorescent Orange



SED160

ZENITH[®]
Safety Products

SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72
- **Sold per pair**

Model No.	Size	Colour
SED428	Large	Fluorescent Yellow
SEK237	Large	Fluorescent Orange



SED428

ZENITH[®]
Safety Products

HYD-TUF® GLOVES

- Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Safety cuff
- Accepted for use in Canadian food processing facilities
- **Sold per pair**

HYD-TUF 52-547 GLOVES

- Driver's style, with cloth back and soft jersey lining
- Case Qty: 144

HYD-TUF 52-590 GLOVES

- Medium to heavy-duty A.C.P. impregnated winter gloves
- Case Qty: 72



SAW956

HYD-TUF 52-547

Model No.	Size
SAW956	9
SAW957	10

HYD-TUF 52-590

Model No.	Size
SEA275	9
SEA276	10

Ansell

MECHANICS/KNIT GLOVES

ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability
- Case Qty: 12
- Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



ZENITH[®]
Safety Products

Model No.	Size
SEB047	Medium
SEB048	Large
SEB049	X-Large
SEB050	2X-Large

ZM300 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Grain leather palm and fingers improve tactility and protection
- Hook and loop cuff permits an adjustable fit
- Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip
- Case Qty: 12
- Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



ZENITH[®]
Safety Products

Model No.	Size
SEB228	Medium
SEB229	Large
SEB230	X-Large
SEB231	2X-Large

POLY/COTTON STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings
- Knit wrist provides secure fit and prevents debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 300
- Sold per pair**

SEE932



ZENITH[®]
Safety Products

Model No.	Size
SEE932	X-Small
SEE933	Small
SEE934	Medium
SEE935	Large
SEE936	X-Large
SEE937	2X-Large

COTTON CANVAS GLOVES

- Durable cotton fabric construction
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Knit wrist eliminates dirt and debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300
- Sold per pair**

SEE847



ZENITH[®]
Safety Products

Model No.	Fabric Weight Oz.	Size
SEE846	7	Large
SEE847	8	Medium
SEE848	8	Large
SEE849	8	X-Large
SEE850	12	Large

ZM200 MECHANIC GLOVES

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability
- Case Qty: 12
- Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



ZENITH[®]
Safety Products

Model No.	Size
SEB051	Medium
SEB052	Large
SEB053	X-Large
SEB054	2X-Large

ZM400 PREMIUM MECHANIC GLOVES

- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Reinforced Kevlar stitching for maximum strength and durability
- PVC dots on palm and fingers for an enhanced grip
- Stretchable nylon on knuckles improves dexterity and comfort
- Ventilation holes between fingers for maximum breathability
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Case Qty: 12
- Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



ZENITH[®]
Safety Products

Model No.	Size
SEH739	Medium
SEH740	Large
SEH741	X-Large
SEH742	2X-Large

NATURAL POLY/COTTON DOTTED GLOVES

- 65% cotton and 35% polyester blend, 7-gauge
- PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, single side dotted
- Accepted for use in Canadian food processing facilities
- Case Qty: 240
- Sold per pair**

Applications: General maintenance, shipping and receiving, assembly and parts handling



ZENITH[®]
Safety Products

Model No.	Size
SEE938	X-Small
SEE939	Small
SEE940	Medium
SEE941	Large
SEE942	X-Large

BROWN JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Provides moderate warmth
- Sold per pair**

Applications: Light-duty material handling, assembly, automotive, and winter glove liner

SEE949



ZENITH[®]
Safety Products

Model No.	Description	Size	Qty/Case
SEE949	Slip-On Style, Red Fleece Lining	Large	144
SEE950	Knit Wrist	Large	300

NATURAL RUBBER LATEX PALM COATED GLOVES

- 10-gauge seamless knitted poly/cotton shell
- Textured coating provides superior wet and dry grip
- Exceptional comfort and fit
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120
- **Sold per pair**

Model No.	Size
SEB865	7
SAL255	8
SAL256	9
SAL257	10
SAL258	11

SAL258



ZENITH®
Safety Products

HIGH VISIBILITY NATURAL RUBBER LATEX PALM-COATED ACRYLIC-LINED GLOVES

- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Natural rubber latex palm coating
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip
- Case Qty: 60
- **Sold per pair**

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance.

Model No.	Size
SEC797	7
SEC798	8
SEC799	9
SEC800	10
SEC801	11



SEC799

ZENITH®
Safety Products

WINTER MONKEY GRIP® 23-193 GLOVES

- PVC-coated foam-insulated
- Tough PVC coating stays soft when cold
- Keep hands warm and dry
- Protect from abrasion
- Curved fingers, wing thumb, and soft jersey lining make them very comfortable
- Fully coated
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- **Sold per pair**

Applications: Cold storage, winter transportation, yard and field work, unheated warehouses, construction

Model No.	Description
SBA992	Knit Wrist
SBA993	Safety Cuff
SEE953	Raised Finish, Safety Cuff

SBA993



Ansell

MEDIUMWEIGHT NITRILE COATED GLOVES

- Interlock cotton lining
- Superior abrasion, cut and puncture resistance
- Excellent comfort and breathability
- Greater dexterity than heavyweight
- Open back coating provides a cool and comfortable fit
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120
- **Sold per pair**

Model No.	Size
SA0150	7
SA0151	8
SA0152	9
SA0153	10
SA0154	11

SA051



ZENITH®
Safety Products

NITRILE PALM COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior abrasion, cut and puncture resistance
- Excellent dry grip
- Durable nitrile-coated palm
- Knit wrist
- Case Qty: 120
- **Sold per pair**

Model No.	Size
GREY ON BLACK	
SAP931	7
SAP932	8
SAP933	9
SAP934	10
SAP935	11



SA0157

Model No.	Size
BLACK ON WHITE	
SA0157	7
SA0158	8
SA0159	9
SA0160	10
SAP355	11

ZENITH®
Safety Products



SAP931

LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior dry grip
- Excellent abrasion resistance
- Ultra soft polyurethane palm coated
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120
- **Sold per pair**

White Model No.	Black Model No.	Size
SA0161	SAX694	6
SA0162	SAX695	7
SA0163	SAX696	8
SA0164	SAX697	9
SA0165	SAX698	10
SA0166	SAX699	11



SA0164

ZENITH®
Safety Products



SAX694

LATEX-COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- **Sold per pair**

Model No.	Size
SAP927	8
SAP928	9
SAP929	10
SAP930	11



SAP927

ZENITH®
Safety Products

HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- Breathable polyurethane palm coating
- Excellent cut, abrasion, and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 144
- **Sold per pair**

Model No.	Size
SAW908	7
SAW909	8
SAW910	9
SAW911	10
SAW912	11

SAW911



ZENITH®
Safety Products

CUT RESISTANT GLOVES

HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Superior cut, abrasion, and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 4 and 5 for cut resistance
- Case Qty: 144
- **Sold per pair**



SEF166

ZENITH
Safety Products

Model No.	Size
LEVEL 4 CUT RESISTANCE	
SAW908	7
SAW909	8
SAW910	9
SAW911	10
SAW912	11

Model No.	Size
LEVEL 5 CUT RESISTANCE	
SEF166	7
SEF167	8
SEF168	9
SEF169	10
SEF170	11

NITRILE COATED KEVLAR® GLOVES

- Stretchable seamless 13-gauge Kevlar® liner
- Nitrile palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- **Sold per pair**

Applications: Component assembly, waste handling, automotive and metal handling



SAP923

ZENITH
Safety Products

Model No.	Size
SEC137	7
SAP923	8
SAP924	9

Model No.	Size
SAP925	10
SAP926	11
SEC138	12

LATEX COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- **Sold per pair**

Applications: Material handling, automotive, glass handling and waste handling



SAP927

ZENITH
Safety Products

Model No.	Size
SAP927	8
SAP928	9

Model No.	Size
SAP929	10
SAP930	11

HPPE NITRILE-COATED GLOVES

- Stretchable seamless liner
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Meets EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**



SEB090

ZENITH
Safety Products

Model No.	Size
SEB090	7
SEB091	8
SEB092	9

Model No.	Size
SEB093	10
SEB094	11

HYFLEX® 11-501 GLOVES

- Intercept Technology™ yarn liner developed by Ansell and Dupont™
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
- Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144
- **Sold per pair**

Applications: Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass



SAW951

Ansell

Model No.	Size
SAW951	6
SAW952	7
SAW953	8

Model No.	Size
SAW954	9
SAW955	10

HY-FLEX® 11-518 GLOVES

- Blue polyurethane palm coating
- New Dyneema® Diamond Technology HPPE yarn offers an unmatched combination of cut protection, comfort and dexterity in an 18-gauge glove
- Soft, sheer Dyneema® Diamond fibre breathes to keep hands cool and dry and moves freely with the motion of the hand for a more comfortable fit
- Polyurethane coating provides a sure grip in light oil and dry applications and excellent resistance to abrasion
- The ultralight fabric and tailored fit of the 11-518 create a barehand-like sensation of contact when performing tasks that demand high tactility
- ANSI level 2 cut protection, EN388 level 3 for cut resistance
- Case Qty: 144
- **Sold per pair**

Applications: Handling/Assembly of small or ultra-fine dry sharp parts, packaging areas with risk of cut, wiring



SEI847

Ansell

Model No.	Size
SEI847	Small
SEI848	Medium
SEI849	Large
SEI850	X-Large

HYFLEX® 11-624 GLOVES

- Advanced cut protection with ergonomic design
- Dyneema®, Spandex® and nylon liner combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**

Applications: Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts



SAW989

Ansell

Model No.	Size
SAW989	6
SAW990	7
SAW991	8

Model No.	Size
SAW992	9
SAW993	10
SAW994	11

HYFLEX® 11-627 GLOVES

- Dyneema® innovative yarn liner with polyurethane coating
- Exceptional cut resistance with an optimal level of Dyneema®
- Lycra® and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip
- Meets ANSI/ISEA 105 Level 1/EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**

Applications: Applications, automotive, metal, glass, aeronautics, white goods manufacturing



SAY080

Ansell

Model No.	Size
SAY080	6
SAY081	7
SAY082	8

Model No.	Size
SAY083	9
SAY084	10

DISPOSABLE/CHEMICAL RESISTANT GLOVES

EXAMINATION GRADE NITRILE GLOVES

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity • Latex-free
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance • Ambidextrous design
- 4 mils, AQL 1.5 • 9.5" in length
- Accepted for use in Canadian food processing facilities
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**



SAP320
ZENITH®
Safety Products

Applications: Manufacturing, maintenance, small parts handling, laboratory applications and automotive

Model No.	Size	Model No.	Size
POWDERED		POWDER-FREE	
SEA916	X-Small	SEA918	X-Small
SAP320	Small	SAP324	Small
SAP321	Medium	SAP325	Medium
SAP322	Large	SAP326	Large
SAP323	X-Large	SAP327	X-Large
SEA917	2X-Large	SEA919	2X-Large

N-DEX® ORIGINAL 8005 INDUSTRIAL GRADE GLOVES

- Intended for occupational safety and health use only, **not for medical use**
- 100% nitrile, non-latex utility grade
- Ambidextrous • Powder-free
- 9.5" long • 8 mils, AQL 4.0
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities
- Case Qty: 20 boxes
- **Sold per box of 50 gloves**



SA588

Model No.	Mfg. No.	Size
SAK070	8005PF-S	Small
SAK071	8005PF-M	Medium
SAK072	8005PF-L	Large
SAK073	8005PF-XL	X-Large

SHOWA
Always Protecting Your Industry

VALUE MASTER® NATURAL RUBBER GLOVES

- Provides unequalled value, comfort and flexibility, outstanding tactile sensitivity, strength, dexterity and elasticity
- Form-fitting 100% natural rubber-latex
- Features a self-flushing tractor-tread pattern that provides an excellent grip, wet or dry, and encourages run-off of fluids often trapped by diamond-shaped embossed patterns
- 12" length, 18-mil thick
- Resists a wide range of chemicals, including animal fats, caustics, acids, oils, salts, alcohols and detergents
- Case Qty: 144
- **Sold per pair**



SA626

Model No.	Mfg. No.	Description	Size
SA627	VM-S	Flock Lined, 12"	Small
SA626	VM-M	Flock Lined, 12"	Medium
SA625	VM-L	Flock Lined, 12"	Large
SA628	VM-XL	Flock Lined, 12"	X-Large

SHOWA
Always Protecting Your Industry

PVC WINTER LINED GLOVES

- Bright orange PVC on jersey liner
- Resistant to most oils, acids, greases and solvents
- Foam fleece lining offers added warmth
- Colour: Orange
- **Sold per pair**

Applications: Fisheries, petrochemical industry, mining, outdoor winter conditions

ZENITH®
Safety Products

Model No.	Description	Qty/Case
SAN383	12" Gauntlet	120
S0104	Knit Wrist	120
SAP922	Safety Cuff	60



SAN383

BLACK NITRILE GLOVES

- Textured fingertips provide superior wet and dry grip
- 8-mil glove has fully textured diamond pattern
- Beaded cuff for added strength
- Superior puncture and tear resistance
- Excellent tactile sensitivity and dexterity
- Latex-free • Ambidextrous design
- AQL 1.5 • Powder-free
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes

SEB086

ZENITH®
Safety Products

SEK261

Applications: Manufacturing, maintenance, small parts handling, laboratory and automotive, law enforcement

4 MILS - Sold per box of 100 gloves

Model No.	Size
SEB085	Small
SEB086	Medium
SEB087	Large
SEB088	X-Large
SEB981	2X-Large

8 MILS- Sold per box of 50 gloves

Model No.	Size
SEK261	Small
SEK262	Medium
SEK263	Large
SEK264	X-Large
SEK265	2X-Large

EXAMINATION GRADE VINYL GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 4 mils, AQL 1.5 • 9.5" length
- Accepted for use in Canadian food processing facilities
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**



SAP328

Applications: Light manufacturing, maintenance, food processing, laboratory applications, painting and janitorial

Model No.	Size	Model No.	Size
POWDERED		POWDER-FREE	
SAP328	X-Small	SAP333	X-Small
SAP329	Small	SAP334	Small
SAP330	Medium	SAP335	Medium
SAP331	Large	SAP336	Large
SAP332	X-Large	SAP337	X-Large

ZENITH®
Safety Products

FLOCK-LINED GREEN NITRILE GLOVES

- Cotton flock lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- Accepted for use in Canadian food processing facilities
- 13" length, 13-mil thick
- Case Qty: 120
- **Sold per pair**

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Model No.	Size
SEF083	7
SEF084	8
SEF085	9
SEF086	10
SEF087	11

SEE085



ZENITH®
Safety Products

PVC SMOOTH FINISH GLOVES

- Bright red PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Ideal for general chemical handling
- Colour: Red
- Case Qty: 120
- **Sold per pair**

Applications: Fisheries, general maintenance, petrochemical industry

SEE804



ZENITH®
Safety Products

Model No.	Description
SEE804	12" Gauntlet
SEE805	14" Gauntlet
SEE806	Knit Wrist

PROTECTIVE CLOTHING

RZ300 RAIN SUITS

- 0.20 mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams

Model No.	Size
SEH092	Small
SEH093	Medium
SEH094	Large
SEH095	X-Large
SEH096	2X-Large
SEH097	3X-Large
SEH098	4X-Large



RZ100 RAIN SUITS

- 0.35-mm material thickness
- Yellow triple layer PVC/polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically-welded seams

Model No.	Size
SEH078	Small
SEH079	Medium
SEH080	Large
SEH081	X-Large
SEH082	2X-Large
SEH083	3X-Large
SEH084	4X-Large



RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35-mm thick high-visibility yellow triple layer laminated PVC/polyester/PVC
- 3M™ Scotchlite™ reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Meets CSA standard Z96-02 standard, Class 3, Level 2 requirements

Model No.	Size
SEH113	Small
SEH114	Medium
SEH115	Large
SEH116	X-Large
SEH117	2X-Large
SEH118	3X-Large
SEH119	4X-Large



RZ500 FLAME RESISTANT RAIN SUITS

- 0.30-mm material thickness
- Yellow tear-resistant PVC/nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Pants feature adjustable suspenders and waist straps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance

Model No.	Size
SEH099	Small
SEH100	Medium
SEH101	Large
SEH102	X-Large
SEH103	2X-Large
SEH104	3X-Large
SEH105	4X-Large



POLYETHYLENE APRONS & SLEEVES


- Disposable • 0.02 mm polyethylene
- Colour: White
- Sold per package

APRONS

- Waist ties
- Dimensions: 46" L x 35" W

SLEEVES

- Elastic at both ends
- Length: 16"



SEK351

Model No.	Description	Qty /Pkg.
SEK351	Apron	100
SEK350	Sleeve	100

BOUFFANT CAPS

- Non-woven polypropylene
- Elasticized band for an optimum fit
- 100% latex-free
- Sold per package



SEC376



Model No.	Size	Colour	Qty /Pkg.
SEC375	Medium 18"	White	100
SEC376	Large 21"	White	100
SEC377	X-Large 24"	White	100
SEC378	Large 21"	Blue	100

APRONS

- Bib-style aprons
- Cotton straps for adjustability
- Vinyl aprons feature seamless edges to prevent residue and bacteria accumulation
- Denim aprons feature one chest pocket and three waist pockets

SEE888



Model No.	Fabric	Dimensions L" x W"	Colour
SEE888	0.20 mm Lightweight Vinyl	45 x 36	Blue
SEE852	10 oz. 100% Cotton Canvas	36 x 29	White
SEE851	10 oz. Denim	38 x 28	Blue



SEE852

NON-CONDUCTIVE SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free model has a textured sole for improved traction
- Colour: Blue
- Sold per package

SEC391



SEC389



Model No.	Description	Size	Qty /Pkg.
SEC389	Regular Sole	Large	100
SEC390	Regular Sole	X-Large	100
SEC391	Skid-Free Sole	X-Large	100

PROTECTIVE CLOTHING

SMS HOODED COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles and water-based liquids
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Zipper front with storm flap, attached hood, elastic wrists and ankles
- Available in white or navy blue
- Fabric weight: 1.80 oz/yd² (60 grams)
- Case Qty: 25

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.



SEC842



SEC848



White Model No.	Navy Model No.	Size
SEC841	SEC847	Medium
SEC842	SEC848	Large
SEC843	SEC849	X-Large
SEC844	SEC850	2X-Large
SEC845	SEC851	3X-Large
SEC846	SEC852	4X-Large

POLYPROPYLENE HOODED COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Case Qty: 50

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.



SEK358



SEK372



STANDARD

- Front zipper for optimum fit
- 1.6 oz/m² fabric

Model No.	Size
STANDARD COVERALLS	
SEK356	Medium
SEK357	Large
SEK358	X-Large
SEK359	2X-Large
SEK360	3X-Large
SEK361	4X-Large
SEK362	5X-Large

PREMIUM

- Heavy-duty front zipper for optimum fit
- Heavy-duty front zipper flap
- Features front left breast pocket
- 1.85 oz/m² fabric

Model No.	Size
PREMIUM COVERALLS	
SEK370	Medium
SEK371	Large
SEK372	X-Large
SEK373	2X-Large
SEK374	3X-Large
SEK375	4X-Large
SEK376	5X-Large

MICROPOROUS COVERALLS

- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- Fabric weight: 1.85 oz/yd² (63 grams)
- Case Qty: 25

Applications: Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting



SEC809



SEC816



Model No.	Description	Size
COVERALLS		
SEC807		Small
SEC808	Zipper front	Medium
SEC809	w/storm flap,	Large
SEC810	elastic wrists	X-Large
SEC811	and ankles	2X-Large
SEC812		3X-Large
SEC813		4X-Large

Model No.	Description	Size
HOODED COVERALLS		
SEC814		Small
SEC815	Zipper front	Medium
SEC816	w/storm flap,	Large
SEC817	attached hood,	X-Large
SEC818	elastic wrists	2X-Large
SEC819	and ankles	3X-Large
SEC820		4X-Large

TYVEK® COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- Case Qty: 25

Applications: General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica.



SAS042

	Model No.	Mfg. No.	Size
COVERALLS Serged seams, collar, front zipper closure, elastic wrists and ankles	SAS035	TY1255-M	Medium
	SAS036	TY1255-L	Large
	SAS037	TY1255-XL	X-Large
	SAS038	TY1255-2XL	2X-Large
	SAS039	TY1255-3XL	3X-Large
	SAS040	TY1255-4XL	4X-Large



HOODED COVERALLS

- Serged seams, attached hood, front zipper closure, elastic wrists and ankles

	Model No.	Mfg. No.	Size
HOODED COVERALLS Serged seams, attached hood, front zipper closure, elastic wrists and ankles	SAS042	TY1275-M	Medium
	SAS043	TY1275-L	Large
	SAS044	TY1275-XL	X-Large
	SAS045	TY1275-2XL	2X-Large
	SAS046	TY1275-3XL	3X-Large
	SAS047	TY1275-4XL	4X-Large

EMERGENCY EYEWASH STATIONS

CEDERROTH® EYEWASH

- Easy-to-use bottle with an ergonomic eye cup and a generous flow of fluid
- Opens using one easy twisting motion
- Integral dust cover keeps the eye cup clean and acts as an opening device
- Buffered eye wash solution has a neutralising effect on splashes from acids or alkalis
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement

SAY472
& SAY473



Model No.	Mfg. No.	Description
SAY472	04100	235 ml Bottle
SAY473	04101	Holster for SAY472
SAY474	04102	500 ml Bottle
SAY475	04103	Wall Bracket for SAY474
SAY476	04104	Strap for Wall Bracket
SEB188	04106	Portable Wall Case, Five 500 ml Bottles
SEB189	04107	Wall Bracket for SEB188

PURE FLOW 1000™ EYEWASH STATIONS

- Sure-grip handle provides instant activation
- Activation straps display expiration date
- Integral drain valve and fluid reservoir
- Automatically displays "Warning Service Immediately" once activated
- Requires two 3.8 gallon Eyesaline® fluid cartridges (sold separately)
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1-2009



Honeywell

Model No.	Mfg. No.	Description
SD552	32-001000-0000	Eyewash Station (English Instructions)
SAJ678	32-001000-0022	Eyewash Station (French Instructions)
SD553	32-001050-0000	Fluid Cartridges (2/pkg)

ON-SITE® GRAVITY-FED EYEWASH STATIONS

- Ideal for locations where a plumbed water source is not available
- High-visibility yellow, molded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank
- Vandal-resistant unit: foreign objects cannot be introduced into tank
- SEI certified to ANSI standard Z358.1-2009
- Includes wall bracket (can also deck mount)

SAK609



SAK611

ON-SITE® WASTE CARTS

- Captures used fluid, 56-gallon capacity
- Tapered sump, easy to drain

Bradley


Model No.	Mfg. No.	Description
SAK609	S19-921	Gravity-Fed Eyewash
SAK611	S19-399	Waste Cart

FAUCET-MOUNT EYEWASH STATIONS

- Cost effective solution for applications with an existing faucet
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Faucet can be used for normal operation
- Includes a safety sign and inspection tag
- Weight: 1 lb.
- SEI certified to ANSI standard Z358.1-2009

Model No. SAK621
Mfg. No. S19-200B

Bradley



Faucet not included

PORTA STREAM® II & III EYEWASH STATIONS

- Versatile portability without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline® - a preserved, buffered, saline solution superior to tap water for emergency eye care, and Fend-all water additive
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1-2009



SA427

Honeywell

Model No.	Mfg. No.	Description
SEK529	32-000200-0000	Eyewash (Trilingual instructions)
SA411	32-000513-0020	Eyesaline® Concentrate, 180 oz.
SAJ677	32-001100-0022	Water Preservative, 8 oz. Bottles, 4/Case
SA426	32-000102-0000	Replacement Pull-Strap

9-GALLON PORTABLE EYEWASH STATIONS

- 9-gallon high density green polyethylene tank made from FDA approved materials
- Gravity fed
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap
- Light design and mounting bracket (included)
- Certified by CSA to meet ANSI standard Z358.1-2009



Haws

Model No.	Mfg. No.	Description
SAR314	7501	Portable Gravity Eyewash Fountain
SAR315	9082	Bacteriostatic Water Preservative, 5 oz., 4/Case

WALL-MOUNT AXION MSR™ EYE/FACE WASH STATIONS

- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Certified by CSA to meet ANSI standard Z358.1-2009



SEB239

Haws
axion
msr™

Model No.	Mfg. No.	Description
EYE/FACE WASH		
SEB239	7260B-7270B	ABS Plastic Bowl
SEB240	7360B-7460B	Stainless Steel Bowl
ACCESSORIES		
SEB264	9102	Dust Cover

EMERGENCY SHOWERS & FIRST AID

COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATION

- Hydrodynamic shower design
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- 11" diameter green ABS plastic bowl
- Galvanized stanchion for long life
- Mesh strainer collects debris
- Durable stainless steel ball valve
- Certified by CSA to meet ANSI standard Z358.1-2009



Model No.	Mfg. No.	Description
SEB257	8320-8325	Combination Shower
SEB264	9102	Dust cover

HALO™ COMBINATION SHOWER & EYEWASH STATIONS

- Combine Halo™ eyewash technology with SpinTec™ shower features for high performance safety installations
- SpinTec™ showers yield superior fluid distribution
- Durable ABS plastic showerhead and bowl
- Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coat paint
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Optional see-through plastic dust cover (shown) makes inspection simple
- ULC certified to ANSI standard Z358.1-2009



Model No.	Mfg. No.	Dust Cover Included
EYEWASH		
SEB801	S193140A1AAA00	No
SEB803	S193140A1AABA00	Yes
EYE/FACE WASH		
SEB806	S193140A1ABAA00	No
SEB807	S193140A1ABBA00	Yes



SEB807

OCCUPATIONAL HEALTH & SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions.

For more information regarding federal and provincial first aid regulations, please visit the websites listed in the chart.

Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility



Model No.	Refill No.	Container Type	Kit Type
FEDERAL - http://laws.justice.gc.ca/eng/SOR-86-304			
SAY106	SAY108	10-unit plastic	Type A, 2-5 workers
SAY109	SAY111	24-unit plastic	Type B, 6-19 workers
SAY113	SAY114	# 2 metal	Type C, 20-199 workers
BRITISH COLUMBIA - www.worksafebc.com			
SAY117	SAY119	36-unit plastic	Basic
SAY121	SAY123	# 2 plastic	Level 1
SAY125	SAY127	# 2 plastic	Level 2
ALBERTA - www.gov.ab.ca			
SAY132	SAY134	16-unit plastic with gasket	No. 1
SAY135	SAY137	36-unit plastic with gasket	No. 2
SASKATCHEWAN - www.labour.gov.sk.ca			
SAY141	SAY143	24-unit plastic	1-9 workers
SAY144	SAY146	36-unit plastic	10-40 workers
MANITOBA - www.gov.mb.ca/labour			
SAY150	SAY152	24-unit plastic	25 workers

Model No.	Refill No.	Container Type	Kit Type
ONTARIO - www.labour.gov.on.ca/english/h			
SAY153	SAY155	10-unit plastic	Sec. 8, 1-5 workers
SAY156	SAY158	36-unit plastic	Sec. 9, 6-15 workers
SAY159	SAY161	# 2 plastic	Sec. 10, 16-199 workers
SAY240	-	10-unit plastic	Truck Kit, 1-5 employees
SAY242	-	16-unit plastic with gasket	Contractor's Kit, 1-5 employees
QUEBEC - www.csst.qc.ca			
SAY174	SAY176	36-unit plastic	Sec. 4 (Standard)
SAY171	SAY173	10-unit plastic	Sec. 5 (Vehicle)
SEE531	-	10-unit plastic	Truck Kit
SEE534	-	# 6 metal	Workplace standard kit
NEW BRUNSWICK - www.worksafencb.ca			
SAY177	-	10-unit plastic	Personal
SAY179	SAY181	36-unit plastic	Standard


Model No.	Refill No.	Container Type	Kit Type
NOVA SCOTIA - www.gov.ns.ca			
SAY185	SAY187	16-unit plastic	No. 2, 2-19 workers
SAY188	SAY190	24-unit plastic	No. 3, 20-49 workers
PRINCE EDWARD ISLAND - www.wcb.pe.ca			
SAY197	SAY199	16-unit plastic	No. 2, 2-19 workers
SAY200	SAY202	24-unit plastic	No. 3, 20+ workers
NEWFOUNDLAND & LABRADOR - www.gov.nf.ca			
SAY207	SAY209	16-unit plastic	No. 2, 2-14 workers
SAY210	SAY212	24-unit plastic	No. 3, 15-199 workers
NORTHWEST TERRITORIES & NUNAVUT - www.gov.nt.ca			
SAY213	SAY215	24-unit plastic	No. 1
YUKON - www.wcb.yk.ca			
SAY224	SAY226	16-unit plastic	No. 1

COMPANIES WITH OVER 100 EMPLOYEES REQUIRE A FIRST AID ROOM

LOCKS & LOCKOUT DEVICES

RESETTABLE BRASS COMBINATION PADLOCKS

- Easy "Set-your-Own" 4-digit combination with up to 10 000 combinations available
- Strong, solid brass case construction resists corrosion - ideal for harsh environments
- Heavy hardened steel shackles provide high resistance to cutting and prying
- **SEJ513** features a key override proving immediate access to supervisors in the field
- **SEJ514** control key sold separately



SAS366




SEJ513

Master Lock

Model No.	Mfg. No.	Body Width"	Shackle Clearance A"	B"	C"	Shipping Weight lbs.
SAS366	T175	2	5/16	1	1	0.60
SAG162	175LH	2	5/16	2 1/4	1	0.70
SEJ513	176	2	5/16	1	1	0.60
SEJ514	K176	Control Key				0.02

ECONOMY V-LINE BRASS PADLOCKS (NON-REKEYABLE)

- Solid brass body and cylinder construction resists corrosion - ideal for harsh environments
- Case hardened shackle resists sawing and filing
- Pin tumbler cylinder provides greater pick resistance
- Locks come with two keys
- For keyed alike options, please call us



SAS395

Master Lock

Model No.	Mfg. No.	Key Type	Body Width"	Shackle Clearance A"	B"	C"	Shipping Weight lbs.
SAS395	4120	Different	3/4	5/32	5/8	9/16	0.10
SAS396	4120KA	Alike	3/4	5/32	5/8	9/16	0.10
SAS397	4130	Different	1 1/8	3/16	9/16	9/16	0.20
SAS398	4130KA	Alike	1 1/8	3/16	9/16	9/16	0.20
SAS015	4140	Different	1 1/2	1/4	13/16	13/16	0.30
SAS400	4140KA	Alike	1 1/2	1/4	13/16	13/16	0.30
SAS401	4150	Different	1 7/8	9/32	15/16	1	0.40
SAS402	4150KA	Alike	1 7/8	9/32	15/16	1	0.40


PRO SERIES® WEATHER TOUGH™ SECURITY PADLOCKS (REKEYABLE)

- Constructed of hardened, chrome rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Durable thermal plastic covers protect the body of the lock from dirt, dust and other contaminants
- Hardened boron alloy steel shackles offers superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle
- Locks come with two keys
- For keyed alike options and master keying, please call us

SA903



SAL433



Model No.	Mfg. No.	Key Type	Body Width"	Shackle Clearance A"	B"	C"	Shipping Weight lbs.
SAL433	6121	Different	2 1/8	5/16	1 1/8	7/8	1.00
SAL434	6121LJ	Different	2 1/8	5/16	2 1/2	7/8	1.05
SA902	6125	Different	2 3/8	3/8	1 3/8	7/8	1.20
SA903	6125KA	Alike	2 3/8	3/8	1 3/8	7/8	1.20

ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- Designed exclusively for lockout/tagout
- Durable, lightweight, non-conductive body
- Offers superior performance against chemicals, moisture, temperature and UV
- Reserved-for-safety cylinder provides over 40,000 unique key changes available
- Key retaining - ensures that padlocks are not left unlocked
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- Locks come with one key: Compliance with OSHA "one employee, one lock, one key" directive
- For extra keys, keyed alike options or master keying, please call us

Master Lock



Model No.	Mfg. No.	Colour	Body Width"	Shackle Clearance Width"	Height"	Dia."	Weight lbs.
SAL134	410BLK	Black	1 1/2	25/32	1 1/2	1/4	0.23
SAL135	410BLU	Blue	1 1/2	25/32	1 1/2	1/4	0.23
SAL136	410GRN	Green	1 1/2	25/32	1 1/2	1/4	0.23
SAL137	4100RJ	Orange	1 1/2	25/32	1 1/2	1/4	0.23
SAL138	410RED	Red	1 1/2	25/32	1 1/2	1/4	0.23
SAL139	410YLW	Yellow	1 1/2	25/32	1 1/2	1/4	0.23

ALUMINUM SAFETY LOCKOUT PADLOCKS

- Ideal for corrosive and tough environments
- Hardened shackles for superior resistance to cutting
- Steel shackle 1 9/16" wide solid body, 1/4" diameter x 1 1/16" long shackle
- 5-spool pin tumbler cylinder for added pick resistance
- Removable cylinder can be replaced or repinned
- Tens of thousands of key changes available
- Baked-on powder-coated finish stays bright
- Available in six colours, keyed different
- Laser engraving service available for an additional charge



Master Lock


Model No.	Mfg. No.	Colour	Model No.	Mfg. No.	Colour
SN709	6835RED	Red	SN712	6835YLW	Yellow
SN710	6835BLU	Blue	SN713	6835ORJ	Orange
SN711	6835GRN	Green	SN714	6835BLK	Black

LAMINATED PADLOCKS

- Each keyed different lock has a unique key for higher security
- Padlocks are made from rustproofed laminated steel
- **SA886** and **SA888** are economic protection best suited for tamper resistant applications
- **SA890** and **SA892** provide medium general security, use on tool boxes, man hole covers
- **SA894** to **SA900** are high security locks that provide a higher tamper resistant lock body and shackle.
- Use on tool cribs, storage cabinets and gates
- All models include two keys

Master Lock

SA890



Model No.	Mfg. No.	Security Level	Locking Mechanism	Body Width"	Shackle Dimensions A"	B"	C"	Wt lbs.
SA886	22	Medium	Warded	1 1/2	1/4	5/8	9/16	0.3
SA888	500	Medium	Warded	1 3/4	9/32	13/16	13/16	0.5
SA890	7	Medium	4-Pin Tumbler	1 1/8	3/16	9/16	1/2	0.2
SA892	7LJ	Medium	4-Pin Tumbler	1 1/8	3/16	2 1/2	1/2	0.2
SA894	3	High	4-Pin Tumbler	1 9/16	9/32	3/4	5/8	0.5
SA896	3LH	High	4-Pin Tumbler	1 9/16	9/32	2	5/8	0.5
SA898	1	High	4-Pin Tumbler	1 3/4	5/16	15/16	3/4	0.6
SA900	1LJ	High	4-Pin Tumbler	1 3/4	5/16	2 1/2	3/4	0.6

COMBINATION LOCKS

- World's best-selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- 1 7/8" wide double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security
- Different combinations

Master Lock

Model No.	Mfg. No.	Shackle Dimensions A"	B"	C"
SR914	1500	9/32	3/4	13/16
SAL506	1500LH	9/32	2	13/16



LOCKS & LOCKOUT DEVICES

LATCH TIGHT™ PORTABLE LOCK BOXES

- With new Latch Tight™ locking mechanism
- English, Spanish, French message on box
- Accepts 12 padlocks or lockout hasps



**Master
Lock**

Model No.	Mfg. No.	Colour
SAL519	498A	Red

LABELLED SNAP-ON HASPS

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodised aluminum and stainless steel construction for combined corrosion resistance and strength
- Up to five workers can apply their personal safety locks
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

**Master
Lock**



Model No.	Mfg. No.	Colour
SAL541	427	Red
SAP994	427BLK	Black
SAP995	427BLU	Blue
SAP997	427CLR	Silver
SAP998	427GRN	Green
SAQ002	427YLW	Yellow
SAQ003	427AST	Assorted 6/Pkg.

ROTATING GATE VALVE LOCKOUTS

- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Each size rotates into itself
- Each size nests within the next larger size
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

SAL531



SAL528



**Master
Lock**

Model No.	Mfg. No.	Description
SAL526	480	Fits 1" to 3" Diameter Valve Handle
SAL527	481	Fits 2" to 5" Diameter Valve Handle
SAL528	482	Fits 4" to 6 1/2" Diameter Valve Handle
SAL529	483	Fits 6" to 10" Diameter Valve Handle
SAL530	484	Fits 8" to 13" Diameter Valve Handle
SAL531	485	1 Set Consists of 1 x SAL526, SAL527, SAL528, SAL529 & SAL530



SAL529

ADJUSTABLE CABLE LOCKOUTS

- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use
- Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, Zenex™ thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available

**Master
Lock**



Model No.	Mfg. No.	Description
SED596	S806CBL3	Cable Lockout w/3' Cable
SED597	S806	Cable Lockout w/6' Cable
SED598	S806BL15	Cable Lockout w/12' Cable

LOCKOUT STATIONS

**VIRTUALLY INDESTRUCTIBLE,
THE STRONGEST STATIONS AVAILABLE!**

- Integrated, 1-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Zenex™ locks available with up to 100 000 key changes available to fit even the largest lockout systems
- Lockout stations are bilingual with English/French labels and lockout tags
- Compliant with OSHA "One employee, One lock, One key" directive

**Master
Lock**

4-LOCK STATION INCLUDES:

- Four Master Lock® Safety Series™ Padlocks
- Two Safety Series™ hasps for lockouts by up to six workers
- 12 Safety Series™ heavy-duty bilingual Do Not Operate lockout I.D. tags with brass grommets
- Dimensions: 12 1/4" x 16" x 1 3/4"



SAO601

Model No.	Mfg. No.	Description
SAO598	1482BFRC	Base only
SAO601	1482BP3FRC	Station with Laminated Padlocks
SAO602	1482BP410FRC	Station with Zenex™ Padlocks
SAO603	1482BP1106FRC	Station with American Lock® Aluminum Padlocks

SAFETY LOCKOUT HASPS

- Keeps equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed
- Up to six workers at each lockout point
- Heavy gauge steel jaws resist prying against unauthorised access
- Lockout hasp has vinyl coated handles and is plated to resist rust
- Compatible with nos. 3, 410, 411, 6835 and 6836 safety lockout padlocks with shackle diameters as large as 3/8"



**Master
Lock**

RED W/O LOCKING TABS

Model No.	Mfg. No.	Diameter"
SA875	420	1
SA876	421	1 1/2

YELLOW (ECONOMY) W/LOCKING TABS

Model No.	Mfg. No.	Diameter"
SAN507	422	1
SAN508	424	1 1/2

ROTATING ELECTRICAL PLUG LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- SAL521 labels can be written on to identify the responsible person and then erased for the next job

**Master
Lock**



SAL520

Padlock not included

SAL521



Model No.	Mfg. No.	For Electrical Plugs Up To
SAL520	487	2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs)
SAL521	488	3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)

MIRRORS

DOMES MIRRORS

- Prevent accidents and increase surveillance due to blind corners
- Constructed of acrylic for added durability
- All mirrors have a black protective edge and hanging clips
- Full dome mirrors come with hanging chains and hooks



IDEAL LOCATIONS:

360° 4-way intersections
180° T-intersections
90° Corner intersections




Full Dome 360°


Use furniture polish to clean mirrors. Glass cleaner will damage surface.



Half Dome 180°



Quarter Dome 90°



FULL DOME

Comes with hanging hardware

Model No.	Mirror Dia. " *	Wt. lbs.
SEJ875	20	1.5
SEJ876	24	2
SEJ877	31	3
SEJ878	47	6.5

HALF DOME

Model No.	Mirror Dia. " *	Wt. lbs.
SEJ879	20	0.75
SEJ880	24	1
SEJ881	31	1.5
SEJ882	47	3.25

QUARTER DOME

Model No.	Mirror Dia. " *	Wt. lbs.
SEJ883	20	0.35
SEJ884	24	0.5

* The dimensions listed are that of a full dome


CONVEX MIRRORS

Prevent accidents and increase surveillance with a lightweight acrylic convex mirror. Adjustable mounting hardware included with each mirror. 100° viewing angle and mounted ball and swivel. Telescoping arm adjusts from 15" to 21". For indoor or outdoor use.

RALSTON MIRRORS

"Manufacturers of SureWay™ Safety & Security Acrylic™ Mirrors"

INDOOR			OUTDOOR	
Mirror Dia. "	Model No.	Wt. lbs.	Model No.	Wt. lbs.
12	SA725	2	SA720	4
18	SA726	3	SA721	5
26	SA727	6	SA722	9
30	SA728	7	SA723	11
36	SA729	9	SA724	15



ROUNTAGULAR CONVEX MIRRORS

- The top and bottom of these convex mirrors have been trimmed or "cropped" to fit into smaller spaces
- Provides the same larger view as the full sized convex
- Exterior models are enclosed



RALSTON MIRRORS

"Manufacturers of SureWay™ Safety & Security Acrylic™ Mirrors"

INDOOR			OUTDOOR	
Dimensions"	Model No.	Wt. lbs.	Model No.	Wt. lbs.
12 x 18	SAQ971	3.5	SAQ975	4.7
18 x 26	SAQ972	4.75	SAQ976	8
20 x 30	SAQ973	6.7	SAQ977	12.5
24 x 36	SAQ974	9.3	SAQ978	18.25

FLAT MIRRORS

Ideal for locations where accurate depth perception is essential. Mirrors are made of acrylic with galvanized steel backs. Framed mirrors have an aluminum edge. Telescoping arm adjusts from 15" to 21". Ball and swivel, telescoping arm and bracket are included with each mirror.



RALSTON MIRRORS

"Manufacturers of SureWay™ Safety & Security Acrylic™ Mirrors"

Dimensions"		Model No.	
		Unframed	Framed
12	x 12	SA744	SA749
12	x 18	SA745	SA750
18	x 24	SA746	SA751
24	x 30	SA747	SA752
30	x 36	SA748	SA753

SECURITY INSPECTION MIRRORS

- 8" convex mirror for wider viewing area
- 40" handle with adjustable angle
- Lightweight

Model No. SAQ807
Mfg. No. 2100ML5086



RALSTON MIRRORS

"Manufacturers of SureWay™ Safety & Security Acrylic™ Mirrors"

REAR VIEW MIRRORS

- Designed for use on forklifts, delivery trucks or other transit vehicles
- Helps eliminate dangerous blind spots
- 2 3/4" x 7" rectangular convex mirror
- Complete with mounting bracket
- Adjustable swivel mount

Model No. SED112
Mfg. No. 2100RV2X3



DROP-IN CEILING PANEL DOMES

- Attractive 24" dome mirror for 360° viewing
- One-piece drop-in dome includes a mirrored ceiling panel to fit a standard 2' x 2' drop-ceiling tile
- Can also fit a standard 2' x 4' drop-ceiling tile (simply cut the ceiling tile in half)

Model No. SAR052
Mfg. No. 2000FDCO24

RALSTON MIRRORS

"Manufacturers of SureWay™ Safety & Security Acrylic™ Mirrors"



Use furniture polish to clean mirrors. Glass cleaner will damage surface.

SAFETY TAPES & PAINTS

AISE MARKING & HAZARD WARNING TAPE

Colour-coded for instant recognition of specific areas. Tapes give continuous lines that are both eye catching and long lasting and can be applied quickly by hand or with a tape applicator. 6-mil general purpose pressure sensitive vinyl tape is easy to apply and has excellent adhesion for a fast, firm hold. Excellent for marking floors, equipment, pipes and many other uses. Available in 2" and 3" by 108' rolls. Reflective engineer grade available in 2" by 30' rolls.

INCOM



RECOMMENDED GUIDELINES

Dark Blue: General Information
Orange: Warning/Hazardous Biohazard
Green: Safety and First Aid Equipment

Red: Fire Protection/Danger/Stop
White: Traffic and Housekeeping
Yellow: Caution
Black: Boundaries
Stripes: Hazard/Warning

AISE MARKING TAPE

Model No.	Width"	Colour	Wt. lbs. Roll
SOLID			
SAL689	2	Blue	0.8
SAL688	2	Orange	0.8
SAL684	2	Green	0.8
SAL685	2	Red	0.8
SAL686	2	White	0.8
SAL683	2	Yellow	0.8
SAL687	2	Black	0.8
SAL696	3	Blue	1.2
SAL695	3	Orange	1.2
SAL691	3	Green	1.2
SAL692	3	Red	1.2
SAL693	3	White	1.2
SAL690	3	Yellow	1.2
SAL694	3	Black	1.2

HAZARD WARNING TAPE

Model No.	Width"	Colour	Wt. lbs. Roll
STRIPES (NON-LAMINATED)			
SAL701	2	Black/White	0.8
SAL697	2	Black/Yellow	0.8
SAL699	2	Red/White	0.8
SAL702	3	Black/White	1.2
SAL698	3	Black/Yellow	1.2
SAL700	3	Red/White	1.2
REFLECTIVE ENGINEER GRADE STRIPES			
SN611	2	Black/Yellow	0.8
SN612	2	Red/White	0.8

Model No.	Max. Roll Diameter	Overall Height"
FLOOR TAPE APPLICATOR		
SED019	4	39

ANTI-SKID TAPE

Provides a sure footing on stairs, ladders, fork trucks and any area where slipping can occur. Tough and durable adhesive-backed tape can easily be installed in seconds to any clean, dry, oil-free surface including metal, wood and concrete. Used indoors or outdoors, rolls are 60' in length. Recommended for hospitals, schools, labs, etc.

GATOR GRIP traction tape

INCOM

Model No.	Width"
BLACK	
NC910	1
NC383	2
NC385	4
NC386	6
NC381	12
CLEAR	
NC912	1
NC913	2
NC914	4
NC915	6



BARRICADE TAPE

- Warn against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- Made of polyethylene
- Roll size: 3" x 1000'

Model No.	Message	Colour
STANDARD-DUTY - 1.5 MILS		
SEK397	Caution	Black on Yellow
SEK398	Attention	Black on Yellow
SEK399	Danger	Black on Red
HEAVY-DUTY - 2.0 MILS		
SEK400	Caution	Black on Yellow
SEK401	Attention	Black on Yellow
SEK402	Danger	Black on Red
EXTRA HEAVY-DUTY - 2.5 MILS		
SEK403	Caution	Black on Yellow
SEK404	Attention	Black on Yellow
SEK405	Danger	Black on Red

ZENITH
Safety Products



MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
- Apply a uniform 1" to 1 1/2" wide stripe of paint

NC309



KRYLON
INDUSTRIAL



Model No.	Description
NC309	Spotter Hand Held Wand 12"
NC310	Hand Held Wand 34"

LINE-UP® STRIPING MACHINES & PAINTS

- Engineered and designed for easy operation and durability
- 18-gauge all-steel construction
- 12-can storage
- Stripes widths of 2" to 4"

KRYLON
INDUSTRIAL

PAVEMENT STRIPING MACHINES

- 7" wheels provide a smooth ride on hard surfaces, such as concrete, blacktop and metal
- Excellent for use in parking lots, warehouses, plants, factories, etc.

NE340



Model No. NE340

ATHLETIC FIELD STRIPING MACHINES

- 10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces
- Ideal for grass, dirt, gravel or any uneven surface

Model No. NE341

Model No.	Description	Colour
WATER BASED - ATHLETIC FIELD		
NE333	White	
NE334	Yellow	
NI795	Turf Green	
SOLVENT BASED - PAVEMENT		
NE335	Highway White	
NE336	Highway Yellow	
NE337	Handicap Blue	
NE338	Firelane Red	
NE339	Cover-up Black	

Actual paint colours may vary



QUICK-MARK™ MARKING PAINTS

KRYLON
INDUSTRIAL

Inverted marking paints are VOC-compliant, lead-free and highly pigmented. Available in water and solvent based, 20-oz. cans (17 oz. net weight). Can be used with hand held wands.



Model No.	Solvent Base	Colour	Model No.	Water Base	Colour
NC320	Fl. Red/Orange		NC331	White	
NC321	Fl. Orange		NC332	Utility Yellow	
NC322	Fl. Safety Red		NC333	Fl. Orange	
NC323	Fl. Green		NC334	Fl. Red	
NC324	White		NC335	Fl. Safety Pink	
NC325	High Vis. Yellow		NC336	Fl. Blue	
NC326	Caution Blue		NC337	Fl. Safety Green	
NC327	Warning Orange		NC338	Fl. Red/Orange	
NC328	Safety Red				
NC329	Safety Green				

Actual paint colours may vary

CROWD & TRAFFIC CONTROL

TRAFFIC CONES

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange color provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Québec, Ontario and Alberta

ZENITH®
Safety Products

SEF026



Model No.	Height"	Collar	Wt. lbs.
SEF026	18	6" (QC, ON, AB)	3.15
SEF027	28	4" (ON, AB)	6.75
SEF028	28	6" and 4" (QC, ON, AB)	6.75

PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M™ high intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability

ZENITH®
Safety Products

SEC153




Model No.	Description	Wt. lbs.
SEB773	Delineator Post Only	1.5
SEB774	Rubber Base	12
SEC153	Post and Base Kit	14

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations and UV light
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 11" W x 2 1/4" H

Model No.	Description	Length	Spikes Required	Weight lbs.
SEH142	Speed Bump	4'	5	35
SEH143	Speed Bump	6'	4	55
SEH144	Rebar Spike	14"	-	-

SEH142



SEH144

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" 3M™ high intensity collars
- High density interlocking base offers maximum stability
- Meets Ministry of Transport regulations for Quebec, Ontario and Alberta

Model No.	Description	Wt. lbs.
SEB768	12"	2
SEB769	18"	3.3
SEB771	28"	7

TRAFFIC CONES W/COLLAR

SEB770	18" w/6" Collar (QC, ON, AB)	3.3
SEB772	28" w/6" and 4" Collars (QC, ON, AB)	7
SEB826	28" w/4" Collar (ON, AB)	7

SEB772



ZENITH®
Safety Products

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall dimensions: 102" L x 40" H
- Distance between vertical bars: 7"
- Rail diameter: 1 5/8"
- Weight: 56 lbs.

SEE395



ZENITH®
Safety Products

SEE396

Model No.	Description
SEE395	Galvanized Finish
SEE396	Safety Yellow Finish

ZENITH®
Safety Products

FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35" • Tape length: 7' • Recommended post spacing: 6'6"

STANDARD FREE-STANDING BARRIERS



Photo consists of
1 x SAS226 &
1 x SAS230

Model No.	Description	Tape Colour	Tape Length'
SAS226	Stainless Steel Post with Cassette	Red	7
SAS227	Black Post with Cassette	Black	7
SAS230	Stainless Steel Receiver Post	-	-
SAS231	Black Receiver Post	-	-

ZENITH®
Safety Products

SAFETY FREE-STANDING BARRIERS



Photo consists of
1 x SAS228 &
1 x SAS232

Model No.	Description	Tape Colour	Tape Length'
SAS228	Yellow Post with Cassette	Yellow	7
SAS229	Yellow Post with Cassette	Yellow (Caution Do Not Enter)	7
SEE818	Yellow Post with Cassette	Yellow (Attention Ne Pas Entrer)	7
SAS232	Yellow Receiver Post	-	-

Locking Mechanism
prevents accidental
release!



TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



Model No.	Size
SEF093	Medium
SEF094	Large
SEF095	X-Large
SEF096	2X-Large

TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" silver reflective stripes offer maximum nighttime visibility
- Front velcro enclosure permits optimal fit
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.		Size
Orange	Lime-Yellow	
SEB698	SEB702	Medium
SEB699	SEB703	Large
SEB700	SEB704	X-Large
SEB701	SEB705	2X-Large

PREMIUM POLYESTER T-SHIRTS


- Moisture wicking, lightweight, soft and breathable fabric
- Fluorescent lime-green 100% polyester "bird's eye" mesh material
- 3" fluorescent orange/silver dual reflective stripes
- Upper left breast pocket with velcro closure
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.		Size
Orange	Lime-Yellow	
SEF109	SEL243	Medium
SEF110	SEL244	Large
SEF111	SEL245	X-Large
SEF112	SEL246	2X-Large

TRAFFIC HARNESSSES

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



Model No.	Size
SEF117	Medium
SEF118	Large
SEF119	X-Large
SEF120	2X-Large
SEF121	3X-Large



5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.	Size
SEF097	Medium
SEF098	Large
SEF099	X-Large
SEF100	2X-Large

SURVEYOR TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Two top Velcro sealed pockets and two bottom open pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.		Size
Orange	Lime-Yellow	
SEF101	SEK232	Medium
SEF102	SEK233	Large
SEF103	SEK234	X-Large
SEF104	SEK235	2X-Large

ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Velcro closure permits optimal fit
- Available in various lengths



Model No.	Length"
SEF122	10
SEF123	12
SEF124	13 1/2
SEF125	15
SEF126	17
SEF127	19



ERGONOMIC MATTING

ERGODECK® ERGONOMIC FLOORING SYSTEMS NO. 560 & NO. 562


- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe® system securely connects tiles
- Covers up imperfections and safety hazards
- ErgoDeck™ tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck™ can be attached to the floor
- 7/8" thick
- Designed specifically for heavy cart traffic with load capacity of 64 PSI
- Available in open grid and solid tile designs

ERGODECK® HEAVY-DUTY OPEN GRID NO. 560

- For use in wet (non-greasy) or dry areas where small debris or fluids are present

ERGODECK® HEAVY-DUTY SOLID NO. 562


- For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority



Model No.	Description	Dim. W" x L" x D"	Qty /Case
SAL215	Open Grid No. 560, Single Tile	18 x 18 x -	10
SAL224	Solid No. 562, Single Tile	18 x 18 x -	10
RAMP & CORNER ACCESSORIES			
SAL219	Ramp - Yellow, Single	6 x 18 x -	10
SAL217	Outside Corner - Yellow, Single	6 x 15 x 15	4

ERGODECK® GENERAL PURPOSE NO. 564 & NO. 566


- General purpose version of the original ErgoDeck™ specifically designed to increase worker productivity
- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe® system securely connects the tiles for a neat installation to withstand heavy use and cart traffic
- Tiles can be unlocked and repositioned to create different configurations
- Optional 6" wide safety ramps and corners
- 7/8" thick
- Colour: Charcoal




Model No.	Description	Dim. W" x L"	Qty /Case
SAQ312	Open Grid No. 564, Case	18 x 18	10
SAQ313	Solid No. 566, Case	18 x 18	10
RAMP & CORNER ACCESSORIES			
SAL219	Ramp - Yellow, Case	6 x 18	10
SAL217	Outside Corner - Yellow, Case	15 x 15	4

ANTI-FATIGUE LINK MATS

- Designed to help prevent injuries and increase worker comfort
- Modular interlocking designing on all four sides permits coverage of large floor spaces
- Recommended for wet and dry environments
- Lightweight and easy to clean
- Thickness: 1/2"
- Dimensions: 3'x3'
- Optional black and yellow border ramps to prevent ripping



With ramp SDL870



ZENITH®
Safety Products

MATS

Model No.	Description	Material
SDL865	General Purpose	Natural rubber
SDL866	Grease Proof	50% nitrile rubber/50% natural rubber

BORDER RAMPS

Model No.	Connection	Colour
SDL867	Male	Black
SDL868	Female	Black
SDL869	Male	Yellow
SDL870	Female	Yellow

ERGODECK® WITH INTEGRATED NO-SLIP CLEATS NO. 552 & NO. 553

- This non-slip flooring is engineered to deliver exceptional traction in even the most extreme environments
- The patented LockSafe® positive interlocking system delivers secure connections but can be unlocked as needed for replacement or repositioning
- The optional 6" side safety ramps and corners have countersunk holes for semi-permanent installation
- Unmatched slip prevention
- Customize in 3" increments to fit any area or configuration
- Can withstand power-washing and aggressive maintenance
- 100% silicone-free PVC tiles provide maximum durability
- 18" x 18" tiles
- Open grid:** Recommend usage in wet or dry areas where small debris or fluids are present
- Solid:** Recommend usage in dry areas



SEI922



SEI924


Model No.	Description	Dim. W" x L"	Qty /Case
SEI922	Open Grid No. 553, Single Tile	18 x 18	-
SEI923	Open Grid No. 553, Case	18 x 18	10
SEI924	Solid No. 552, Single Tile	18 x 18	-
SEI925	Solid No. 552, Case	18 x 18	10

DIAMOND-PLATE NO. 414 & 415

- These mats have a Nitricell® sponge base, a unique and resilient nitrile rubber composite that provides unparalleled comfort, resilience and long-term performance
- The PVC diamond-plate surface resists abrasion and most chemical spills
- Safety bevelled edges

UltraSoft Diamond-Plate No. 414: Ultimate Performance has a double-thick Nitricell® sponge base for a little extra comfort

Diamond-Plate SpongeCote No. 415: Best Performance is a standard 9/16" thick and has been a best seller for over 20 years!



NO. 414

WEARWELL

Model No.	Dim. W'	x	L'	Wt. lbs.
15/16" BLACK/YELLOW				
SAJ810	2	x	3	9
NG924	3	x	5	21
15/16" BLACK				
SAJ809	2	x	3	9
NG917	3	x	5	21

CUTS UP TO 75' IN LENGTH

Model No.	Dim. W'	x	L'	Wt. lbs.
15/16" BLACK/YELLOW				
NG928	2	x	lin. ft.	3/lin. ft.
NG929	3	x	lin. ft.	4.5/lin. ft.
NG930	4	x	lin. ft.	6/lin. ft.
15/16" BLACK				
NG921	2	x	lin. ft.	3/lin. ft.
NG922	3	x	lin. ft.	4.5/lin. ft.
NG923	4	x	lin. ft.	6/lin. ft.

NO. 415

Model No.	Dim. W'	x	L'	Wt. lbs.
9/16" BLACK/YELLOW				
NB416	2	x	3	8
NB430	3	x	5	18
9/16" BLACK				
NB420	2	x	3	8
NB431	3	x	5	18

CUTS UP TO 75' IN LENGTH

Model No.	Dim. W'	x	L'	Wt. lbs.
9/16" BLACK/YELLOW				
NG410	2	x	lin. ft.	2.6/lin. ft.
NG411	3	x	lin. ft.	3.9/lin. ft.
9/16" BLACK				
NG412	2	x	lin. ft.	2.6/lin. ft.
NG413	3	x	lin. ft.	3.9/lin. ft.

3-YEAR WARRANTY

WEARWELL

NO. 416

Model No.	Dim. W'	x	L'
STANDARD 9/16"			
SAL632	2	x	3
SAL634	3	x	5
SAL638	3	x	75

Cuts up to 75' in length available

Model No.	Dim. W'	x	L'
ULTRASOFT 15/16"			
SAL633	2	x	3
SAL635	3	x	5
SAL639	3	x	75


SMART DIAMOND-PLATE NO. 497

- An economical and green solution for preventing worker fatigue
- Diamond-plate surface with a 100% recycled urethane composite sponge base
- Green rating > 80% recycled
- Comfortable and functional in dry industrial applications
- Black and black with yellow borders

WEARWELL

1-YEAR WARRANTY

An economical and **GREEN** solution for preventing worker fatigue.



Model No.	Dim. W'	x	L'	Model No.	Dim. W'	x	L'
1" BLACK				5/8" BLACK			
SBA878	2	x	3	SBA894	2	x	3
SBA879	3	x	5	SBA895	3	x	5
SBA883	2	x	lin. ft.*	SBA899	2	x	lin. ft.*
SBA884	3	x	lin. ft.*	SBA900	3	x	lin. ft.*
SBA885	4	x	lin. ft.*	SBA901	4	x	lin. ft.*
1" BLACK W/YELLOW				5/8" BLACK W/YELLOW			
SBA886	2	x	3	SBA902	2	x	3
SBA887	3	x	5	SBA903	3	x	5
SBA891	2	x	lin. ft.*	SBA907	2	x	lin. ft.*
SBA892	3	x	lin. ft.*	SBA908	3	x	lin. ft.*
SBA893	4	x	lin. ft.*	SBA909	4	x	lin. ft.*

* Cuts up to 75' in length available

DIAMOND-PLATE WITH GRITWORKS!® NO. 416

- Ideal for primarily dry areas with slight overspray or where grease and oil get tracked onto the mat
- Carbide grit that increases traction by over 50% while also increasing the chemical resistance and durability of the surface
- Super resilient, Nitricell® sponge base which is PVC loaded with nitrile rubber
- Exceptional comfort, rebound and long life
- All mats come with safety-beveled edges
- Colour: Black

3-YEAR WARRANTY

WEARWELL

NO. 416


Model No.	Dim. W'	x	L'
STANDARD 9/16"			
SAL632	2	x	3
SAL634	3	x	5
SAL638	3	x	75

Cuts up to 75' in length available


Model No.	Dim. W'	x	L'
ULTRASOFT 15/16"			
SAL633	2	x	3
SAL635	3	x	5
SAL639	3	x	75

Carbide grit increases traction by over 50%

STANDARD



ULTRASOFT



ERGONOMIC MATTING

DIAMOND-PLATE SELECT NO. 495

- Uniquely comfortable, resulting in productive, focused employees
- An excellent anti-fatigue mat designed to increase comfort and relieve stress; it's popular in dry industrial, lab and commercial applications
- The specially formulated, PVC Flex-Link™ sponge base is compounded for enhanced functionality
- Green rating > 50% post consumer material
- Colours: Black with yellow borders
- Available in two thicknesses:

Standard:

Overall thickness: 9/16"
Sponge thickness: 3/8"

Ultra thick:

Overall thickness: 15/16"
Sponge thickness: 3/4"
(designed for extra softness)

SAL349



1-YEAR
WARRANTY

Model No.	W'	Dim. x	L'	Wt lbs.
9/16"				
SAL349	2	x	3	8
SAL358	3	x	5	18
SAL361	3	x	75	244
15/16"				
SAL201	2	x	3	9
SAL207	3	x	5	21
SAL209	3	x	75	338

Available in cuts up to 75' in length

SMART TILE-TOP NO. 496

- A SMART solution to standing worker fatigue, this mat is economically priced and "green"
- Priced like a sponge mat, yet wears five times longer
- The resilient sponge base - Rebound – is a 100% recycled urethane composite
- Comfortable and functional in dry industrial, lab or commercial applications
- Available in two thicknesses:
 - Standard** – 1/2" thick
 - UltraSoft** – 7/8" thick designed for even greater comfort
- Green rating > 80% recycled

A smart solution to standing worker fatigue, this mat is economically priced and **GREEN**.



1-YEAR
WARRANTY

Model No.	Black	Grey	Blue	Charcoal	W'	Dim. x	L'
1/2" THICK							
SBA910	SBA926	SBA942	SBA958		2	x	3
SBA911	SBA927	SBA943	SBA959		3	x	5
7/8" THICK							
SBA918	SBA934	SBA950	SBA966		2	x	3
SBA919	SBA935	SBA951	SBA967		3	x	5

Cuts up to 60' in length available

ANTI-FATIGUE DOME MATS

- Designed to help prevent injuries and increase worker comfort
- Raised dome design increases circulation in the users legs through subtle posture changes resulting in less stress
- Beveled edging to help prevent tripping
- Recommended for dry work environments
- All mats are 1/2" thick, natural rubber
- Colour: Black

SDL858



SINGLE MATS

Model No.	W'	Dim. x	L'	Border colour
SDL857	2	x	3	Black
SDL858	3	x	3	Yellow
SDL859	3	x	4	Black
SDL862	3	x	4	Yellow

MODULAR MATS

Model No.	W'	Dim. x	L'	Description	Border colour
SDL860	3	x	4	Center	Black
SDL861	3	x	4	End	Black
SDL863	3	x	4	Center	Yellow
SDL864	3	x	4	End	Yellow

REJUVENATOR® CONNECT NO. 502

100% URETHANE ANTI-FATIGUE MATS PROVIDE LONG TERM VALUE!

- A great combination of comfort, performance and exceptional resilience, this mat is literally crush resistant
- The dense, 1/8" thick urethane skin protects the closed cell urethane sponge interior
- Tear and abrasion resistant, these mats are exceptional in dry, heavy use areas
- 3' x 3' mats connect on all sides with optional 2" wide bevels to increase safety, 5/8" thick



SAR340

Designed to energize workers!

10 YEAR
RESILIENCE WARRANTY

Model No.	Description	W	Dim. x	L
SAR340	Mat	3'	x	3'
SAR341	Edge, Female, Black	2"	x	39"
SAR342	Edge, Male, Black	2"	x	39"

ERGONOMIC MATTING

RUNNER MATS

- Fine ribbed rubber runner mats
- Durable rubber mat resists harsh weather conditions
- Easy to clean
- Adds traction to any entrance
- Thickness 1/8"
- Colour: Black



Model No.	W'	Dim. x	L'
SDL875	2	x	75
SDL876	3	x	75
SDL877	4	x	75
SDL878	2	x	lin.ft.
SDL879	3	x	lin.ft.
SDL880	4	x	lin.ft.



SDL875

ENDURABLE NO. 459

Longer-wearing two-in-one construction



- This PVC sponge has a remarkably durable and abrasion resistant surface
- Created during the manufacturing process, its heat bonded to a comfortable sponge base
- As a dual density anti-fatigue mat, lasts much longer than similar products, but is very economical
- All edges are safety bevelled
- 1/2" thick
- Colour: Black

Longer wearing, two-in-one construction!

NG593

1-YEAR WARRANTY

Model No.	W'	Dim. x	L'	Wt. lbs.
NG593	2	x	3	4.5
NG596	2	x	60	90
NG594	3	x	5	11.25
NG595	3	x	12	27
NG597	3	x	60	135
NG598	4	x	60	217

CUTS UP TO 60' IN LENGTH

NG599	2	x	lin.ft.	0.75/lin.ft.
NG600	3	x	lin.ft.	0.75/lin.ft.
NG601	4	x	lin.ft.	0.75/lin.ft.

Other lengths available, call for a quote

ULTRA-TRED ARMORCOTE NO. 440

NB533

A urethane-coated, PVC sponge anti-fatigue mat

- Urethane coating gives this anti-fatigue mat extra durability
- PVC sponge with a urethane wear-layer for longer performance
- The double-thick urethane coating offers more abrasion and chemical resistance than comparable sponge products
- Ideal for use in mostly dry applications such as labs and other medium traffic areas
- 3/8" thick
- Colour: Black with yellow safety borders

Urethane coating increases durability, resistance to chemicals & clean-up ease!



WEARWELL

1-YEAR WARRANTY

Model No.	W'	Dim. x	L'	Wt. lbs.
NB533	2	x	3	5
NB537	3	x	5	11
NB534	3	x	12	27
SAJ811	2	x	60	83
NB538	3	x	60	135
NB540	4	x	60	160

CUTS UP TO 60' IN LENGTH

JA080	2	x	lin.ft.	1.5/lin.ft.
JA081	3	x	lin.ft.	2.25/lin.ft.
JA082	4	x	lin.ft.	3/lin.ft.

TUF SPONGE NO. 451 & DELUXE TUF SPONGE NO. 442

TOP QUALITY PVC SPONGE MATTING!

- For use in all dry work areas
- Blown-PVC sponge designed to reduce floor hardness up to 50%
- Available in workstation mats and rolls, they can easily be "custom" cut to fit your work areas
- Available in two thicknesses:
Tuf Sponge is 3/8" thick
Deluxe Tuf Sponge is a softer formulation and a full 5/8" thick
- Both are available in widths up to 6' with all edges safety rounded on full rolls and stock sizes

Comfort & practicality all rolled into one mat!

NB550

COLOURS:

Tuf Sponge: Black and grey

Deluxe Tuf Sponge: Black

1-YEAR WARRANTY



TUF SPONGE NO. 451

Model No.	Black	Grey	W'	Dim. x	L'	Wt. lbs.
NB550	NB551		2	x	3	5
NB565	NB566		3	x	5	12
NB568	NB569		3	x	60	126

CUTS UP TO 60' IN LENGTH

JA083	JA084	2	x	lin.ft.	2.8/lin.ft.
NG415	NG418	3	x	lin.ft.	4.3/lin.ft.
NG416	JA087	4	x	lin.ft.	5.7/lin.ft.
JA085	-	6	x	lin.ft.	8.5/lin.ft.

DELUXE TUF SPONGE NO. 442

Model No.	W'	Dim. x	L'	Wt. lbs.
SAL174	2	x	3	6
SAL180	3	x	5	17

CUTS UP TO 60' IN LENGTH


SAL172	2	x	lin.ft.	1.5/lin.ft.
SAL178	3	x	lin.ft.	2.25/lin.ft.
SAL184	4	x	lin.ft.	3/lin.ft.

ERGONOMIC MATTING

WORKRITE II NO. 468

1/2" THICK GENERAL PURPOSE ANTI-FATIGUE DRAINAGE MATS


- Made of grease-resistant natural rubber for use around water and non-caustic agents
- Hygienic open design accommodates small parts and debris
- Versatile, lightweight and economical
- Features molded-in beveled edges



Model No.	W'	Dim. x	L'
SDM621	3	x	5
SDM618	3	x	10
SDM619	3	x	20



WORKSAFE® LIGHT NO. 478 CFR



A NEW compound resistant to mineral oil based cutting fluids.

2-YEAR WARRANTY

- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
- Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- WorkSafe® Light is 1/2" thick with molded beveled edges for easy access
- A well-engineered drainage system that keeps debris from becoming trapped

Model No.	Description	Dim. W' x L'
NB632	-	3 x 5
NB630	-	3 x 10
NB631	-	3 x 20
SAL221	Connector	-




WELDSAFAE® NO. 447

- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient Nitricell® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety bevelled
- 1/2" thick
- Green rating > 33% post industrial material
- Colour: Black



Anti-fatigue mat specifically designed for welding!



Model No.	Dim. W' x L'	Wt. lbs.
NG181	2 x 3	9
NG182	3 x 5	23

CUTS UP TO 75' IN LENGTH

SAL188	2 x lin.ft	3/lin.ft.
NG184	3 x lin.ft	4.5/lin.ft.
SAL189	4 x lin.ft	6/lin.ft.

Available in other lengths, call for a quote



MODULAR WORKSAFE® LIGHT NO. 472

LIGHTWEIGHT, MODULAR ANTI-FATIGUE MATTING



NC823

- 3' x 3' single workstation sections securely interlock to cover large spaces
- Hidden interlock system requires no additional bevels or attachment devices
- Perfect for high maintenance areas, it's lightweight and easy to clean
- Overall thickness of 1/2" with safety rounded edges and excellent drainage
- Available in two compounds:
General-Purpose - natural rubber
Grease Proof - 50% nitrile rubber (for use around greases, chemicals and caustic agents)
- Colour: Black

1-YEAR WARRANTY


Exceptionally comfortable modular design allows you to dimension the mat to your exact requirements!

Model No.	Description	Dim. W' x L'
NC823	General-Purpose	3 x 3
NC824	Grease-Proof	3 x 3

ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP/786SM

- Ideal for use in areas at risk for damage from static electricity from workers before it can be passed on to sensitive equipment with microprocessors or to flammable liquids
- Surface prevents the accumulation of static electricity
- Nitricell® sponge base provides superior comfort and productivity
- Will drain electrical charge of 20 000 V in less than 1 second
- This mat must be grounded; for maximum effectiveness, ground every 8' to 10'
- 9/16" thick
- Colour: Black

NB692



Protects workers from fatigue & electronic equipment from damage!

3-YEAR WARRANTY



Model No.	Dim.			Description	Wt. lbs.
	W'	x	L'		
SAL243	2	x	3	Smooth Surface	8.1
NB692	3	x	5	Diamond Plate Surface	23
SAR335	3	x	5	Smooth Surface	16.1
CUTS UP TO 75' IN LENGTH					
NB693	3	x	lin.ft.	Diamond Plate Surface	5
ACCESSORIES					
SAJ574	15' L Ground Wire (Sold Separately)				
SAL252	Heel Grounder No 793HG				

CLEAN ROOM MATS NO. 095

- Traps impurities in areas that require dirt and dust control
- Perfect for outside controlled manufacturing areas, clean rooms, or labs, also keeps dirt from tracking into office areas
- The tacky surface efficiently pulls dirt and dust off shoe soles before it can contaminate a clean or sterile room
- Effective and easy to use, each mat has 30 or 60 layers of tough film once the top layer is contaminated, simply pull it off and discard
- Use on tile, low-profile carpet or concrete surfaces
- Colours: Blue or white
- Sold per case of 4




30 Layers		60 Layers		Dim.	
White	Blue	White	W"	x	L"
SEB153	SEB152	SEB162	18	x	36
SEB155	SEB154	SEB163	18	x	45
SEB157	SEB156	SEB164	24	x	45

FOOT SANITIZING MATS

- Foot sanitizing mats are designed to decontaminate shoes and boots from spreading germs and bacteria
- Ideal for food processing facilities
- Rubber scrappers at the base of the mat dislodge contaminants from shoes or boots while the soles are soaking in solution
- Chemically resistant to common disinfectant solutions
- Capacity: 5.5 gallons
- Dimensions: 32" W x 39" L
- Colour: Black

SDL873



SDL874



Model No.	Border Colour
SDL873	Black
SDL874	Yellow

NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702

CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Maximum rating: 30 000 V
- Recommended usage: up to 17 000 V
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Passes MSHA IC-246 fire resistance test (mining safety)
- Colour: Black

SAL242



1-YEAR WARRANTY

NO. 702

Model No.	Dim.		
	W'	x	L'
CORRUGATED			
SAL242	2	x	75
NB657	3	x	75
CUTS UP TO 75' IN LENGTH			
SAL241	2	x	lin.ft.
NB658	3	x	lin.ft.
NB660	4	x	lin.ft.

RUNNER & ENTRANCE MATTING

STANDARD CORRUGATED VINYL NO. 381

THE MOST POPULAR RUNNER MAT!

- Protects floors from foot traffic or special events
- Adds traction where needed
- Reduces cleaning costs
- Flexible, yet durable vinyl compound easily rolls up after use
- Will not curl or shrink during use and is resistant to many chemicals and cleaning fluids
- 1/8" thick
- Colour: Black

The all-purpose runner that makes floors safer to walk on!



NB374

1-YEAR WARRANTY



Model No.	Dim.			Wt. lbs.
	W'	x	L'	
NB374	3	x	105	230
NB376	4	x	105	300
NB375	3	x	lin.ft.	2/lin.ft.
NB377	4	x	lin.ft.	3/lin.ft.

HEAVY DUTY MULTI-GUARD NO. 220

- Thousands of scraping fingers powerfully remove dirt from sight
- Mat holds pounds of dirt between cleanings
- Bevelled edges add no-trip safety
- 2500 rubber scrapers per square foot
- Shake or hose to clean
- 1/2" overall thickness
- Colour: Black

Uses: Heavily trafficked outdoor entrances

1-YEAR WARRANTY



Exceptional dirt trapping qualities solve the problem of damaging grime & moisture tracking!

NB206



Model No.	Dim.			Wt. lbs.
	W"	x	L"	
NB206	24	x	32	8
NB207	28	x	46	15
NB208	32	x	39	15
NG588	36	x	60	31
NB209	36	x	72	35

SCRAPER MATS

- Scrapes shoes and boots clean to avoid tracking dirt, slush, and snow
- Durable rubber mat resists harsh weather conditions
- Low profile design, 5/16" thick
- Easy to clean
- Available with slots to facilitate drainage
- Colour: Black



SDL872

SDL871



Model No.	Description	Dim.		
		W'	x	L'
SDL871	Solid	3	x	5
SDL872	Slotted	3	x	5

MUD CHUCKER NO. 229

15/16" THICK MOBILE SHOE SCRAPER MAT



SAL652



- Use where shoes or boots are exposed to dirt, grass clippings, snow, salt, or sand
- Pliable fingers scrape the bottom and sides of shoes or boots
- Bolt down in permanent applications, or use as a mobile entrance mat for workers who toil in muddy areas and then travel to the next location
- To clean, simply shake or spray off with a hose
- 1" thick at front edge, 2 3/8" on the sides
- Colour: Black

1-YEAR WARRANTY



Model No.	Dim.			Wt. lbs.
	W"	x	L"	
SAL652	12 3/8	x	15 1/4	4.5