

STORAGE SYSTEM

FOR MACHINING TOOLS



TABLE OF CONTENTS

TABLE OF CONTENTS	2
Legend	3
MACHINING TOOL STORAGE SYSTEM	4
MACHINING TOOL RACKS	6
Shelving	6
WM Uprights	6
R Cabinets	6
TekZone Hutch	6
Mini-Racking	6
R2V Cabinet	
VTZ Cabinet	6
MOBILE FREESTANDING STATIONS FOR TOOLS	10
Mobile Freestanding Station for Tools - 36"H	. 10
Mobile Freestanding Station for Tools - 54"H	. 10
Mobile Repair/Preparation Cabinet for Tools	. 10
STATIONARY STORAGE FOR TOOLS	11
Freestanding Station for Tools	. 11
R Cabinet with Tool Drawers	. 11
Shelving with Drawers	. 12
Shelving with Adapters	. 12
🐼 R2V Cabinet	. 13
VTZ Cabinet	. 14
Mini-Racking	. 15
SPIDER® SHELVING SYSTEM	16
Open Shelving	. 16
Closed Shelving	. 16
Drawers in Shelving	17
Shelving with 4 Drawers	. 17
Shelving with 7 Drawers / Roll-Out Shelf	. 17
Shelving with 8 Drawers	. 17
Drawer Partitioning	17
STORAGE CABINETS, STATIONARY AND MOBILE	18
High-Density Storage Cabinet	. 18
Multi-Drawer Mobile Cabinet	. 18

WORKSTATION SYSTEM	19
Temporary Storage Workstation	19
Mobile Workbench	19
Maintenance Workstation with Tool Racks	19
Multi-Purpose Workstation	20
5S STORAGE	21
Wall-Mounted Panel System	21
Drawer Accessories	21
MULTITEK CART	22
Material Handling Cart	22
Maintenance Cart	22
Preparation and Control Station	23
Shelf Accessories	23
Drawer Accessories	23

THIS BROCHURE FEATURES
THE MOST POPULAR MODELS.
CONTACT US TO FULLY EXPLORE
A WORLD OF POSSIBILITIES

LEGEND

Add-On

Closed Shelving

You will find various icons throughout this document. This is what they mean:



Painted Steel Surfaces

Painted Steel Surfaces

With Rubber Mat



Polycarbonate Doors

MultiTek Shelf

MACHINING TOOL STORAGE SYSTEM

Rousseau's machining tool storage system has been designed to provide maximum protection for your tools while offering optimal storage.

With its original two-level design, the tool rack offers improved support and excellent stability by preventing tools from falling out, even in an inclined position. The tool rack surface is made of sturdy PVC and protects tools against blows, corrosion and spattering molten metal, while allowing for coolant drainage and limiting contact surfaces with the tool.

The tool rack has perforations for Taper, Straight, Sandvik Capto, HSK, KM and VDI tools. The tool rack is also available without perforations.





End-Users: 1.866.463.4270 Distributors: 1.800.463.4271

MACHINING TOOL RACKS

The tool rack seamlessly integrates into all Rousseau product lines. Its distinctive advantage lies in the rack's resistant PVC extruded design. It can withstand blows and corrosion while allowing fluids to drain away, which prolongs the life of your tools. In addition, the racks feature a tool labeling area for quick and easy identification.

With Rousseau tool racks, you reduce your purchase and refurbishing costs.

SHELVING

Compatible with the following Spider® Shelving: 30"W × 24"D, 36"W × 18"D and 36"W × 24"D with NC51 adapters

WM UPRIGHTS

Installs in 28"W and 34"W WM11, WMA and WM35 frames with NC50 adapters $\,$

R CABINET

Compatible with the following RF31/RF32/RF33/RF34/RF35/RF36 modular drawers: $30"W\times21"D$, $36"W\times18"D$, $30"W\times24"D$, $36"W\times24"D$, $30"W\times27"D$ with NC54 adapters

TEKZONE HUTCH AND MULTITEK CART

Attaches to TekZone Hutch rear utility panels at the desired height

The 23" wide version can be installed on the MultiTek cart by using the RV11 uprights

MINI-RACKING

PVC decks for Mini-Racking for 48"W, 60"W and 72"W Mini-Racking levels available: NC33 and NC34

R2V CABINET

Installs in 24"D and 27"D RL31 drawers. Two wide racks can be placed in 11"W drawers and wider

VTZ CABINET

Installs in 44"D NC60 drawers

SHELVING - WM UPRIGHTS AND FRAMES - CABINETS

DIMENSIONS	30"W TOOL RACK		36"W TOOL RACK		
C/C DIMENSIONS	28"	28" C/C		34" C/C	
ACTUAL DIMENSIONS	25¼"W×5	251/4"W×5"D×71/8"H		5"D×7%"H	
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	
Blank rack	NC10-3000		NC10-3600		
Taper 30	NC12-3001	10	NC12-3601	12	
Taper 40	NC12-3003	7	NC12-3603	9	
Taper 45	NC12-3004	6	NC12-3604	7	
Taper 50	NC12-3005	5	NC12-3605	6	
¾" Straight	NC12-3010	20	NC12-3610	26	
1" Straight	NC12-3011	20	NC12-3611	26	
1¼" Straight	NC12-3013	20	NC12-3613	26	
1½" Straight	NC12-3015	8	NC12-3615	10	
1¾" Straight	NC12-3016	8	NC12-3616	10	
2" Straight	NC12-3018	6	NC12-3618	7	
21/4" Straight	NC12-3019	6	NC12-3619	7	
2½" Straight	NC12-3021	6	NC12-3621	7	
C3 Sandvik Capto	NC12-3030	22	NC12-3630	26	
C4 Sandvik Capto	NC12-3031	22	NC12-3631	26	
C5 Sandvik Capto	NC12-3032	10	NC12-3632	12	
C6 Sandvik Capto	NC12-3033	7	NC12-3633	9	
C8 Sandvik Capto	NC12-3034	6	NC12-3634	7	
HSK 25 (A-C-E)	NC12-3040	22	NC12-3640	26	
HSK 32 (A-C-E)	NC12-3041	22	NC12-3641	26	
HSK 40 (A-C-E)	NC12-3042	22	NC12-3642	26	
HSK 50 (A-C-E)	NC12-3043	10	NC12-3643	12	
HSK 63 (A-C-E)	NC12-3044	7	NC12-3644	9	
HSK 80 (A-C-E)	NC12-3045	5	NC12-3645	6	
HSK 100 (A-C-E)	NC12-3046	4	NC12-3646	5	
32 KM	NC12-3050	22	NC12-3650	26	
40 KM	NC12-3051	22	NC12-3651	26	
50 KM	NC12-3052	10	NC12-3652	12	
63 KM	NC12-3053	7	NC12-3653	9	
80 KM	NC12-3054	5	NC12-3654	6	
VDI 30 mm	NC12-3060	6	NC12-3660	7	
VDI 40 mm	NC12-3061	5	NC12-3661	6	
VDI 50 mm	NC12-3062	4	NC12-3662	5	






NC12

NC10

IMPORTANT

Refer to technical guide N50 for recommended layouts based on tool height and intended use.



NOTE: All our racks are available in a perforated and blank version. The number of tools that a tool rack can hold varies according to tool diameter and the length of extruded surfaces. The number of holes specified in the table indicates the number of perforations per extruded surface.

info@rousseau.com

	TEKZONE HUTCH - MULTITEK CART					MINI-RACKING			
DIMENSIONS	23"W TC	OOL RACK	29"W TO	OL RACK					
ACTUAL DIMENSIONS	23"W×5	5"D×4"H	29"W×5"D×4"H		29"W×5"D×4"H 18"D PVC DECK 24"D PVC DECK		/C DECK		
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	TOOL CODE*
Blank rack	NC14-2300	_	NC14-2900	_	NC30-1800	_	NC30-2400	_	00
Taper 30	NC15-2301	10	NC15-2901	12	NC31-1801	8	NC31-2401	10	01
Taper 40	NC15-2303	7	NC15-2903	9	NC31-1803	7	NC31-2403	9	03
Taper 45	NC15-2304	6	NC15-2904	7	NC31-1804	4	NC31-2404	5	04
Taper 50	NC15-2305	5	NC15-2905	6	NC31-1805	4	NC31-2405	5	05
3/4" Straight	NC15-2310	20	NC15-2910	26	NC31-1810	14	NC31-2410	18	10
1" Straight	NC15-2311	20	NC15-2911	26	NC31-1811	14	NC31-2411	18	11
11/4" Straight	NC15-2313	20	NC15-2913	26	NC31-1813	14	NC31-2413	18	13
1½" Straight	NC15-2315	8	NC15-2915	10	NC31-1815	5	NC31-2415	7	15
1¾" Straight	NC15-2316	8	NC15-2916	10	NC31-1816	5	NC31-2416	7	16
2" Straight	NC15-2318	6	NC15-2918	7	NC31-1818	4	NC31-2418	5	18
21/4" Straight	NC15-2319	6	NC15-2919	7	NC31-1819	4	NC31-2419	5	19
2½" Straight	NC15-2321	6	NC15-2921	7	NC31-1821	4	NC31-2421	5	21
C3 Sandvik Capto	NC15-2330	22	NC15-2930	26	NC31-1830	18	NC31-2430	24	30
C4 Sandvik Capto	NC15-2331	22	NC15-2931	26	NC31-1831	18	NC31-2431	24	31
C5 Sandvik Capto	NC15-2332	10	NC15-2932	12	NC31-1832	7	NC31-2432	9	32
C6 Sandvik Capto	NC15-2333	7	NC15-2933	9	NC31-1833	7	NC31-2433	9	33
C8 Sandvik Capto	NC15-2334	6	NC15-2934	7	NC31-1834	4	NC31-2434	5	34
HSK 25 (A-C-E)	NC15-2340	22	NC15-2940	26	NC31-1840	18	NC31-2440	24	40
HSK 32 (A-C-E)	NC15-2341	22	NC15-2941	26	NC31-1841	18	NC31-2441	24	41
HSK 40 (A-C-E)	NC15-2342	22	NC15-2942	26	NC31-1842	18	NC31-2442	24	42
HSK 50 (A-C-E)	NC15-2343	10	NC15-2943	12	NC31-1843	8	NC31-2443	10	43
HSK 63 (A-C-E)	NC15-2344	7	NC15-2944	9	NC31-1844	5	NC31-2444	7	44
HSK 80 (A-C-E)	NC15-2345	5	NC15-2945	6	NC31-1845	4	NC31-2445	5	45
HSK 100 (A-C-E)	NC15-2346	4	NC15-2946	5	NC31-1846	3	NC31-2446	4	46
32 KM	NC15-2350	22	NC15-2950	26	NC31-1850	18	NC31-2450	24	50
40 KM	NC15-2351	22	NC15-2951	26	NC31-1851	18	NC31-2451	24	51
50 KM	NC15-2352	10	NC15-2952	12	NC31-1852	8	NC31-2452	10	52
63 KM	NC15-2353	7	NC15-2953	9	NC31-1853	5	NC31-2453	7	53
80 KM	NC15-2354	5	NC15-2954	6	NC31-1854	4	NC31-2454	5	54
VDI 30 mm	NC15-2360	6	NC15-2960	7	NC31-1860	7	NC31-2460	9	60
VDI 40 mm	NC15-2361	5	NC15-2961	6	NC31-1861	4	NC31-2461	5	61
VDI 50 mm	NC15-2362	4	NC15-2962	5	NC31-1862	3	NC31-2462	4	62




N	r	1	ı
14	·	1	•



NC14

UPRIGHT	TYPE OF	UNIT WIDTH		BEAM WIDTH	
ASSEMBLY DEPTHS	SURFACE	6"	48"	60"	72"
18"	Blank	NC30-1800	NC33-481800	NC33-601800	NC33-721800
10	Perforated	NC31-18*	NC34-4818*	NC34-6018*	NC34-7218*
0.44	Blank	NC30-2400	NC33-482400	NC33-602400	NC33-722400
24"	Perforated	NC31-24*	NC34-4824*	NC34-6024*	NC34-7224*

NOTE: * Please add the tool code specified in the Mini-Racking table to complete the perforated surface product number you have selected.





		VTZ CA	ABINET			
DIMENSIONS	24"D TOOL RACK		27"D TOOL RACK		44"D TO	OL RACK
ACTUAL DIMENSIONS	5"W×19'	5"W×19"D×2½"H		"D×2½"H	5%"W×30)"D×3⅓"H
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES
Blank rack	NC73-2400	_	NC73-2700	-	NC64-0704400	-
Taper 30	NC74-2401	8	NC74-2701	10	NC64-0704401	15
Taper 40	NC74-2403	6	NC74-2703	7	NC64-0704403	11
Taper 45	NC74-2404	5	NC74-2704	6	NC64-0704404	9
Taper 50	NC74-2405	4	NC74-2705	5	NC64-0704405	7
³¼" Straight	NC74-2410	18	NC74-2710	20	NC64-0704410	32
1" Straight	NC74-2411	18	NC74-2711	20	NC64-0704411	32
11/4" Straight	NC74-2413	18	NC74-2713	20	NC64-0704413	32
1½" Straight	NC74-2415	7	NC74-2715	8	NC64-0704415	13
1¾" Straight	NC74-2416	7	NC74-2716	8	NC64-0704416	13
2" Straight	NC74-2418	5	NC74-2718	6	NC64-0704418	9
21/4" Straight	NC74-2419	5	NC74-2719	6	NC64-0704419	9
2½" Straight	NC74-2421	5	NC74-2721	6	NC64-0704421	9
C3 Sandvik Capto	NC74-2430	18	NC74-2730	20	NC64-0704430	32
C4 Sandvik Capto	NC74-2431	18	NC74-2731	20	NC64-0704431	32
C5 Sandvik Capto	NC74-2432	8	NC74-2732	10	NC64-0704432	15
C6 Sandvik Capto	NC74-2433	6	NC74-2733	7	NC64-0704433	11
C8 Sandvik Capto	NC74-2434	5	NC74-2734	6	NC64-0704434	9
HSK 25 (A-C-E)	NC74-2440	18	NC74-2740	20	NC64-0704440	32
HSK 32 (A-C-E)	NC74-2441	18	NC74-2741	20	NC64-0704441	32
HSK 40 (A-C-E)	NC74-2442	18	NC74-2742	20	NC64-0704442	32
HSK 50 (A-C-E)	NC74-2443	8	NC74-2743	10	NC64-0704443	15
HSK 63 (A-C-E)	NC74-2444	6	NC74-2744	7	NC64-0704444	11
HSK 80 (A-C-E)	NC74-2445	4	NC74-2745	5	NC64-0704445	7
HSK 100 (A-C-E)	NC74-2446	3	NC74-2746	4	NC64-0704446	6
32 KM	NC74-2450	18	NC74-2750	20	NC64-0704450	32
40 KM	NC74-2451	18	NC74-2751	20	NC64-0704451	32
50 KM	NC74-2452	8	NC74-2752	9	NC64-0704452	15
63 KM	NC74-2453	6	NC74-2753	7	NC64-0704453	11
80 KM	NC74-2454	4	NC74-2754	5	NC64-0704454	7
VDI 30 mm	NC74-2460	5	NC74-2760	6	NC64-0704460	9
VDI 40 mm	NC74-2461	4	NC74-2761	5	NC64-0704461	8
VDI 50 mm	NC74-2462	3	NC74-2762	4	NC64-0704462	6










IMPORTANT

Refer to technical guide N50 for recommended layouts based on tool height and intended use.





8

info@rousseau.com



End-Users: 1.866.463.4270 Distributors: 1.800.463.4271

Rousseau mobile freestanding stations are designed to optimize your task changes. They make it easy for you to move to a different location while properly protecting your tools.


The mobile stations have ultra-quiet and smooth-rolling polyurethane casters that glide easily even on floors scattered with metal fragments or on greasy surfaces.


The rack's PVC surface protects tools against impacts, corrosion and spattering molten metal. The racks are also tilted 20° for easy handling and access to tools.



MOBILE FREESTANDING STATION FOR TOOLS - 36"H

	₩ ₩ ¥ ¥	
32" 27"	41¼"	
Taper 40	56	NCW0100
Taper 50	40	NCW0101
HSK 50	80	NCW0102
HSK 63	56	NCW0103
50 KM	80	NCW0104
63 KM	56	NCW0105
8	-	NCW0106
	0	NCW0109







- Includes a shelf with aluminum handle for easier maneuverability
- Ideal for handling tools



MOBILE FREESTANDING STATION FOR TOOLS - 54"H

	₩AX	
32" 27" 591/4"		
Taper 40	84	NCW0216
Taper 50	60	NCW0217
HSK 50	120	NCW0218
HSK 63	84	NCW0219
50 KM	120	NCW0220
63 KM	84	NCW0221
8	-	NCW0222
	0	NCW0229






- Includes an aluminum handle for easier maneuverability and a document holder
- For transporting a large number of tools from A to B



MOBILE REPAIR/PREPARATION CABINET FOR TOOLS

	MAX	
36" 24" 61 ½"		
Taper 40	14	NCM8121
Taper 50	10	NCM8131
HSK 50	20	NCM8141
HSK 63	14	NCM8151
50 KM	20	NCM8161
63 KM	14	NCM8171
8	-	NCM8181
	0	NCM8191














- Superior-quality casters for easier maneuverability
- Easy and safe transportation of tools



STATIONARY STORAGE FOR TOOLS


Whether you want to store specialized metalworking equipment (e.g., drill bits, collets, punches, tool holders) or standard tools (e.g., pliers, files, wrenches, sockets), Rousseau offers a wide range of solutions: freestanding stations, modular cabinets, shelving with drawers, R2V cabinet, VTZ cabinet, Mini-Racking, and much more. All these options allow you to find the solution that best meets your specific requirements.


Our range of stationary storage provides effective protection against the kind of corrosion and premature wear that results from unsuitable storage.

Your tools are precious; let Rousseau help you protect them!



FREESTANDING STATION FOR TOOLS - 54"H






- Includes 2 plastic bin rails, 2 tiltable shelves and 6 partial dividers
- Keeps your tools safe, secure and within easy reach


NOTE: Red plastic bins are not available from Rousseau.



R CABINET WITH TOOL DRAWERS




	MAX			
30" 27" 60"				
Taper 40	84	NCM0011	NCM0012	NCM0013
Taper 50	60	NCM0061	NCM0062	NCM0063
HSK 50	120	NCM0111	NCM0112	NCM0113
HSK 63	84	NCM0161	NCM0162	NCM0163
50 KM	120	NCM0211	NCM0212	NCM0213
63 KM	84	NCM0261	NCM0262	NCM0263
8	-	NCM0945	NCM0946	NCM0947
	0	NCM0091	NCM0092	NCM0093




	J ∰¥W			
36" 24" 60"				
Taper 40	108	NCM0017	NCM0018	NCM0019
Taper 50	72	NCM0067	NCM0068	NCM0069
HSK 50	144	NCM0117	NCM0118	NCM0119
HSK 63	108	NCM0167	NCM0168	NCM0169
50 KM	144	NCM0217	NCM0218	NCM0219
63 KM	108	NCM0267	NCM0268	NCM0269
8	-	NCM0949	NCM0950	NCM0951
	0	NCM0097	NCM0098	NCM0099

NOTE: If your tool type is not listed in these tables, see page 6 or contact Customer Service.

SHELVING WITH DRAWERS



	•		<u> </u>			TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM	\otimes	
		75"	4	2		NCS2251	NCS2261	NCS2271	NCS2281	NCS2291	NCS2301	NCS2308	NCS2391
30"	24"	87"	5	4		NCS2252	NCS2262	NCS2272	NCS2282	NCS2292	NCS2302	NCS2307	NCS2392
					₩₩	56	40	80	56	80	56	-	0
		75"	4	2		NCS2255	NCS2265	NCS2275	NCS2285	NCS2295	NCS2305	NCS2309	NCS2395
36	24"	87"	5	4		NCS2256	NCS2266	NCS2276	NCS2286	NCS2296	NCS2306	NCS2310	NCS2396
					₩AX	72	48	96	72	96	72	-	0




- 3 drawers
 - 1 drawer with groove trays, 3"H
 - 1 drawer with tool foam, 4"H
 - 1 drawer with compartments, 4"H
- Provides full and unrestricted access to the drawer contents







Shelving with drawers must be anchored to the floor.

SHELVING WITH ADAPTERS









• Choose a model with doors to prevent dust from settling on your tools.



R2V CABINET FOR NC TOOLS

With an R2V storage cabinet you can use the vertical space you have available, which frees up more floor space.


The trays can be adjusted vertically and horizontally in 1" increments c/c to accommodate the height of your tools, and they can support a load of 100lb. Each drawer opens fully and has a 200lb. load capacity.












For additional tool trays, see page 8.














VTZ VERTICAL STORAGE FOR TOOLS

The VTZ (Vertical Tool Zone) can be used to store lots of tools in a relatively small floor area. Each of the drawers features a floor rolling system that supports a 1,000lb. load. The NC trays can be adjusted vertically in %" increments c/c to accommodate the height of your tools.















NCV <u>L3</u>	NCV <u>LC</u>
---------------	---------------

Taper 40 23½" 44" 62" 3 9 99 NCV-AH620 37½" 44" 62" 5 15 135 NCV-GH620 Taper 50 23½" 44" 62" 3 9 63 NCV-AH620 37½" 44" 62" 5 15 105 NCV-GH620 44" 62" 5 15 105 NCV-GH620 37½" 44" 62" 3 9 135 NCV-AH624: 44" 62" 5 15 15 225 NCV-GH624 44" 62" 5 15 135 NCV-AH624: 44" 62" 5 15 135 NCV-AH624: 37½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 5 15 135 NCV-GH624 37½" 44" 62" 5 15 135 NCV-GH624 37½" 44" 62" 5 15 135 NCV-GH625:	301 501
37½" 44" 62" 5 15 135 NCV-GH620 Taper 50 23½" 44" 62" 3 9 63 NCV-AH620 37½" 44" 62" 5 15 105 NCV-GH620 23½" 44" 62" 3 9 135 NCV-AH624 HSK 50 23½" 44" 62" 5 15 225 NCV-GH624 23½" 44" 62" 3 9 99 NCV-AH624 37½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 3 9 99 NCV-AH624 23½" 44" 62" 3 9 135 NCV-GH624	501
Taper 50 37½" 44" 62" 5 15 105 NCV-GH620 HSK 50 23½" 44" 62" 3 9 135 NCV-AH624: 37½" 44" 62" 5 15 225 NCV-GH624 HSK 63 23½" 44" 62" 3 9 99 NCV-AH624: 37½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 5 15 NCV-GH624:	
HSK 50 37½"	501
HSK 50 37½" 44" 62" 5 15 225 NCV-GH624 HSK 63 23½" 44" 62" 3 9 99 NCV-AH624 37½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 3 9 135 NCV-AH625	
HSK 63 37½" 44" 62" 5 15 225 NCV-GH624 HSK 63 23½" 44" 62" 3 9 99 NCV-AH624 37½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 3 9 135 NCV-AH625	301
HSK 63 37½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 3 9 135 NCV-AH625	301
37½" 44" 62" 5 15 135 NCV-GH624 23½" 44" 62" 3 9 135 NCV-AH625	101
50 KM	401
	201
	201
23½" 44" 62" 3 9 99 NCV-AH625	301
37½" 44" 62" 5 15 135 NCV-GH625	301
23½" 44" 62" 3 0 - NCV-Al6299	01
37½" 44" 62" 5 0 - NCV-GH629	901
23½" 44" 62" 3 9 0 NCV-AH620	
37½" 44" 62" 5 15 0 NCV-GH620	001

For additional tool trays, see page 8.




Designed so it can be moved with a pallet truck or forklift. The cabinet must be moved without any load in the drawers.


MINI-RACKING FOR TOOLS

With a wide range of dimensions and options available, industrialquality Rousseau Mini-Racking units offer an efficient way to store bulky items in a scalable system that easily adapts to specific needs. Easy to assemble and built to last, the Spider® Mini-Racking System is ideal for high-density storage of your tools. For example, the option shown here provides quick access to your tools from both the front and rear.






-	1			TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM	8	
		75"		NCS6001	NCS6021	NCS6031	NCS6041	NCS6051	NCS6061	NCS6011	NCS6191
	18"	87"		NCS6002	NCS6022	NCS6032	NCS6042	NCS6052	NCS6062	NCS6012	NCS6192
	10		₩AĀ	210	120	240	150	240	150	-	0
60"	24"	75"		NCS6003	NCS6023	NCS6033	NCS6043	NCS6053	NCS6063	NCS6013	NCS6193
		87"		NCS6004	NCS6024	NCS6034	NCS6044	NCS6054	NCS6064	NCS6014	NCS6194
			₩AĀ	270	150	300	210	300	210	-	0
		75"		NCS6005	NCS6025	NCS6035	NCS6045	NCS6055	NCS6065	NCS6015	NCS6195
	18"	87"		NCS6006	NCS6026	NCS6036	NCS6046	NCS6056	NCS6066	NCS6016	NCS6196
72" ·	18"			250	144	288	180	288	180	-	0
		75"		NCS6007	NCS6027	NCS6037	NCS6047	NCS6057	NCS6067	NCS6017	NCS6197
	24"	87"		NCS6008	NCS6028	NCS6038	NCS6048	NCS6058	NCS6068	NCS6018	NCS6198
	24		₩₩	324	180	360	252	360	252	-	0



End-Users: 1.866.463.4270 Distributors: 1.800.463.4271 Quick to assemble and built for heavy-duty industrial use, the Spider® Shelving System meets all your storage needs. With multiple depth and height combinations to choose from, combined with a wide range of accessories, you can build a layout that will meet both your current and future needs. Assembly is easy: The shelves attach to the posts with four compression clips, so changing the layout is a quick and simple process.


There are many possible configurations. Contact Customer Service for a customized solution.

OPEN SHELVING






CLOSED SHELVING





SHELVING WITH DRAWERS

By choosing shelving with drawers, you can store both small and bulky items in the same unit, which means you are maximizing use of your available floor space.










SHELVING WITH 4 DRAWERS


	•		<	
	18"	75"	5	R5SEC-751801_
36"	10	87"	6	R5SEC-871801_
30	24"	75"	5	R5SEE-751801_
	24	87"	6	R5SEE-871801_
	18"	75"	5	R5SHC-751801_
48"	10	87"	6	R5SHC-871801_
40	24"	75"	5	R5SHE-751801_
	24"	87"	6	R5SHE-871801_



SHELVING WITH 7 DRAWERS / ROLL-OUT SHELF

	†		<>	
	18"	75"	4	R5SEC-754809_
36"	10	87"	5	R5SEC-874809_
30	24"	75"	4	R5SEE-754809_
	24	87"	5	R5SEE-874809_
	18"	75"	4	R5SHC-754809_
48"	10	87"	5	R5SHC-874809_
40	24"	75"	4	R5SHE-754809_
	24"	87"	5	R5SHE-874809_






SHELVING WITH 8 DRAWERS

	†			
	18"	75"	4	R5SEC-754801_
36"	10	87"	5	R5SEC-874801_
30	24"	75"	4	R5SEE-754801_
	24	87"	5	R5SEE-874801_
	18"	75"	4	R5SHC-754801_
48"	10	87"	5	R5SHC-874801_
40	0.411	75"	4	R5SHE-754801_
	24"	87"	5	R5SHE-874801_





DRAWER PARTITIONING



NOTE: For drawers without compartments, replace the last two digits of the product number with the next even number up.

e.g.: R5SEC-7518<u>01</u> With R5SEC-7518<u>02</u> Without


STORAGE CABINETS, STATIONARY AND MOBILE

Rousseau's modular cabinets boast a heavy-duty and distinct design that is ideal for all environments. They are market-leading products thanks to the wide range of dimensions and accessories available, their modular design and, above all, their durability. The drawers have a load capacity of 400lb. each and can be opened to full extension. Each drawer comes subdivided.






HIGH-DENSITY STORAGE CABINET



• Designed for intensive use, the R Cabinet is perfect for storing tools and parts of all sizes.



MULTI-DRAWER MOBILE CABINET



 Superior-quality casters for easier maneuverability

WORKSTATION SYSTEM

We have the perfect customized solution whether you are looking for basic stationary or mobile workstations with or without storage space, or a more comprehensive workstation with multiple accessories.

You will love the versatility of our workstations and their ability to evolve along with your business needs by simply adding accessories, such as LED lights, riser shelves, power feed panels, 5S panels and


various holders. With multiple dimension combinations to choose from, you can create a completely customized space that meets the highest standards for ergonomics, safety and security.

And with tool racks installed on WM uprights, you will always have your numerical control tools within easy reach.




MAINTENANCE WORKSTATION WITH TOOL RACKS

	•		MAX	
60"	30"	82"		
Ta	per 40		21	NCW0582
Ta	per 50		15	NCW0584
Н	ISK 50		30	NCW0586
Н	ISK 63		21	NCW0588
5	0 KM		30	NCW0590
6	3 KM		21	NCW0592
	8		-	NCW0096
			0	NCW0598








- Includes 1 LED light, 1 power outlet channel, 1 utility panel, 10 hooks and 2 tiltable shelves
- Ideal for sharpening, calibration and swapping out tools



TEMPORARY STORAGE WORKSTATION

	₩ĀX	
60" 30" 58"		
Taper 40	14	NCW0622
Taper 50	10	NCW0627
HSK 50	20	NCW0632
HSK 63	14	NCW0637
50 KM	20	NCW0642
63 KM	14	NCW0647
8	-	NCW0621
	0	NCW0629






- Includes a painted steel shelf and stringer
- Ideal for daily tasks like tool and parts handling and data processing




MOBILE WORKBENCH




 For moving your workbench near to machining stations


MULTI-PURPOSE WORKSTATION

















	+			TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM	8	
132"	24"	87"	8	NCS8005	NCS8015	NCS8025	NCS8035	NCS8045	NCS8055	NCS8075	NCS8095
			₩AX	108	72	144	108	144	108	-	0





Over the years, Rousseau has developed many different storage solutions to meet the standards of the 5S methodology. The aim of this Japanese technique is to continuously improve the work environment. It is designed to achieve better organization and an efficient work environment by ensuring each tool is in the right place, easy to find and well identified.

Furthermore, the storage solutions we offer help you to improve work conditions and morale for employees by reducing the time and energy they spend on unproductive tasks.





WALL-MOUNTED PANEL SYSTEM

Rousseau's 5S multi-purpose panel system can be used to store a broad range of items of different sizes, shapes and weights on a single surface.


Wall-Mounted Utility Panel


	18"	WM57-1618
	24"	WM57-1624
16"	36"	WM57-1636
	48"	WM57-1648
	72"	WM57-1672
	18"	WM57-2418
	24"	WM57-2424
24"	36"	WM57-2436
	48"	WM57-2448
	72"	WM57-2472



TYPE	DIMENSION	PRODUCT NO.	♣
C	6"	WM9A-06	
Square	12"	WM9A-12	50.11
	6"	WM9B-06	- 50 lb
Round	12"	WM9B-12	







Light-Duty Hooks

TYPE / PACKAGE	DIMENSION	PRODUCT NO.		
Straight hooks / 20	1 ½"D	WM9F-150		
Single hooks / 20	1 ½" dia.	WM9G-150		
Single hooks / 20	2" dia.	WM9G-200		
Double back single hooks / 10	3"D	WM9H-03		
Double back single hooks / 10	5"D	WM9H-05		
Double back double hooks / 10	3"D	WM9J-03		
Double back double hooks / 10	5"D	WM9J-05		
Drill holder / 1	5"W×3½"D	WM9L-01		

DRAWER ACCESSORIES

We offer a wide variety of drawer accessories that integrate with each other to help you organize and locate small parts.

TYPE	PRODUCT NO.		
Front to Back Partition	RG00		
Left to Right Partition	RG01		
Drawer Dividers	RG10		
Label Holder	RG51		
Plastic Bins	RG20		
Plastic Bin Partition / Divider	RG22 / RG24		
Label Holder for Plastic Bins	RG52		
Foam for Tools	RG42		
Groove Trays	RG35/RG36/RG39		
Handle Protector	RF70		










The MultiTek Cart provides an ergonomic way to transport and handle items and tools of different sizes. Lightweight and highly durable, it comes with a wide range of configurations and accessories to suit the unique needs of each work activity.

With a maximum load capacity of 600lb. and unrivaled versatility, it is the ideal companion to help you perform your daily tasks.




MATERIAL HANDLING CART



- For moving parts and tools over long distances
- Sold non-assembled



MAINTENANCE CART




Sold assembled




PREPARATION AND CONTROL STATION

	₩AX	
31" 21" 54"		
Taper 40	7	NRVM-NH420103L3B
Taper 50	5	NRVM-NH420105L3B
HSK 50	10	NRVM-NH420143L3B
HSK 63	7	NRVM-NH420144L3B
50 KM	10	NRVM-NH420152L3B
63 KM	7	NRVM-NH420153L3B
8	-	NRVM-NH4201L3B
	0	NRVM-NH420100L3B



- Includes utility panels and a document holder
- The inverted top shelf with protective polycarbonate top serves as a work surface
- Sold assembled





SHELF ACCESSORIES

Non-Slip PVC Liner for Shelf













End-Users: 1.866.463.4270 Distributors: 1.800.463.4271



ROUSSEAU METAL INC.

Since 1950 Rousseau has been designing, engineering and manufacturing modular and industrial storage systems for a variety of markets. Our facilities, covering 254,000 square feet in total and equipped with cutting-edge technology, are a sign of our growth and vitality.

We offer complete and integrated solutions for all your storage needs: drawers for shelving and cabinets, industrial shelving, Mini-Racking, workstations, hutches, carts, toolboxes, and much more.

Visit www.rousseau.com for more information.

COLORS

STANDARD COLORS

The colors may differ slightly from those illustrated.

Avalanche Blue	Everest Blue	Classic Blue	Midnight Blue	Glossy Sapphire	Glossy EverGreen	Black	Beige
055	051	052	057	Blue 560	1025	091	041
Frost	Light	Modern	Charcoal	Glossy	White	Sienna	Glossy
White	Gray	Gray	Gray	Carbon Black	white	Orange	Yellow
061	071	745	072	741	616	085	208
Flame Red	Glossy Carmine Red	Glossy Cranberry Red	Glossy Black				
081	806	815	902				

For more information, please contact your local distributor:

HANDLE END CAPS







Orange 031 021

ROUSSEAU METAL INC.

105, avenue de Gaspé Ouest Saint-Jean-Port-Joli (Québec) GOR 3GO CANADA

WEBSITE

rousseau.com

DISTRIBUTORS 1.800.463.4271

DISTRIBUTORS ACCESS

END USERS 1.866.463.4270

CONFIGURATOR MyModel-r.com

FMAII info@rousseau.com







Printed in Canada